

Frequency	Code	Response	Variable Name	Type/Length
-----------	------	----------	---------------	-------------

*Section 22: Completed Pregnancies (partner)*

[Generate a Completed Pregnancies Data Set (CPDS), containing:

one record for each pregnancy represented in the Recent Pregnancies Data Set (RPDS)—created in S.18—for which RPOUTC is not P;

one record for each record in the Old Pregnancies Data Set (OPDS)—created in S.18.

Store in CRELNO the value of RRELNO or ORELNO, as appropriate, and in CSOURCE an R if the record came from the RPDS, an O if it came from the OPDS. Copy into CPARTNER the value of RPARTNER or OPARTNER, as appropriate; into CPEMTH, the value of RPEMTH or OPEMTH, as appropriate; into CPEYR, the value of RPEYR or OPEYR; into CPOUTC the value of RPOUTC. Store in CPEMTHN the numeric equivalents of CPEMTH values, and in CPEMTHT the complete month names. Sort the records by CPEYR and by CPEMTHN. Assign consecutive values of CPNO to these chronologically ordered records. Store the highest value of CPNO in BASIL. If BASIL < 1, skip to S.23.]

The next questions are about the {PREGNANCY/ PREGNANCIES} you reported that {HAS/ HAVE} ended.

[For each record in the CPDS, ask Q.1 to Q.24.]

Respondent identification number.			<b>AID</b>	num 8
		Range 10000000 - 99999999		
Romantic relationship number.			<b>RRELNO</b>	num 2
1230		Range 1 to 20		
Relationship pregnancy number.			<b>RPREGNO</b>	num 2
1230		Range 1 to 6		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
<p>1. <i>[If the respondent is male and BASIL = 1:]</i> How many months pregnant was she when &lt;CPARTNER&gt; told you that she was pregnant?  <i>[If the respondent is male and BASIL &gt; 1:]</i> With regard to &lt;CPARTNER&gt;'s pregnancy that ended in &lt;CPEMTHHT&gt; of &lt;CPEYR&gt;, how many months pregnant was she when she told you that she was pregnant?  <i>[If the respondent is female and BASIL = 1:]</i> How many months pregnant were you when you told &lt;CPARTNER&gt; that you were pregnant?  <i>[If the respondent is female and BASIL &gt; 1:]</i> With regard to your pregnancy that ended in &lt;CPEMTHHT&gt; of &lt;CPEYR&gt;, how many months pregnant were you when you told &lt;CPARTNER&gt; that you were pregnant?</p>			<b>H3PG1</b>	num 2
57	0	0 months		
606	1	1 month		
279	2	2 months		
128	3	3 months		
49	4	4 months		
17	5	5 months		
7	6	6 months		
4	7	7 months		
7	8	8 months		
24	9	9months		
24	96	refused		
11	98	don't know		
12	99	not applicable		
5	●	missing		
<p><i>[If the respondent is female, ask Q.2.]</i></p>				
<p>2. How many weeks had you been pregnant when {YOUR/ THIS} pregnancy ended?</p>			<b>H3PG2</b>	num 2
12	0	0 weeks		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
548		range 1 to 40		
12	96	refused		
640	97	legitimate skip		
6	98	don't know		
7	99	not applicable		
5	●	missing		
3. How far had <CPARTNER> gone in school when {SHE/ YOU} got pregnant by {YOU/ HIM}?			<b>H3PG3</b>	num 2
35	0	had never gone to school		
20	1	8th grade or less		
284	2	more than 8th grade, but not a high school graduate		
11	3	had gone to a business, trade, or vocational school instead of high school		
460	4	high school graduate		
68	5	completed a GED		
46	6	had gone to a business, trade, or vocational school after high school		
75	7	attending college		
96	8	had gone to college, but not a college graduate		
41	9	college or university graduate		
5	10	attending graduate school		
1	11	receiving professional training beyond a four-year college or university		
4	12	had received an advanced degree		
27	96	refused		
35	98	don't know		
17	99	not applicable		
5	●	missing		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
<p>4. Did {YOU/ &lt;CPARTNER&gt;} have any contact with {&lt;CPARTNER&gt;/ YOU} between the time {YOU/ HE} learned {SHE WAS/ YOU WERE} pregnant and the time {HER/ YOUR} pregnancy ended?</p>			<b>H3PG4</b>	num 1
79	0	no		
1108	1	yes		
22	6	refused		
5	8	don't know		
11	9	not applicable		
5	●	missing		
<p>5. Before {&lt;CPARTNER&gt;/ YOU} got pregnant, were you or {SHE/ &lt;CPARTNER&gt;} using any kind of birth control when you had sex with each other?</p>				
680	0	no <i>[skip to Q.8]</i>		
501	1	yes		
24	6	refused		
11	8	don't know		
9	9	not applicable		
5	●	missing		
<p>6. What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. <i>1st response</i></p>			<b>H3PG6A</b>	num 2
308	1	condoms (rubbers)		
23	2	withdrawal		
6	3	rhythm (safe time) or safe period by the calendar		
1	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
109	5	birth control pills (the pill)		
1	6	vaginal sponge		
8	10	female condom		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/ Length
1	12	the implant of Norplant		
1	13	ring		
13	14	the injectable or Depo Provera		
1	15	vaginal contraceptive film or insert		
2	20	some other method		
27	21	no other method		
26	96	refused		
680	97	legitimate skip		
8	98	don't know		
10	99	not applicable		
5	●	missing		
<p>6. What kinds of birth control were you or {SHE/ HE} using?            You may report as many as three methods.  <i>2nd response</i></p>			<b>H3PG 6B</b>	num 2
197	1	condoms (rubbers)		
51	2	withdrawal		
6	3	rhythm (safe time) or safe period by the calendar		
1	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
137	5	birth control pills (the pill)		
1	6	vaginal sponge		
2	7	spermicidal foam, jelly, creme, suppositories		
2	8	diaphragm, with or without jelly or cream		
1	9	cervical cap		
3	10	female condom		
2	11	IUD (intrauterine device), coil, loop		
1	13	ring		
11	14	the injectable or Depo Provera		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/ Length
2	15	vaginal contraceptive film or insert		
1	20	some other method		
39	21	no other method		
29	96	refused		
707	97	legitimate skip		
11	98	don't know		
21	99	not applicable		
5	●	missing		
<p>6. What kinds of birth control were you or {SHE/ HE} using?            You may report as many as three methods.  <i>3rd response</i></p>			<b>H3PG6C</b>	num 2
189	1	condoms (rubbers)		
16	2	withdrawal		
6	3	rhythm (safe time) or safe period by the calendar		
1	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
105	5	birth control pills (the pill)		
1	6	vaginal sponge		
4	7	spermicidal foam, jelly, creme, suppositories		
10	10	female condom		
2	11	IUD (intrauterine device), coil, loop		
1	12	the implant of Norplant		
10	14	the injectable or Depo Provera		
1	15	vaginal contraceptive film or insert		
1	18	vasectomy		
1	20	some other method		
55	21	no other method		
27	96	refused		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
746	97	legitimate skip		
20	98	don't know		
29	99	not applicable		
5	●	missing		
7. In the month before {SHE/ YOU} got pregnant, did you or <CPARTNER> use {THIS/ AT LEAST ONE} kind of birth control every time you and {SHE/ HE} had sexual intercourse?			<b>H3PG7</b>	num 1
203	0	no		
303	1	yes		
25	6	refused		
680	7	legitimate skip		
5	8	don't know		
9	9	not applicable		
5	●	missing		
8. Please think back to the time just before {<CPARTNER>/ YOU} became pregnant. Did you want to have a child then?			<b>H3PG8</b>	num 1
643	0	no		
530	1	yes [skip to Q.10]		
23	6	refused		
22	8	don't know		
9	9	not applicable		
3	●	missing		
9. Did you want to have a child sometime later?			<b>H3PG9</b>	num 1
154	0	no [skip to Q.11]		
504	1	yes		
21	6	refused		
530	7	legitimate skip		

In Home Questionnaire Code Book III, S.22p

Frequency	Code	Response	Variable Name	Type/Length
11	8	don't know		
8	9	not applicable		
2	●	missing		
10. Did you want <CPARTNER> to be your child's {MOTHER/ FATHER}?			<b>H3PG10</b>	num 1
138	0	no		
861	1	yes		
2	6	refused		
193	7	legitimate skip		
34	8	don't know		
2	●	missing		
<i>[If the respondent is male and Q.4 = 1, or if the respondent is female, ask Q.11 to Q.18.]</i>				
11. While {<CPARTNER> WAS/ YOU WERE} pregnant, did {SHE/ YOU} visit a doctor or nurse-midwife for prenatal care or pregnancy check-ups?			<b>H3PG11</b>	num 1
184	0	no <i>[skip to Q.18]</i>		
948	1	yes		
20	6	refused		
51	7	legitimate skip		
14	8	don't know		
10	9	not applicable		
3	●	missing		
12. Did {YOU/ HE} go along with {HER/ YOU} for any of these check-ups?			<b>H3PG12</b>	num 1
153	0	no		
804	1	yes		
20	6	refused		
235	7	legitimate skip		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
6	8	don't know		
9	9	not applicable		
3	●	missing		
<i>[If the respondent is female, ask Q.13 to Q.15.]</i>				
13. In which month of the pregnancy did you first see a doctor or nurse-midwife?			<b>H3PG13</b>	num 2
6	0	before the first month *		
167	1	first month		
130	2	second month		
78	3	third month		
30	4	fourth month		
15	5	fifth month		
9	6	sixth month		
4	7	seventh month		
6	8	eighth month		
7	9	ninth month		
14	96	refused		
756	97	legitimate skip		
2	98	don't know		
4	9	not applicable		
2	●	missing		
14. <i>[If Q.2 ≤ 24:]</i> How many prenatal-care visits did you have with a doctor or nurse-midwife? <i>[If Q.2 &gt; 24:]</i> During the first six months of this pregnancy, how many prenatal-care visits did you have with a doctor or nurse-midwife?			<b>H3PG14</b>	num 2
440		visits range 1 to 35**		
13	96	refused		
756	97	legitimate skip		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/ Length
15	98	don't know		
4	99	not applicable		
2	●	missing		
<i>[If Q.2 &gt; 24, ask Q.15.]</i>				
15. After the first six months, how many prenatal-care visits did you have with a doctor or nurse-midwife?			<b>H3PG15</b>	num 2
327		visits range 1 to 30**		
1	96	refused		
890	97	legitimate skip		
6	98	don't know		
1	99	not applicable		
5	●	missing		
16. Where did {SHE/ YOU} go for most of {HER/ YOUR} prenatal care?			<b>H3PG16</b>	num 2
583	1	private doctor's office		
49	2	nurse-midwife's office		
32	3	county or city health department		
69	4	community health center		
29	5	HMO (health maintenance organization)		
7	6	clinic at work or at school		
140	7	clinic in a hospital		
11	8	emergency room in a hospital		
19	9	birthing center		
4	10	another sort of place		
22	96	refused		
235	97	legitimate skip		
17	98	don't know		
10	99	not applicable		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
3	●	missing		
<p>17. <i>[If MAX = 1:]</i> How was &lt;CPARTNER&gt;'s/ YOUR} prenatal care paid for?  <i>[If MAX &gt; 1:]</i> For the pregnancy that ended in &lt;CPEMTHT&gt; of &lt;CPEYR&gt;, how was            {&lt;CPARTNER&gt;'s/ YOUR} prenatal care paid for?            Mark all the kinds of payments that apply.</p>				
your or <CPARTNER>'s income or savings			<b>H3PG17A</b>	num 1
779	0	not marked		
179	1	marked		
18	6	refused		
235	7	legitimate skip		
9	8	don't know		
7	9	not applicable		
3	●	missing		
your or <CPARTNER>'s parents or other relatives			<b>H3PG17B</b>	num 1
875	0	not marked		
88	1	marked		
15	6	refused		
235	7	legitimate skip		
7	8	don't know		
7	9	not applicable		
3	●	missing		
private insurance			<b>H3PG17C</b>	num 1
704	0	not marked		
258	1	marked		
16	6	refused		
235	7	legitimate skip		
7	8	don't know		
7	9	not applicable		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
3	●	missing		
		Medicaid	<b>H3PG17D</b>	num 1
539	0	not marked		
427	1	marked		
15	6	refused		
235	7	legitimate skip		
4	8	don't know		
7	9	not applicable		
3	●	missing		
		government assistance other than Medicaid (state or local)	<b>H3PG17E</b>	num 1
841	0	not marked		
125	1	marked		
15	6	refused		
235	7	legitimate skip		
4	8	don't know		
7	9	not applicable		
3	●	missing		
		some other source of money	<b>H3PG17F</b>	num 1
934	0	not marked		
34	1	marked		
12	6	refused		
235	7	legitimate skip		
5	8	don't know		
7	9	not applicable		
3	●	missing		
18.		During this pregnancy, how often did {SHE/ YOU} drink alcoholic beverages?	<b>H3PG18</b>	num 1

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
1014	0	never		
75	1	less than once a month		
27	2	several times a month		
14	3	several times a week		
3	4	almost every day		
17	6	refused		
51	7	legitimate skip		
15	8	don't know		
11	9	not applicable		
3	●	missing		
19. How often did {SHE/ YOU} use drugs such as marijuana, crack cocaine, or heroin?			<b>H3PG19</b>	num 1
1049	0	never		
55	1	less than once a month		
22	2	several times a month		
4	3	several times a week		
5	4	almost every day		
17	6	refused		
51	7	legitimate skip		
13	8	don't know		
11	9	not applicable		
3	●	missing		
20. How many cigarettes did {SHE/ YOU} smoke?			<b>H3PG20</b>	num 1
886	0	none		
239	1	1 pack a day or less		
15	2	more than 1 pack a day, but less than 2 packs a day		
3	3	2 or more packs a day		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
17	6	refused		
51	7	legitimate skip		
7	8	don't know		
9	9	not applicable		
3	●	missing		
<i>[If CPOUTC = L or D (i.e., the pregnancy ended in a live birth), ask Q.21 to Q.24.]</i>				
21. <i>[If MAX = 1:]</i> How were <CPARTNER>'s/ YOUR} delivery and hospital stay paid for? <i>[If MAX &gt; 1:]</i> For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were {<CPARTNER>'s/ YOUR} delivery and hospital stay paid for? Mark all the kinds of payments that apply.				
your or <CPARTNER>'s income or savings			<b>H3PG21A</b>	num 1
723	0	not marked		
123	1	marked		
14	6	refused		
350	7	legitimate skip		
9	8	don't know		
6	9	not applicable		
5	●	missing		
your or <CPARTNER>'s parents or other relatives			<b>H3PG21B</b>	num 1
793	0	not marked		
58	1	marked		
13	6	refused		
350	7	legitimate skip		
6	8	don't know		
5	9	not applicable		
5	●	missing		
private insurance			<b>H3PG21C</b>	num 1
628	0	not marked		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
222	1	marked		
13	6	refused		
350	7	legitimate skip		
7	8	don't know		
5	9	not applicable		
5	●	missing		
Medicaid			<b>H3PG21D</b>	num 1
455	0	not marked		
396	1	marked		
13	6	refused		
350	7	legitimate skip		
6	8	don't know		
5	9	not applicable		
5	●	missing		
government assistance other than Medicaid (state or local)			<b>H3PG21E</b>	num 1
741	0	not marked		
110	1	marked		
13	6	refused		
350	7	legitimate skip		
6	8	don't know		
5	9	not applicable		
5	●	missing		
some other source of money			<b>H3PG21F</b>	num 1
826	0	not marked		
26	1	marked		
11	6	refused		
350	7	legitimate skip		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
7	8	don't know		
5	9	not applicable		
5	●	missing		
22. Were you and <CPARTNER> married to each other at the time of this birth?			<b>H3PG22</b>	num 1
492	0	no		
357	1	yes		
14	6	refused		
350	7	legitimate skip		
5	8	don't know		
6	9	not applicable		
6	●	missing		
23. Were you and <CPARTNER> living together at that time?			<b>H3PG23</b>	num 1
214	0	no		
636	1	yes		
14	6	refused		
350	7	legitimate skip		
5	8	don't know		
6	9	not applicable		
5	●	missing		
<i>[If Q.22 = 0 and Q.23 = 0, ask Q.24.]</i>				
24. Which of the following statements best describes your relationship with <CPARTNER> at the time of this birth?			<b>H3PG24</b>	num 1
26	1	We did not see or talk to each other.		
27	2	We hardly ever saw or talked to each other.		
21	3	We were just friends.		
30	4	We were involved in an on-again, off-again relationship.		
88	5	We were romantically involved on a steady basis.		

*In Home Questionnaire Code Book III, S.22p*

Frequency	Code	Response	Variable Name	Type/Length
4	6	refused		
1027	7	legitimate skip		
2	8	don't know		
5	●	missing		

**\* H3PG13**

This was an open-ended question with a range of 0 to 9, making the response category of 0 ambiguous. Zero could mean before the first month or never.

**\*\*H3PG 14, H3PG 15**

A response range for these variables was omitted causing the number of prenatal visits for some respondents to seem high.