

Wave II STI Contextual Database

Frequency	Code	Response	Variable Name	Type/Length
SEXUALLY TRANSMITTED INFECTIONS				
Chlamydia Cases per 100,000 Population - State			SCD95974	num 8
14683		range 27.400 to 300.400		
55	! G	geocode missing		
Chlamydia Cases per 100,000 Population - State			SCD93974	num 8
13269		range 1.400 to 284.600		
1414	! S	unavailable source data		
55	! G	geocode missing		
Chlamydia Cases per 100,000 Population - State			SCD91974	num 8
12771		range 0.200 to 310.500		
1912	! S	unavailable source data		
55	! G	geocode missing		
Chlamydia Cases per 100,000 Male Population - State			SCD95975	num 8
14376		range 4.000 to 103.900		
307	! S	unavailable source data		
55	! G	geocode missing		
Chlamydia Cases per 100,000 Male Population - State			SCD93975	num 8
13269		range 0.100 to 121.300		
1414	! S	unavailable source data		
55	! G	geocode missing		
Chlamydia Cases per 100,000 Male Population - State			SCD91975	num 8
12464		range 3.800 to 113.900		
2219	! S	unavailable source data		
55	! G	geocode missing		
Chlamydia Cases per 100,000 Female Population - State			SCD95976	num 8
14376		range 46.400 to 490.700		
307	! S	unavailable source data		
55	! G	geocode missing		
Chlamydia Cases per 100,000 Female Population - State			SCD93976	num 8

Wave II STI Contextual Database

Frequency	Code	Response	Variable Name	Type/Length
13269		range 2.800 to 439.800		
1414	! S	unavailable source data		
55	! G	geocode missing		
Chlamydia Cases per 100,000 Female Population - State			SCD91976	num 8
12771		range 0.400 to 560.700		
1912	! S	unavailable source data		
55	! G	geocode missing		
Gonorrhea Cases per 100,000 Population - State			SCD95977	num 8
14683		range 10.300 to 1026.100		
55	! G	geocode missing		
Gonorrhea Cases per 100,000 Population - State			SCD93977	num 8
14683		range 4.300 to 1065.900		
55	! G	geocode missing		
Gonorrhea Cases per 100,000 Population - State			SCD91977	num 8
14683		range 9.500 to 1648.000		
55	! G	geocode missing		
Gonorrhea Cases per 100,000 Male Population - State			SCD95978	num 8
14683		range 8.500 to 1331.900		
55	! G	geocode missing		
Gonorrhea Cases per 100,000 Male Population - State			SCD93978	num 8
14683		range 4.300 to 1427.100		
55	! G	geocode missing		
Gonorrhea Cases per 100,000 Male Population - State			SCD91978	num 8
14683		range 10.800 to 2419.500		
55	! G	geocode missing		
Gonorrhea Cases per 100,000 Female Population - State			SCD95979	num 8
14683		range 11.700 to 757.500		
55	! G	geocode missing		

Wave II STI Contextual Database

Frequency	Code	Response	Variable Name	Type/Length
Gonorrhea Cases per 100,000 Female Population - State			SCD93979	num 8
14683		range 4.400 to 794.300		
55	! G	geocode missing		
Gonorrhea Cases per 100,000 Female Population - State			SCD91979	num 8
14683		range 8.300 to 973.200		
55	! G	geocode missing		
Syphilis Cases (Primary and Secondary Stages) per 100,000 Population - State			SCD95980	num 8
14683		range 0.000 to 72.400		
55	! G	geocode missing		
Syphilis Cases (Primary and Secondary Stages) per 100,000 Population - State			SCD93980	num 8
14683		range 0.200 to 66.700		
55	! G	geocode missing		
Syphilis Cases (Primary and Secondary Stages) per 100,000 Population - State			SCD91980	num 8
14683		range 0.400 to 128.600		
55	! G	geocode missing		
Syphilis Cases (Primary and Secondary Stages) per 100,000 Population - County			CCD95981	num 8
14683		range 0.000 to 157.124		
55	! G	geocode missing		
Syphilis Cases (Primary and Secondary Stages) per 100,000 Population - County			CCD93981	num 8
14683		range 0.000 to 144.047		
55	! G	geocode missing		
Syphilis Cases (Primary and Secondary Stages) per 100,000 Population - County			CCD90981	num 8
14683		range 0.000 to 301.612		
55	! G	geocode missing		