

Frequency	Code	Response	Variable Name	Type/ Length
-----------	------	----------	------------------	-----------------

### **Section 28: Tobacco, Alcohol, Drugs, Self-Image (CASI)**

The next questions are about your experiences with cigarettes, alcohol, and drugs, and your attitudes about their use. Remember, your answers will not be linked to you.

1. Have you ever tried cigarette smoking, even just one or two puffs?			<b>H3TO1</b>	num 1
4058	0	no [skip to Q.27]		
11012	1	yes		
72	6	refused		
22	8	don't know		
27	9	not applicable		
6	•	missing		
2. Have you ever smoked an entire cigarette?			<b>H3TO2</b>	num 1
2123	0	no [skip to Q.6]		
8886	1	yes		
4179	7	legitimate skip		
2	8	don't know		
1	9	not applicable		
6	•	missing		
3. How old were you the first time you smoked an entire cigarette?			<b>H3TO3</b>	num 2
8780		years range 5 to 25		
14	96	refused		
6305	97	legitimate skip		
82	98	don't know		
9	99	not applicable		
7	•	missing		
4. Have you ever smoked cigarettes regularly—that is, at least one cigarette every day for 30 days?			<b>H3TO4</b>	num 1

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
3017	0	no [skip to Q.18]		
5844	1	yes		
9	6	refused		
6305	7	legitimate skip		
11	8	don't know		
5	9	not applicable		
6	•	missing		
5. How old were you when you first smoked cigarettes regularly—that is, at least one cigarette every day for 30 days?			<b>H3TO5</b>	num 2
5765		years range 5 to 26		
13	96	refused		
9347	97	legitimate skip		
57	98	don't know		
6	99	not applicable		
9	•	missing		
Q. 6 through Q.17 were only asked of current, regular smokers (smoked at least one cigarette a day for the last 30 days) and were not asked of current smokers who do not smoke daily.				
6. Have you ever smoked at all in the past 30 days?			<b>H3TO6</b>	num 1
3045	0	no [skip to Q.18]		
4913	1	yes		
4	6	refused		
7224	7	legitimate skip		
3	8	don't know		
1	9	not applicable		
7	•	missing		
7. During the past 30 days, on how many days did you smoke cigarettes?			<b>H3TO7</b>	num 2

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
87		0 days		
4784		days range 1 to 30		
6	96	refused		
10277	97	legitimate skip		
31	98	don't know		
5	99	not applicable		
7	•	missing		
8. During the past 30 days, on how many days did you smoke cigars?			<b>H3TO8</b>	num 2
3510		0 days		
1364		days range 1 to 30		
11	96	refused		
10277	97	legitimate skip		
19	98	don't know		
9	99	not applicable		
7	•	missing		
9. During the past 30 days, on how many days did you smoke "beedies"?			<b>H3TO9</b>	num 2
4651		0 days		
207		days range 1 to 30		
13	96	refused		
10277	97	legitimate skip		
27	98	don't know		
15	99	not applicable		
7	•	missing		
10. During the past 30 days, on the days you smoked, how many cigarettes did you smoke each day?			<b>H3TO10</b>	num 3
4839		cigarettes range 1 to 100		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
14	996	refused		
10277	997	legitimate skip		
49	998	don't know		
11	999	not applicable		
7	•	missing		
11. During the past six months, have you tried to quit smoking cigarettes?			<b>H3TO11</b>	num 1
2555	0	no		
2323	1	yes		
7	6	refused		
10277	7	legitimate skip		
2	8	don't know		
26	9	not applicable		
7	•	missing		
12. Currently, how soon after you wake up do you have your first cigarette?			<b>H3TO12</b>	num 1
831	1	within 5 minutes		
1225	2	within 6 to 30 minutes		
796	3	within 31 to 60 minutes		
1549	4	after 60 minutes		
31	6	refused		
10277	7	legitimate skip		
169	8	don't know		
312	9	not applicable		
7	•	missing		
13. Do you find it difficult not to smoke in places where it is forbidden, for example, in church, at the library, or in theaters?			<b>H3TO13</b>	num 1

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
3915	0	no		
909	1	yes		
11	6	refused		
10277	7	legitimate skip		
17	8	don't know		
61	9	not applicable		
7	•	missing		
14. Which cigarette would you hate most to give up?			<b>H3TO14</b>	num 1
1497	1	the first in the morning		
2411	2	all others		
37	6	refused		
10277	7	legitimate skip		
617	8	don't know		
351	9	not applicable		
7	•	missing		
15. How many cigarettes a day do you smoke?			<b>H3TO15</b>	num 1
2443	1	10 or fewer		
1616	2	11 to 20		
438	3	21 to 30		
89	4	31 or more		
23	6	refused		
10277	7	legitimate skip		
54	8	don't know		
250	9	not applicable		
7	•	missing		
16. Do you smoke more frequently during the first hours after waking			<b>H3TO16</b>	num 1

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
		than during the rest of the day?		
3420	0	no		
1205	1	yes		
21	6	refused		
10277	7	legitimate skip		
90	8	don't know		
177	9	not applicable		
7	•	missing		
17. Do you still smoke even if you are so ill that you are in bed most of the day?			<b>H3TO17</b>	num 1
3304	0	no		
1413	1	yes		
18	6	refused		
10277	7	legitimate skip		
38	8	don't know		
140	9	not applicable		
7	•	missing		
18. Was there ever a period in your life when you smoked more than you do now?			<b>H3TO18</b>	num 1
6822	0	no [skip to Q.25]		
3957	1	yes		
31	6	refused		
4182	7	legitimate skip		
62	8	don't know		
136	9	not applicable		
7	•	missing		
19. During the period when you smoked the most, how soon after you			<b>H3TO19</b>	num 1

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
		woke up did you have your first cigarette?		
977	1	within 5 minutes		
888	2	within 6 to 30 minutes		
522	3	within 31 to 60 minutes		
1247	4	after 60 minutes		
12	6	refused		
11233	7	legitimate skip		
171	8	don't know		
140	9	not applicable		
7	•	missing		
20. During the period when you smoked the most, did you find it difficult not to smoke in places where it is forbidden, for example, in church, at the library, or in theaters?			<b>H3TO20</b>	num 1
2849	0	no		
1045	1	yes		
4	6	refused		
11233	7	legitimate skip		
17	8	don't know		
42	9	not applicable		
7	•	missing		
21. During the period when you smoked the most, which cigarette would you hate most to give up?			<b>H3TO21</b>	num 1
1144	1	the first in the morning		
1942	2	all others		
27	6	refused		
11233	7	legitimate skip		
579	8	don't know		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
265	9	not applicable		
7	•	missing		
22. During the period when you smoked the most, how many cigarettes a day do you smoke?			<b>H3TO22</b>	num 1
1735	1	10 or fewer		
1026	2	11 to 20		
728	3	21 to 30		
318	4	31 or more		
16	6	refused		
11233	7	legitimate skip		
49	8	don't know		
85	9	not applicable		
7	•	missing		
23. During the period when you smoked the most, did you smoke more frequently during the first hours after waking than during the rest of the day?			<b>H3TO23</b>	num 1
2730	0	no		
953	1	yes		
15	6	refused		
11233	7	legitimate skip		
151	8	don't know		
108	9	not applicable		
7	•	missing		
24. During the period when you smoked the most, did you still smoke even if you are so ill that you are in bed most of the day?			<b>H3TO24</b>	num 1
2545	0	no		
1271	1	yes		
9	6	refused		



*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
11233	7	legitimate skip		
44	8	don't know		
88	9	not applicable		
7	•	missing		
25. Please think back to the time when you first began to smoke. To what extent did you experience each of the following with your first few cigarettes?				
pleasant sensations			<b>H3TO25A</b>	num 1
5203	0	none		
3040	1	slight		
1800	2	moderate		
438	3	intense		
61	6	refused		
4182	7	legitimate skip		
260	8	don't know		
206	9	not applicable		
7	•	missing		
unpleasant sensations			<b>H3TO25B</b>	num 1
4173	0	none		
3145	1	slight		
1973	2	moderate		
1202	3	intense		
58	6	refused		
4182	7	legitimate skip		
253	8	don't know		
204	9	not applicable		
7	•	missing		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
nausea			<b>H3TO25C</b>	num 1
6662	0	none		
2538	1	slight		
981	2	moderate		
435	3	intense		
45	6	refused		
4182	7	legitimate skip		
141	8	don't know		
206	9	not applicable		
7	•	missing		
relaxation			<b>H3TO25D</b>	num 1
4813	0	none		
2762	1	slight		
2365	2	moderate		
691	3	intense		
46	6	refused		
4182	7	legitimate skip		
135	8	don't know		
196	9	not applicable		
7	•	missing		
dizziness			<b>H3TO25E</b>	num 1
5161	0	none		
3203	1	slight		
1540	2	moderate		
749	3	intense		
45	6	refused		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
4182	7	legitimate skip		
114	8	don't know		
196	9	not applicable		
7	•	missing		
a pleasurable rush or buzz			<b>H3TO25F</b>	num 1
4864	0	none		
3041	1	slight		
1889	2	moderate		
858	3	intense		
44	6	refused		
4182	7	legitimate skip		
120	8	don't know		
192	9	not applicable		
7	•	missing		
coughing			<b>H3TO25G</b>	num 1
4164	0	none		
3750	1	slight		
1738	2	moderate		
1033	3	intense		
44	6	refused		
4182	7	legitimate skip		
96	8	don't know		
183	9	not applicable		
7	•	missing		
difficulty inhaling			<b>H3TO25H</b>	num 1
6084	0	none		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
2742	1	slight		
1151	2	moderate		
677	3	intense		
39	6	refused		
4182	7	legitimate skip		
116	8	don't know		
199	9	not applicable		
7	•	missing		
heart pounding			<b>H3TO25I</b>	num 1
7433	0	none		
2265	1	slight		
695	2	moderate		
227	3	intense		
42	6	refused		
4182	7	legitimate skip		
143	8	don't know		
203	9	not applicable		
7	•	missing		
26. How often do you smoke with your siblings?			<b>H3TO26</b>	num 1
942	1	very often		
1787	2	sometimes		
6978	3	never		
802	4	I have no siblings.		
218	5	question not asked of this respondent		
48	6	refused		
4108	7	legitimate skip		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
81	8	don't know		
223	9	not applicable		
10	•	missing		
How true do you think each of the following statements is of you?				
27. I often try new things just for fun or thrills, even if most people think they are a waste of time.			<b>H3TO27</b>	num 2
5105	1	not true		
2386	2	a little true		
3434	3	somewhat true		
2085	4	pretty true		
1767	5	very true		
132	96	refused		
183	98	don't know		
97	99	not applicable		
8	•	missing		
28. When nothing new is happening, I usually start looking for something exciting.			<b>H3TO28</b>	num 2
3582	1	not true		
2659	2	a little true		
3780	3	somewhat true		
2612	4	pretty true		
2206	5	very true		
127	96	refused		
139	98	don't know		
84	99	not applicable		
8	•	missing		
29. I can usually get people to believe me, even when what I'm saying			<b>H3TO29</b>	num 2

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
		isn't quite true.		
4053	1	not true		
2227	2	a little true		
3288	3	somewhat true		
2886	4	pretty true		
2159	5	very true		
136	96	refused		
241	98	don't know		
199	99	not applicable		
8	•	missing		
30. I often do things based on how I feel at the moment.			<b>H3TO30</b>	num 2
1608	1	not true		
2072	2	a little true		
4138	3	somewhat true		
3689	4	pretty true		
3339	5	very true		
127	96	refused		
140	98	don't know		
76	99	not applicable		
8	•	missing		
31. I sometimes get so excited that I lose control of myself.			<b>H3TO31</b>	num 2
8271	1	not true		
2664	2	a little true		
2128	3	somewhat true		
950	4	pretty true		
855	5	very true		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
121	96	refused		
113	98	don't know		
86	99	not applicable		
9	•	missing		
32. I like it when people can do whatever they want, without strict rules and regulations.			<b>H3TO32</b>	num 2
5156	1	not true		
2909	2	a little true		
3419	3	somewhat true		
1622	4	pretty true		
1667	5	very true		
137	96	refused		
184	98	don't know		
94	99	not applicable		
9	•	missing		
33. I often follow my instincts, without thinking through all the details.			<b>H3TO33</b>	num 2
5333	1	not true		
3232	2	a little true		
3252	3	somewhat true		
1564	4	pretty true		
1448	5	very true		
122	96	refused		
164	98	don't know		
73	99	not applicable		
9	•	missing		
34. I can do a good job of "stretching the truth" when I'm talking to people.			<b>H3TO34</b>	num 2

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
4489	1	not true		
3536	2	a little true		
3024	3	somewhat true		
1990	4	pretty true		
1707	5	very true		
136	96	refused		
183	98	don't know		
123	99	not applicable		
9	•	missing		
35. I change my interest a lot, because my attention often shifts to something else.			<b>H3TO35</b>	num 2
5431	1	not true		
3441	2	a little true		
3150	3	somewhat true		
1523	4	pretty true		
1259	5	very true		
133	96	refused		
168	98	don't know		
83	99	not applicable		
9	•	missing		
36. During the past 30 days, on how many days have you used chewing tobacco (such as Red Man, Levi Garrett, or Beechnut) or snuff (such as Skoal, Skoal Bandits, or Copenhagen)?			<b>H3TO36</b>	num 2
14124		0 days		
804		days range 1 to 30		
96	96	refused		
65	98	don't know		



*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
98	99	not applicable		
10	•	missing		
Now please think about your experiences with alcohol.				
37. Since June 1995, have you had a drink of beer, wine, or liquor more than two or three times? Do not include sips or tastes from someone else's drink.			<b>H3TO37</b>	num 1
3470	0	no [skip to Q.50]		
11525	1	yes		
103	6	refused		
42	8	don't know		
48	9	not applicable		
9	•	missing		
38. During the past 12 months, on how many days did you drink alcohol?			<b>H3TO38</b>	num 2
628	0	none [skip to Q.50]		
1739	1	1 or 2 days in the past 12 months		
2503	2	once a month or less (3 to 12 times in the past 12 months)		
2464	3	2 or 3 days a month		
2758	4	1 or 2 days a week		
1048	5	3 to 5 days a week		
318	6	every day or almost every day		
8	96	refused		
3665	97	legitimate skip		
53	98	don't know		
6	99	not applicable		
7	•	missing		
39. Think of all the times you have had a drink during the past 12 months. How many drinks did you usually have each time? A			<b>H3TO39</b>	num 2

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
		"drink" is a glass of wine, a can of beer, a wine cooler, a shot glass of liquor, or a mixed drink.		
10728		drink range 1 to 18		
21	96	refused		
4360	97	legitimate skip		
70	98	don't know		
11	99	not applicable		
7	•	missing		
40. During the past 12 months, on how many days did you drink five or more drinks in a row?			<b>H3TO40</b>	num 2
3697	0	none		
2401	1	1 or 2 days in the past 12 months		
1514	2	once a month or less (3 to 12 times in the past 12 months)		
1255	3	2 or 3 days a month		
1334	4	1 or 2 days a week		
460	5	3 to 5 days a week		
111	6	every day or almost every day		
12	96	refused		
4360	97	legitimate skip		
37	98	don't know		
9	99	not applicable		
7	•	missing		
41. During the past two weeks, how many times did you have five or more drinks on a single occasion, for example, in the same evening?			<b>H3TO41</b>	num 2
5961	0	0 times		
4779		times range from 1 to 14		
17	96	refused		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
4360	97	legitimate skip		
55	98	don't know		
18	99	not applicable		
7	•	missing		
42. During the past two weeks, how many times did you have four or more drinks on a single occasion, for example, in the same evening?			<b>H3TO42</b>	num 2
5888	0	0 times		
4851		times range from 1 to 14		
18	96	refused		
4360	97	legitimate skip		
53	98	don't know		
20	99	not applicable		
7	•	missing		
43. During the past 12 months, on how many days have you been drunk or very high on alcohol?			<b>H3TO43</b>	num 2
3351	0	none		
2871	1	1 or 2 days in the past 12 months		
1834	2	once a month or less (3 to 12 times in the past 12 months)		
1289	3	2 or 3 days a month		
1074	4	1 or 2 days a week		
279	5	3 to 5 days a week		
63	6	every day or almost every day		
19	96	refused		
4360	97	legitimate skip		
41	98	don't know		
9	99	not applicable		
7	•	missing		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
44. Which do you drink most often—beer, wine, wine coolers, hard cider, straight liquor, or mixed drinks?			<b>H3TO44</b>	num 2
4865	1	beer		
659	2	wine		
857	3	wine coolers		
96	4	hard cider		
655	5	straight liquor		
3170	6	mixed drinks		
394	7	whatever is available		
25	96	refused		
4360	97	legitimate skip		
49	98	don't know		
60	99	not applicable		
7	•	missing		
During the past 12 months, how many times has each of the following things happened?				
45. You had problems at school or work because you had been drinking.			<b>H3TO45</b>	num 1
9897	0	never		
489	1	once		
194	2	twice		
133	3	3 or 4 times		
64	4	5 or more times		
16	6	refused		
4360	7	legitimate skip		
18	8	don't know		
19	9	not applicable		
7	•	missing		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
46. You had problems with your friends because you had been drinking.			<b>H3TO46</b>	num 1
9615	0	never		
725	1	once		
268	2	twice		
139	3	3 or 4 times		
40	4	5 or more times		
17	6	refused		
4360	7	legitimate skip		
20	8	don't know		
6	9	not applicable		
7	•	missing		
47. You had problems with someone you were dating because you had been drinking.			<b>H3TO47</b>	num 1
9294	0	never		
878	1	once		
304	2	twice		
197	3	3 or 4 times		
96	4	5 or more times		
17	6	refused		
4360	7	legitimate skip		
24	8	don't know		
20	9	not applicable		
7	•	missing		
48. Over the past 12 months, how many times:				
were you hung over?			<b>H3TO48A</b>	num 1
4543	0	never		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
2167	1	once		
1472	2	twice		
1427	3	3 or 4 times		
1140	4	5 or more times		
15	6	refused		
4360	7	legitimate skip		
61	8	don't know		
5	9	not applicable		
7	•	missing		
were you sick to your stomach or threw up after drinking?			<b>H3TO48B</b>	num 1
5514	0	never		
2532	1	once		
1461	2	twice		
867	3	3 or 4 times		
399	4	5 or more times		
12	6	refused		
4360	7	legitimate skip		
37	8	don't know		
8	9	not applicable		
7	•	missing		
did you get into a sexual situation that you later regretted because you had been drinking?			<b>H3TO48C</b>	num 1
8651	0	never		
1307	1	once		
471	2	twice		
243	3	3 or 4 times		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
97	4	5 or more times		
22	6	refused		
4360	7	legitimate skip		
28	8	don't know		
11	9	not applicable		
7	•	missing		
did you get into a physical fight because you had been drinking?			<b>H3TO48D</b>	num 1
9668	0	never		
680	1	once		
258	2	twice		
133	3	3 or 4 times		
56	4	5 or more times		
13	6	refused		
4360	7	legitimate skip		
15	8	don't know		
7	9	not applicable		
7	•	missing		
were you drunk at school or work?			<b>H3TO48E</b>	num 1
10046	0	never		
399	1	once		
159	2	twice		
114	3	3 or 4 times		
76	4	5 or more times		
12	6	refused		
4360	7	legitimate skip		
9	8	don't know		

Frequency	Code	Response	Variable Name	Type/ Length
15	9	not applicable		
7	•	missing		
49. Since June 1995, have you driven while drunk?			<b>H3TO49</b>	num 1
7207	0	no		
3484	1	yes		
55	2	I have not driven since June 1995.		
35	6	refused		
4360	7	legitimate skip		
30	8	don't know		
19	9	not applicable		
7	•	missing		
<b>If the respondent is a selected for the Binge Sample, ask Q.50 to Q.93.</b>				
The next questions are about "binge drinking." This is when a person drinks with the idea of getting drunk. For example, a person may have four or five drinks on a single occasion and get drunk as a result. You don't have to be a binge drinker to answer the next questions. If you aren't a binge drinker, pretend you are while you answer them.				
50. How favorable or unfavorably do you feel about your engaging in binge drinking?			<b>H3TO50</b>	num 2
78	1	very favorably		
153	2	slightly favorably		
348	3	neither favorably nor unfavorably		
141	4	slightly unfavorably		
775	5	very unfavorably		
13546	95	question not asked of this respondent		
26	96	refused		
61	98	don't know		
63	99	not applicable		
6	•	missing		



Frequency	Code	Response	Variable Name	Type/ Length
How strongly do you agree or disagree with the following statements?				
51. Most people who are important to me would disapprove of my binge drinking.			<b>H3TO51</b>	num 2
812	1	strongly agree		
273	2	agree		
251	3	neither agree nor disagree		
73	4	disagree		
94	5	strongly disagree		
13546	95	question not asked of this respondent		
29	96	refused		
46	98	don't know		
67	99	not applicable		
6	•	missing		
52. My close friends would disapprove of my binge drinking.			<b>H3TO52</b>	num 2
623	1	strongly agree		
219	2	agree		
348	3	neither agree nor disagree		
206	4	disagree		
118	5	strongly disagree		
13546	95	question not asked of this respondent		
26	96	refused		
37	98	don't know		
68	99	not applicable		
6	•	missing		
53. My mother would disapprove of my binge drinking.			<b>H3TO53</b>	num 2
1057	1	strongly agree		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
202	2	agree		
160	3	neither agree nor disagree		
50	4	disagree		
56	5	strongly disagree		
13546	95	question not asked of this respondent		
26	96	refused		
27	98	don't know		
67	99	not applicable		
6	•	missing		
54. My father would disapprove of my binge drinking.			<b>H3TO54</b>	num 2
989	1	strongly agree		
204	2	agree		
191	3	neither agree nor disagree		
44	4	disagree		
62	5	strongly disagree		
13546	95	question not asked of this respondent		
28	96	refused		
48	98	don't know		
79	99	not applicable		
6	•	missing		
55. My romantic partner would disapprove of my binge drinking.			<b>H3TO55</b>	num 2
748	1	strongly agree		
194	2	agree		
318	3	neither agree nor disagree		
114	4	disagree		
73	5	strongly disagree		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
13546	95	question not asked of this respondent		
27	96	refused		
36	98	don't know		
135	99	not applicable		
6	•	missing		
56. Binge drinking would allow me to have fun.			<b>H3TO56</b>	num 2
85	1	strongly agree		
173	2	agree		
394	3	neither agree nor disagree		
268	4	disagree		
610	5	strongly disagree		
13546	95	question not asked of this respondent		
26	96	refused		
38	98	don't know		
51	99	not applicable		
6	•	missing		
57. Binge drinking would make people think I am an alcoholic.			<b>H3TO57</b>	num 2
602	1	strongly agree		
320	2	agree		
355	3	neither agree nor disagree		
157	4	disagree		
98	5	strongly disagree		
13546	95	question not asked of this respondent		
26	96	refused		
30	98	don't know		
57	99	not applicable		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
6	•	missing		
58. Binge drinking would help me relax better.			<b>H3TO58</b>	num 2
59	1	strongly agree		
152	2	agree		
373	3	neither agree nor disagree		
312	4	disagree		
625	5	strongly disagree		
13546	95	question not asked of this respondent		
26	96	refused		
43	98	don't know		
55	99	not applicable		
6	•	missing		
59. Binge drinking would make my close friends think I was cool.			<b>H3TO59</b>	num 2
38	1	strongly agree		
43	2	agree		
311	3	neither agree nor disagree		
377	4	disagree		
760	5	strongly disagree		
13546	95	question not asked of this respondent		
27	96	refused		
33	98	don't know		
56	99	not applicable		
6	•	missing		
60. Binge drinking would make it easier for me to socialize.			<b>H3TO60</b>	num 2
54	1	strongly agree		
198	2	agree		

Frequency	Code	Response	Variable Name	Type/Length
336	3	neither agree nor disagree		
317	4	disagree		
624	5	strongly disagree		
13546	95	question not asked of this respondent		
25	96	refused		
37	98	don't know		
54	99	not applicable		
6	•	missing		
61. Binge drinking would make me get sick or get a hangover.			<b>H3TO61</b>	num 2
712	1	strongly agree		
325	2	agree		
246	3	neither agree nor disagree		
130	4	disagree		
121	5	strongly disagree		
13546	95	question not asked of this respondent		
24	96	refused		
36	98	don't know		
51	99	not applicable		
6	•	missing		
62. Binge drinking would damage my health.			<b>H3TO62</b>	num 2
918	1	strongly agree		
363	2	agree		
176	3	neither agree nor disagree		
44	4	disagree		
52	5	strongly disagree		
13546	95	question not asked of this respondent		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
25	96	refused		
23	98	don't know		
44	99	not applicable		
6	•	missing		
63. Binge drinking would make me lose control of myself.			<b>H3TO63</b>	num 2
751	1	strongly agree		
322	2	agree		
265	3	neither agree nor disagree		
135	4	disagree		
69	5	strongly disagree		
13546	95	question not asked of this respondent		
24	96	refused		
33	98	don't know		
46	99	not applicable		
6	•	missing		
64. Binge drinking would make me lose my inhibitions.			<b>H3TO64</b>	num 2
710	1	strongly agree		
337	2	agree		
304	3	neither agree nor disagree		
116	4	disagree		
67	5	strongly disagree		
13546	95	question not asked of this respondent		
26	96	refused		
40	98	don't know		
45	99	not applicable		
6	•	missing		

Frequency	Code	Response	Variable Name	Type/ Length
65. Binge drinking would make it easier to meet new people.			<b>H3TO65</b>	num 2
106	1	strongly agree		
245	2	agree		
354	3	neither agree nor disagree		
329	4	disagree		
495	5	strongly disagree		
13546	95	question not asked of this respondent		
22	96	refused		
44	98	don't know		
50	99	not applicable		
6	•	missing		
66. If I wanted, I could get alcohol so I could go binge drinking.			<b>H3TO66</b>	num 2
536	1	strongly agree		
391	2	agree		
231	3	neither agree nor disagree		
167	4	disagree		
218	5	strongly disagree		
13546	95	question not asked of this respondent		
25	96	refused		
28	98	don't know		
49	99	not applicable		
6	•	missing		
67. It would be hard for me to go binge drinking even if I wanted to.			<b>H3TO67</b>	num 2
318	1	strongly agree		
196	2	agree		
284	3	neither agree nor disagree		

Frequency	Code	Response	Variable Name	Type/ Length
372	4	disagree		
376	5	strongly disagree		
13546	95	question not asked of this respondent		
24	96	refused		
30	98	don't know		
45	99	not applicable		
6	•	missing		
<p>Now, please complete the following sentences to reflect your opinion most accurately.</p> <p><i>[For the rest of this section, the {MAN/WOMAN} fill should match the respondents' gender.]</i></p>				
68. A {MAN/WOMAN} who binge drinks probably is			<b>H3TO68</b>	num 2
40	1	very intelligent		
220	2	moderately intelligent.		
386	3	slightly intelligent..		
702	4	not at all intelligent		
13546	95	question not asked of this respondent		
30	96	refused		
200	98	don't know		
67	99	not applicable		
6	•	missing		
69. A {MAN/WOMAN} who binge drinks probably is			<b>H3TO69</b>	num 2
71	1	very popular.		
337	2	moderately popular.		
413	3	slightly popular.		
521	4	not at all popular.		
13546	95	question not asked of this respondent		
25	96	refused		



*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
212	98	don't know		
66	99	not applicable		
6	•	missing		
70. A {MAN/WOMAN} who binge drinks probably is			<b>H3TO70</b>	num 2
407	1	very immature.		
325	2	moderately immature.		
414	3	slightly immature.		
249	4	not at all immature.		
13546	95	question not asked of this respondent		
26	96	refused		
171	98	don't know		
53	99	not applicable		
6	•	missing		
71. A {MAN/WOMAN} who binge drinks probably is			<b>H3TO71</b>	num 2
80	1	very confident of {HIMSELF/HERSELF}.		
228	2	moderately confident of {HIMSELF/HERSELF}.		
378	3	slightly confident of {HIMSELF/HERSELF}.		
724	4	not at all confident of {HIMSELF/HERSELF}.		
13546	95	question not asked of this respondent		
22	96	refused		
164	98	don't know		
49	99	not applicable		
6	•	missing		
72. A {MAN/WOMAN} who binge drinks probably is			<b>H3TO72</b>	num 2
99	1	very independent.		
270	2	moderately independent.		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
420	3	slightly independent.		
581	4	not at all independent.		
13546	95	question not asked of this respondent		
34	96	refused		
186	98	don't know		
55	99	not applicable		
6	•	missing		
73. A {MAN/WOMAN} who binge drinks probably is			<b>H3T073</b>	num 2
42	1	very careful.		
160	2	moderately careful.		
343	3	slightly careful.		
907	4	not at all careful.		
13546	95	question not asked of this respondent		
26	96	refused		
123	98	don't know		
44	99	not applicable		
6	•	missing		
74. A {MAN/WOMAN} who binge drinks probably is			<b>H3T074</b>	num 2
57	1	very attractive.		
254	2	moderately attractive.		
389	3	slightly attractive.		
594	4	not at all attractive.		
13546	95	question not asked of this respondent		
31	96	refused		
255	98	don't know		
65	99	not applicable		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
6	•	missing		
75. A {MAN/WOMAN} who binge drinks probably is			<b>H3TO75</b>	num 2
39	1	very considerate.		
183	2	moderately considerate.		
395	3	slightly considerate.		
747	4	not at all considerate.		
13546	95	question not asked of this respondent		
26	96	refused		
193	98	don't know		
62	99	not applicable		
6	•	missing		
76. A {MAN/WOMAN} who binge drinks probably is			<b>H3TO76</b>	num 2
302	1	very self-centered.		
323	2	moderately self-centered.		
372	3	slightly self-centered.		
337	4	not at all self-centered.		
13546	95	question not asked of this respondent		
24	96	refused		
231	98	don't know		
56	99	not applicable		
6	•	missing		
77. How positive or negative would it be if you had more fun as a result of binge drinking?			<b>H3TO77</b>	num 2
49	1	very positive		
143	2	slightly positive		
405	3	neither positive nor negative		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
231	4	slightly negative		
648	5	very negative		
13546	95	question not asked of this respondent		
23	96	refused		
100	98	don't know		
46	99	not applicable		
6	•	missing		
78. How positive or negative would it be if people thought you were an alcoholic as a result of binge drinking?			<b>H3TO78</b>	num 2
85	1	very positive		
77	2	slightly positive		
228	3	neither positive nor negative		
202	4	slightly negative		
905	5	very negative		
13546	95	question not asked of this respondent		
24	96	refused		
81	98	don't know		
43	99	not applicable		
6	•	missing		
79. How positive or negative would it be if you could relax better as a result of binge drinking?			<b>H3TO79</b>	num 2
66	1	very positive		
141	2	slightly positive		
371	3	neither positive nor negative		
223	4	slightly negative		
673	5	very negative		
13546	95	question not asked of this respondent		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
30	96	refused		
94	98	don't know		
47	99	not applicable		
6	•	missing		
80. How positive or negative would it be if your close friends thought you were cool as a result of binge drinking?			<b>H3TO80</b>	num 2
44	1	very positive		
87	2	slightly positive		
383	3	neither positive nor negative		
227	4	slightly negative		
735	5	very negative		
13546	95	question not asked of this respondent		
25	96	refused		
93	98	don't know		
51	99	not applicable		
6	•	missing		
81. How positive or negative would it be if it were easier for you to socialize as a result of binge drinking?			<b>H3TO81</b>	num 2
54	1	very positive		
149	2	slightly positive		
386	3	neither positive nor negative		
223	4	slightly negative		
653	5	very negative		
13546	95	question not asked of this respondent		
30	96	refused		
101	98	don't know		
49	99	not applicable		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
6	•	missing		
82. How positive or negative would it be if you got sick and had hangovers as a result of binge drinking?			<b>H3TO82</b>	num 2
100	1	very positive		
57	2	slightly positive		
253	3	neither positive nor negative		
201	4	slightly negative		
876	5	very negative		
13546	95	question not asked of this respondent		
28	96	refused		
82	98	don't know		
48	99	not applicable		
6	•	missing		
83. How positive or negative would it be if you damaged your health as a result of binge drinking?			<b>H3TO83</b>	num 2
105	1	very positive		
63	2	slightly positive		
176	3	neither positive nor negative		
121	4	slightly negative		
1027	5	very negative		
13546	95	question not asked of this respondent		
29	96	refused		
76	98	don't know		
48	99	not applicable		
6	•	missing		
84. How positive or negative would it be if you tended to lose control of yourself as a result of binge drinking?			<b>H3TO84</b>	num 2

Frequency	Code	Response	Variable Name	Type/Length
83	1	very positive		
62	2	slightly positive		
214	3	neither positive nor negative		
161	4	slightly negative		
968	5	very negative		
13546	95	question not asked of this respondent		
29	96	refused		
82	98	don't know		
46	99	not applicable		
6	•	missing		
85. How positive or negative would it be if you lost your inhibitions as a result of binge drinking?			<b>H3TO85</b>	num 2
77	1	very positive		
95	2	slightly positive		
221	3	neither positive nor negative		
203	4	slightly negative		
888	5	very negative		
13546	95	question not asked of this respondent		
27	96	refused		
88	98	don't know		
46	99	not applicable		
6	•	missing		
86. How positive or negative would it be if it were easier for you to meet new people as a result of binge drinking?			<b>H3TO86</b>	num 2
78	1	very positive		
203	2	slightly positive		
381	3	neither positive nor negative		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
185	4	slightly negative		
633	5	very negative		
13546	95	question not asked of this respondent		
27	96	refused		
87	98	don't know		
51	99	not applicable		
6	•	missing		
87. If you thought about going out and binge drinking (even if you don't currently do this), how excited would you feel?			<b>H3TO87</b>	num 2
94	1	very excited		
229	2	moderately excited		
387	3	slightly excited		
776	4	not at all excited		
13546	95	question not asked of this respondent		
32	96	refused		
86	98	don't know		
41	99	not applicable		
6	•	missing		
88. If you thought about going out and binge drinking (even if you don't currently do this), how pleased would you feel?			<b>H3TO88</b>	num 2
74	1	very pleased		
220	2	slightly pleased*		
330	3	moderately pleased*		
850	4	not at all pleased		
13546	95	question not asked of this respondent		
31	96	refused		
97	98	don't know		



*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
43	99	not applicable		
6	•	missing		
89. If you thought about going out and binge drinking (even if you don't currently do this), how nervous would you feel?			<b>H3TO89</b>	num 2
448	1	very nervous		
246	2	moderately nervous		
337	3	slightly nervous		
448	4	not at all nervous		
13546	95	question not asked of this respondent		
31	96	refused		
88	98	don't know		
47	99	not applicable		
6	•	missing		
90. If you thought about going out and binge drinking (even if you don't currently do this), how aroused or "pumped up" would you feel?			<b>H3TO90</b>	num 2
112	1	very aroused or "pumped up"		
228	2	moderately aroused or "pumped up"		
410	3	slightly aroused or "pumped up"		
700	4	not at all aroused or "pumped up"		
13546	95	question not asked of this respondent		
34	96	refused		
111	98	don't know		
50	99	not applicable		
6	•	missing		
91. How positively or negatively do you feel about your engaging in binge drinking?			<b>H3TO91</b>	num 2
73	1	very positive		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
107	2	slightly positive		
353	3	neither positive nor negative		
215	4	slightly negative		
732	5	very negative		
13546	95	question not asked of this respondent		
36	96	refused		
77	98	don't know		
52	99	not applicable		
6	•	missing		
92. How would your friends evaluate a {MAN/WOMAN} who engages in binge drinking?			<b>H3TO92</b>	num 2
60	1	very positive		
97	2	slightly positive		
461	3	neither positive nor negative		
257	4	slightly negative		
588	5	very negative		
13546	95	question not asked of this respondent		
36	96	refused		
111	98	don't know		
35	99	not applicable		
6	•	missing		
93. How would your friends evaluate a {MAN/WOMAN} who abstains in binge drinking?			<b>H3TO93</b>	num 2
459	1	very positive		
188	2	slightly positive		
477	3	neither positive nor negative		
131	4	slightly negative		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
210	5	very negative		
13546	95	question not asked of this respondent		
34	96	refused		
110	98	don't know		
36	99	not applicable		
6	•	missing		
The next questions deal with how you perceive yourself.				
94. How intelligent are you?			<b>H3TO94</b>	num 1
5167	1	very intelligent		
7906	2	moderately intelligent		
1526	3	slightly intelligent		
171	4	not at all intelligent		
113	6	refused		
115	8	don't know		
62	9	not applicable		
137	•	missing		
95. How popular are you?			<b>H3TO95</b>	num 1
3434	1	very popular		
7938	2	moderately popular		
2623	3	slightly popular		
702	4	not at all popular		
107	6	refused		
185	8	don't know		
71	9	not applicable		
137	•	missing		
96. How immature are you?			<b>H3TO96</b>	num 1

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
1209	1	very immature		
1539	2	moderately immature		
5639	3	slightly immature		
6352	4	not at all immature		
110	6	refused		
159	8	don't know		
52	9	not applicable		
137	•	missing		
97. How confident are you of yourself?			<b>H3T097</b>	num 1
7021	1	very confident of myself		
5762	2	moderately confident of myself		
1740	3	slightly confident of myself		
303	4	not at all confident of myself		
103	6	refused		
87	8	don't know		
44	9	not applicable		
137	•	missing		
98. How independent are you?			<b>H3T098</b>	num 1
7749	1	very independent		
5492	2	moderately independent		
1407	3	slightly independent		
202	4	not at all independent		
96	6	refused		
76	8	don't know		
38	9	not applicable		
137	•	missing		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
99. How careful are you?			<b>H3TO99</b>	num 1
7455	1	very careful		
6121	2	moderately careful		
1174	3	slightly careful		
125	4	not at all careful		
91	6	refused		
60	8	don't know		
34	9	not applicable		
137	•	missing		
100. How attractive are you?			<b>H3TO100</b>	num 1
4160	1	very attractive		
7690	2	moderately attractive		
2578	3	slightly attractive		
345	4	not at all attractive		
94	6	refused		
149	8	don't know		
44	9	not applicable		
137	•	missing		
101. How considerate are you?			<b>H3TO101</b>	num 1
8828	1	very considerate		
5084	2	moderately considerate		
850	3	slightly considerate		
99	4	not at all considerate		
89	6	refused		
78	8	don't know		
32	9	not applicable		

Frequency	Code	Response	Variable Name	Type/Length
137	•	missing		
102. How self-centered are you?			<b>H3TO102</b>	num 1
1452	1	very self-centered		
2643	2	moderately self-centered		
5580	3	slightly self-centered		
5100	4	not at all self-centered		
92	6	refused		
147	8	don't know		
46	9	not applicable		
137	•	missing		
103. Of your three best friends, how many drink alcohol at least once a month?			<b>H3TO103</b>	num 1
3659	0	none of my friends [skip to Q.105]		
2764	1	one friend		
2367	2	two friends		
5810	3	three friends		
100	6	refused [skip to Q.105]		
85	8	don't know [skip to Q.105]		
50	9	not applicable [skip to Q.105]		
362	•	missing		
104. Of your three best friends, how many binge drink at least once a month?			<b>H3TO104</b>	num 1
4938	0	none of my friends		
2535	1	one friend		
1177	2	two friends		
2234	3	three friends		
16	6	refused		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
3894	7	legitimate skip		
32	8	don't know		
9	9	not applicable		
362	•	missing		
105. Since June 1995, have you taken any of the following drugs without a doctor's permission?				
sedatives or downers, such as barbiturates, sleeping pills, or Seconal?			<b>H3TO105A</b>	num 1
13455	0	no		
1495	1	yes		
114	6	refused		
62	8	don't know		
62	9	not applicable		
9	•	missing		
tranquilizers, such as Librium, Valium, or Xanax?			<b>H3TO105B</b>	num 1
13841	0	no		
1116	1	yes		
107	6	refused		
64	8	don't know		
60	9	not applicable		
9	•	missing		
stimulants or uppers, such as amphetamines, Preludin, or speed?			<b>H3TO105C</b>	num 1
13865	0	no		
1093	1	yes		
110	6	refused		
62	8	don't know		
58	9	not applicable		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
9	•	missing		
		pain killers, such as Darvon, Demerol, Percodan, or Tylenol with codeine?	<b>H3TO105D</b>	num 1
12102	0	no		
2838	1	yes		
108	6	refused		
81	8	don't know		
59	9	not applicable		
9	•	missing		
		steroids or anabolic steroids	<b>H3TO105E</b>	num 1
14706	0	no		
259	1	yes		
105	6	refused		
62	8	don't know		
56	9	not applicable		
9	•	missing		
		106. In the past year, have you used a legal performance-enhancing substance for athletes (such as Creatine, Monohydrate, or Andro)?	<b>H3TO106</b>	num 1
13792	0	no		
1176	1	yes		
102	6	refused		
60	8	don't know		
58	9	not applicable		
9	•	missing		
		107. In the past year, have you used anabolic steroids or other illegal performance-enhancing substances for athletes?	<b>H3TO107</b>	num 1
14764	0	no		



*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
194	1	yes		
106	6	refused		
67	8	don't know		
57	9	not applicable		
9	•	missing		
108. Since June 1995, have you used marijuana?			<b>H3TO108</b>	num 1
8332	0	no [skip to Q.111]		
6614	1	yes		
132	6	refused		
55	8	don't know		
55	9	not applicable		
9	•	missing		
109. In the past year, have you used marijuana?			<b>H3TO109</b>	num 1
1951	0	no [skip to Q.111]		
4653	1	yes		
3	6	refused		
8576	7	legitimate skip		
5	8	don't know		
2	9	not applicable		
7	•	missing		
110. During the past 30 days, how many times have you used marijuana?			<b>H3TO110</b>	num 4
1393	0	0 times		
3216		range 1 to 999 times		
12	9996	refused		
10537	9997	legitimate skip		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
29	9998	don't know		
3	9999	not applicable		
7	•	missing		
111. Since June 1995, have you used any kind of cocaine—including crack, freebase, or powder?			<b>H3TO111</b>	num 1
13500	0	no [skip to Q.114]		
1481	1	yes		
107	6	refused		
44	8	don't know		
56	9	not applicable		
9	•	missing		
112. In the past year, have you used any kind of cocaine?			<b>H3TO112</b>	num 1
546	0	no [skip to Q.114]		
934	1	yes		
1	6	refused		
13709	7	legitimate skip		
7	•	missing		
113. During the past 30 days, how many times have you used any kind of cocaine?			<b>H3TO113</b>	num 3
468	0	0 times		
460		range 1 to 888 times		
1	996	refused		
14256	997	legitimate skip		
5	998	don't know		
7	•	missing		
114. Since June 1995, have you used crystal meth?			<b>H3TO114</b>	num 1
14115	0	no [skip to Q.117]		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
860	1	yes		
101	6	refused		
53	8	don't know		
59	9	not applicable		
9	•	missing		
115. In the past year, have you used crystal meth?			<b>H3TO115</b>	num 1
440	0	no [skip to Q.117]		
416	1	yes		
14330	7	legitimate skip		
1	8	don't know		
3	9	not applicable		
7	•	missing		
116. During the past 30 days, how many times have you used crystal meth?			<b>H3TO116</b>	num 3
180	0	0 times		
232		range 1 to 300 times		
1	996	refused		
14774	997	legitimate skip		
3	998	don't know		
7	•	missing		
117. Since June 1995, have you used any other types of illegal drugs, such as LSD, PCP, ecstasy, mushrooms, inhalants, ice, heroin, or prescription medicines not prescribed for you?			<b>H3TO117</b>	num 1
12610	0	no [skip to Q.120]		
2352	1	yes		
110	6	refused		
60	8	don't know		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
56	9	not applicable		
9	•	missing		
118. In the past year, have you used any of these types of illegal drugs?			<b>H3TO118</b>	num 1
989	0	no [skip to Q.120]		
1354	1	yes		
1	6	refused		
12838	7	legitimate skip		
5	8	don't know		
3	9	not applicable		
7	•	missing		
119. During the past 30 days, how many times have you used any of these types of illegal drugs?			<b>H3TO119</b>	num 3
703	0	0 times		
642		range 1 to 364 times		
13836	997	legitimate skip		
9	998	don't know		
7	•	missing		
120. Since June 1995, have you injected (shot up with a needle) any illegal drug, such as heroin or cocaine?			<b>H3TO120</b>	num 1
14835	0	no [skip to Q.123]		
146	1	yes		
103	6	refused		
49	8	don't know		
55	9	not applicable		
9	•	missing		
121. In the past year, have you injected an illegal drug?			<b>H3TO121</b>	num 1
81	0	no [skip to Q.123]		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
63	1	yes		
1	6	refused		
15044	7	legitimate skip		
1	8	don't know		
7	•	missing		
122. During the past 30 days, how many times did you inject an illegal drug?			<b>H3TO122</b>	num 3
22	0	0 times		
41		range 1 to 30 times		
15127	997	legitimate skip		
7	•	missing		
<i>[If Q.109 = 1 or Q.112 = 1 or Q.115 = 1 or Q.118 = 1 or Q.121 = 1, ask Q.123 to Q.128.]</i>				
123. During the past 12 months, how often did you have problems at school or work because you had been using drugs?			<b>H3TO123</b>	num 1
4337	0	never		
202	1	once		
167	2	twice		
57	3	3 or 4 times		
62	4	5 or more times		
9	6	refused		
10322	7	legitimate skip		
10	8	don't know		
24	9	not applicable		
7	•	missing		
124. During the past 12 months, how often did you have problems with your friends because you had been using drugs?			<b>H3TO124</b>	num 1
4406	0	never		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
196	1	once		
140	2	twice		
57	3	3 or 4 times		
37	4	5 or more times		
8	6	refused		
10322	7	legitimate skip		
8	8	don't know		
16	9	not applicable		
7	•	missing		
125. During the past 12 months, how often did you have problems with someone you were dating because you had been using drugs?			<b>H3TO125</b>	num 1
4212	0	never		
312	1	once		
147	2	twice		
76	3	3 or 4 times		
79	4	5 or more times		
10	6	refused		
10322	7	legitimate skip		
8	8	don't know		
24	9	not applicable		
7	•	missing		
126. During the past 12 months, how often did you get into a sexual situation that you later regretted because you had been using drugs?			<b>H3TO126</b>	num 1
4417	0	never		
219	1	once		
119	2	twice		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/Length
44	3	3 or 4 times		
31	4	5 or more times		
13	6	refused		
10322	7	legitimate skip		
12	8	don't know		
13	9	not applicable		
7	•	missing		
127. During the past 12 months, how often did you get into a physical fight because you had been using drugs?			<b>H3TO127</b>	num 1
4606	0	never		
121	1	once		
82	2	twice		
19	3	3 or 4 times		
11	4	5 or more times		
9	6	refused		
10322	7	legitimate skip		
4	8	don't know		
16	9	not applicable		
7	•	missing		
128. During the past 12 months, how often were you high on drugs at school or work?			<b>H3TO128</b>	num 1
3875	0	never		
212	1	once		
196	2	twice		
199	3	3 or 4 times		
343	4	5 or more times		
5	6	refused		

*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
10322	7	legitimate skip		
21	8	don't know		
17	9	not applicable		
7	•	missing		
129. Are you a member of any kind of 12-step recovery group or program?			<b>H3TO129</b>	num 1
14676	0	no		
303	1	yes		
98	6	refused		
52	8	don't know		
59	9	not applicable		
9	•	missing		
<i>[If PRISONER = 1, skip to Q.133.]</i>				
130. During the past 12 months, have you ever seriously thought about committing suicide?			<b>H3TO130</b>	num 1
13897	0	no <i>[skip to Q.133]</i>		
891	1	yes		
96	6	refused		
186	7	legitimate skip		
59	8	don't know		
59	9	not applicable		
9	•	missing		
131. During the past 12 months, how many times have you actually attempted suicide?			<b>H3TO131</b>	num 1
652	0	none <i>[skip to Q.133]</i>		
152	1	once		
47	2	twice		



*In Home Questionnaire Code Book III, S.28*

Frequency	Code	Response	Variable Name	Type/ Length
25	3	3 or 4 times		
11	4	5 or more times		
3	6	refused		
14299	7	legitimate skip		
1	9	not applicable		
7	•	missing		
132. Did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			<b>H3TO132</b>	num 1
154	0	no		
80	1	yes		
14955	7	legitimate skip		
1	8	don't know		
7	•	missing		
133. During the past 12 months, have any of your friends tried to kill themselves?			<b>H3TO133</b>	num 1
13765	0	no [skip to Q.135]		
990	1	yes		
96	6	refused		
186	7	legitimate skip		
94	8	don't know		
57	9	not applicable		
9	•	missing		
134. Have any of them died as a result?			<b>H3TO134</b>	num 1
635	0	no		
351	1	yes		
14198	7	legitimate skip		
4	8	don't know		

Frequency	Code	Response	Variable Name	Type/ Length
9	•	missing		
135. During the past 12 months, have any of your family members tried to kill themselves?			<b>H3TO135</b>	num 1
14335	0	no <i>[skip to the next section]</i>		
423	1	yes		
96	6	refused		
186	7	legitimate skip		
91	8	don't know		
57	9	not applicable		
9	•	missing		
136. Have any of them died as a result?			<b>H3TO136</b>	num 1
309	0	no		
111	1	yes		
14767	7	legitimate skip		
2	8	don't know		
1	9	not applicable		
5	•	missing		

\* The response pattern for this question is different from other questions using responses with very, moderately, slightly, not at all. For this question, the responses were presented in the order *very, slightly, moderately, not at all*. They are reported in the codebook as they were displayed to the respondent.