

Frequency	Code	Response	Variable Name	Type/Length
-----------	------	----------	---------------	-------------

Section 22: Completed Pregnancies

[Generate a Completed Pregnancies Data Set containing one record for each pregnancy represented in the Section 18 for which H3TP1 ≠ 5.

The next questions are about the {PREGNANCY/ PREGNANCIES} you reported that {HAS/ HAVE} ended.

[For each record in the Completed Pregnancy Data Set, ask Q.1 to Q.24.]

Respondent identification number.			AID	num 8
		Range 10000000 - 99999999		
Romantic relationship number.			RRELNO	num 2
6857		Range 1 to 48		
Relationship pregnancy number.			RPREGNO	num 2
6857		Range 1 to 8		
1. <i>[If the respondent is male and number of pregnancies = 1:]</i> How many months pregnant was she when <PARTNER> told you that she was pregnant? <i>[If the respondent is male and number of pregnancies > 1:]</i> With regard to <PARTNER>'s pregnancy that ended in <CPEMTHT> of<CPEYR>, how many months pregnant was she when she told you that she was pregnant? <i>[If the respondent is female and number of pregnancies = 1:]</i> How many months pregnant were you when you told <PARTNER> that you were pregnant? <i>[If the respondent is female and number of pregnancies > 1:]</i> With regard to your pregnancy that ended in <CPEMTHT> of <CPEYR>, how many months pregnant were you when you told <PARTNER> that you were pregnant?			H3PG1	num 2
357	0	0 months		
3330	1	1 month		
1563	2	2 months		
764	3	3 months		
249	4	4 months		
121	5	5 months		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
63	6	6 months		
21	7	7 months		
19	8	8 months		
108	9	9 months		
94	96	refused		
70	98	don't know		
53	99	not applicable		
45	●	missing		
<i>[If the respondent is female, ask Q.2.]</i>				
2.	How many weeks had you been pregnant when {YOUR/ THIS} pregnancy ended?		H3PG2	num 2
131	0	0 weeks		
4280		range 1 to 40		
67	96	refused		
2240	97	legitimate skip		
73	98	don't know		
27	99	not applicable		
39	●	missing		
3.	How far had <PARTNER> gone in school when {SHE/ YOU} got pregnant by {YOU/ HIM}?		H3PG3	num 2
197	0	had never gone to school		
169	1	8th grade or less		
1708	2	more than 8th grade, but not a high school graduate		
70	3	had gone to a business, trade, or vocational school instead of high school		
2255	4	high school graduate		
510	5	completed a GED		
257	6	had gone to a business, trade, or vocational school after high school		
381	7	attending college		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
530	8	had gone to college, but not a college graduate		
184	9	college or university graduate		
19	10	attending graduate school		
32	11	receiving professional training beyond a four-year college or university		
27	12	had received an advanced degree		
124	96	refused		
236	98	don't know		
115	99	not applicable		
43	●	missing		
4. Did {YOU/ <PARTNER>} have any contact with {<PARTNER>/ YOU} between the time {YOU/ HE} learned {SHE WAS/ YOU WERE} pregnant and the time {HER/ YOUR} pregnancy ended?			H3PG4	num 1
492	0	no		
6110	1	yes		
98	6	refused		
59	8	don't know		
56	9	not applicable		
42	●	missing		
5. Before {<PARTNER>/ YOU} got pregnant, were you or {SHE/ <PARTNER>} using any kind of birth control when you had sex with each other?			H3PG5	num 1
3868	0	no <i>[skip to Q.8]</i>		
2724	1	yes		
112	6	refused		
58	8	don't know		
54	9	not applicable		
41	●	missing		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
6. What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. <i>1st response</i>			H3PG6A	num 2
1746	1	condoms (rubbers)		
152	2	withdraw al		
18	3	rhythm (safe time) or safe period by the calendar		
6	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
516	5	birth control pills (the pill)		
6	6	vaginal sponge		
11	7	sperm icidal foam, jelly, creme, suppositories		
1	8	diaphragm, with or without jelly or cream		
38	10	female condom		
8	11	IUD (intra uterine device), coil, loop		
7	12	the implant of Norplant		
2	13	ring		
60	14	the injectable or Depo Provera		
1	16	female sterilization or tubal ligation		
1	17	hysterectomy		
3	18	vasectomy		
1	19	emergency contraception, such as high-dose birth control pills or the morning-after pill		
8	20	some other method		
116	21	no other method		
121	96	refused		
3868	97	legitim ate skip		
48	98	don 't know		
78	99	not applicable		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
41	●	missing		
6.		What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. <i>2nd response</i>	H3PG6B	num 2
1164	1	condoms (rubbers)		
299	2	withdrawal		
41	3	rhythm (safe time) or safe period by the calendar		
12	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
618	5	birth control pills (the pill)		
4	6	vaginal sponge		
20	7	spermicidal foam, jelly, creme, suppositories		
1	9	cervical cap		
30	10	female condom		
6	11	IUD (intrauterine device), coil, loop		
6	12	the implant of Norplant		
4	13	ring		
49	14	the injectable or Depo Provera		
2	15	vaginal contraceptive film or insert		
1	16	female sterilization or tubal ligation		
4	18	vasectomy		
3	19	emergency contraception, such as high-dose birth control pills or the morning-after pill		
6	20	some other method		
230	21	no other method		
134	96	refused		
3984	97	legitimate skip		
59	98	don't know		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
139	99	not applicable		
41	●	missing		
6.	What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. <i>3rd response</i>		H3PG6C	num 2
1008	1	condoms (rubbers)		
195	2	withdrawal		
38	3	rhythm (safe time) or safe period by the calendar		
12	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
484	5	birth control pills (the pill)		
3	6	vaginal sponge		
28	7	spermicidal foam, jelly, creme, suppositories		
5	8	diaphragm, with or without jelly or cream		
1	9	cervical cap		
54	10	female condom		
6	11	IUD (intrauterine device), coil, loop		
10	12	the implant of Norplant		
7	13	ring		
41	14	the injectable or Depo Provera		
4	15	vaginal contraceptive film or insert		
3	16	female sterilization or tubal ligation		
1	18	vasectomy		
2	19	emergency contraception, such as high-dose birth control pills or the morning-after pill		
28	20	some other method		
232	21	no other method		
150	96	refused		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
4214	97	legitimate skip		
82	98	don't know		
208	99	not applicable		
41	●	missing		
7. In the month before {SHE/ YOU} got pregnant, did you or <PARTNER> use {THIS/ AT LEAST ONE} kind of birth control every time you and {SHE/ HE} had sexual intercourse?			H3PG7	num 1
1109	0	no		
1627	1	yes		
110	6	refused		
3868	7	legitimate skip		
48	8	don't know		
54	9	not applicable		
41	●	missing		
8. Please think back to the time just before {<PARTNER>/ YOU} became pregnant. Did you want to have a child then?			H3PG8	num 1
4061	0	no		
2475	1	yes <i>[skip to Q.10]</i>		
108	6	refused		
120	8	don't know		
54	9	not applicable		
39	●	missing		
9. Did you want to have a child sometime later?			H3PG9	num 1
1085	0	no <i>[skip to Q.11]</i>		
3056	1	yes		
93	6	refused		
2475	7	legitimate skip		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
68	8	don't know		
42	9	not applicable		
38	●	missing		
10. Did you want <PARTNER> to be your child's {MOTHER/ FATHER}?			H3PG 10	num 1
1031	0	no		
4328	1	yes		
9	6	refused		
1286	7	legitimate skip		
155	8	don't know		
10	9	not applicable		
38	●	missing		
<i>[If the respondent is male and Q.4 = 1, or if the respondent is female, ask Q.11 to Q.18.]</i>				
11. While {<PARTNER> WAS/ YOU WERE} pregnant, did {SHE/ YOU} visit a doctor or nurse-midwife for prenatal care or pregnancy check-ups?			H3PG 11	num 1
1202	0	no <i>[skip to Q.18]</i>		
5225	1	yes		
98	6	refused		
161	7	legitimate skip		
61	8	don't know		
54	9	not applicable		
56	●	missing		
12. Did {YOU/ HE} go along with {HER/ YOU} for any of these check-ups?			H3PG 12	num 1
1318	0	no		
3937	1	yes		
96	6	refused		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
1363	7	legitimate skip		
36	8	don't know		
50	9	not applicable		
57	●	missing		
<i>[If the respondent is female, ask Q.13 to Q.15.]</i>				
13.	In which month of the pregnancy did you first see a doctor or nurse-midwife?		H3PG13	num 2
36	0	before the first month *		
1296	1	first month		
1008	2	second month		
622	3	third month		
237	4	fourth month		
138	5	fifth month		
96	6	sixth month		
50	7	seventh month		
28	8	eighth month		
54	9	ninth month		
58	96	refused		
3118	97	legitimate skip		
55	98	don't know		
28	99	not applicable		
33	●	missing		
14.	<i>[If Q.2 ≤ 24:]</i> How many prenatal-care visits did you have with a doctor or nurse-midwife? <i>[If Q.2 > 24:]</i> During the first six months of this pregnancy, how many prenatal-care visits did you have with a doctor or nurse-midwife?		H3PG14	num 2
3458		visits range 1 to 90**		
63	96	refused		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
3118	97	legitimate skip		
156	98	don't know		
30	99	not applicable		
32	●	missing		
<i>[If Q.2 > 24, ask Q.15.]</i>				
15.	After the first six months, how many prenatal-care visits did you have with a doctor or nurse-midwife?		H3PG15	num 2
8	0	0 visits		
2354		visits range 1 to 70**		
7	96	refused		
4306	97	legitimate skip		
110	98	don't know		
11	99	not applicable		
61	●	missing		
16.	Where did {SHE/ YOU} go for most of {HER/ YOUR} prenatal care?		H3PG16	num 2
3074	1	private doctor's office		
329	2	nurse-midwife's office		
172	3	county or city health department		
413	4	community health center		
255	5	HMO (health maintenance organization)		
35	6	clinic at work or at school		
717	7	clinic in a hospital		
22	8	emergency room in a hospital		
104	9	birthing center		
81	10	another sort of place		
92	96	refused		
1363	97	legitimate skip		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
84	98	don't know		
64	99	not applicable		
52	●	missing		
17. <i>[If MAX = 1:]</i> How was <PARTNER>'s/ YOUR} prenatal care paid for? <i>[If MAX > 1:]</i> For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how was {<PARTNER>'s/ YOUR} prenatal care paid for? Mark all the kinds of payments that apply.				
your or <PARTNER>'s income or savings			H3PG17A	num 1
4242	0	not marked		
1051	1	marked		
79	6	refused		
1363	7	legitimate skip		
37	8	don't know		
29	9	not applicable		
56	●	missing		
your or <PARTNER>'s parents or other relatives			H3PG17B	num 1
4799	0	not marked		
514	1	marked		
67	6	refused		
1363	7	legitimate skip		
32	8	don't know		
26	9	not applicable		
56	●	missing		
private insurance			H3PG17C	num 1
3834	0	not marked		
1480	1	marked		
68	6	refused		
1363	7	legitimate skip		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
30	8	don't know		
26	9	not applicable		
56	●	missing		
Medicaid			H3PG17D	num 1
2860	0	not marked		
2455	1	marked		
68	6	refused		
1363	7	legitimate skip		
31	8	don't know		
24	9	not applicable		
56	●	missing		
government assistance other than Medicaid (state or local)			H3PG17E	num 1
4742	0	not marked		
576	1	marked		
63	6	refused		
1363	7	legitimate skip		
30	8	don't know		
27	9	not applicable		
56	●	missing		
some other source of money			H3PG17F	num 1
5116	0	not marked		
202	1	marked		
63	6	refused		
1363	7	legitimate skip		
31	8	don't know		
26	9	not applicable		
56	●	missing		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
18. During this pregnancy, how often did {SHE/ YOU} drink alcoholic beverages?			H3PG 18	num 1
5891	0	never		
370	1	less than once a month		
145	2	several times a month		
56	3	several times a week		
15	4	almost every day		
77	6	refused		
161	7	legitimate skip		
50	8	don't know		
48	9	not applicable		
44	●	missing		
19. How often did {SHE/ YOU} use drugs such as marijuana, crack cocaine, or heroin?			H3PG 19	num 1
6075	0	never		
203	1	less than once a month		
110	2	several times a month		
36	3	several times a week		
51	4	almost every day		
84	6	refused		
161	7	legitimate skip		
48	8	don't know		
49	9	not applicable		
40	●	missing		
20. How many cigarettes did {SHE/ YOU} smoke?			H3PG 20	num 1
5099	0	none		
1289	1	1 pack a day or less		
87	2	more than 1 pack a day, but less than 2 packs a day		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
16	3	2 or more packs a day		
87	6	refused		
161	7	legitimate skip		
42	8	don't know		
46	9	not applicable		
30	●	missing		
<i>[If CPOUTC = L or D (i.e., the pregnancy ended in a live birth), ask Q.21 to Q.24.]</i>				
21. <i>[If MAX = 1:]</i> How were <PARTNER>'s/ YOUR} delivery and hospital stay paid for? <i>[If MAX > 1:]</i> For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were <PARTNER>'s/ YOUR} delivery and hospital stay paid for? Mark all the kinds of payments that apply.				
your or <PARTNER>'s income or savings			H3PG21A	num 1
3625	0	not marked		
587	1	marked		
57	6	refused		
2516	7	legitimate skip		
20	8	don't know		
23	9	not applicable		
29	●	missing		
your or <PARTNER>'s parents or other relatives			H3PG21B	num 1
3922	0	not marked		
307	1	marked		
45	6	refused		
2516	7	legitimate skip		
17	8	don't know		
21	9	not applicable		
29	●	missing		
private insurance			H3PG21C	num 1

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
3027	0	not marked		
1204	1	marked		
42	6	refused		
2516	7	legitimate skip		
19	8	don't know		
20	9	not applicable		
29	●	missing		
Medicaid			H3PG21D	num 1
2074	0	not marked		
2158	1	marked		
46	6	refused		
2516	7	legitimate skip		
16	8	don't know		
18	9	not applicable		
29	●	missing		
government assistance other than Medicaid (state or local)			H3PG21E	num 1
3746	0	not marked		
481	1	marked		
46	6	refused		
2516	7	legitimate skip		
18	8	don't know		
21	9	not applicable		
29	●	missing		
some other source of money			H3PG21F	num 1
4121	0	not marked		
107	1	marked		
46	6	refused		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
2516	7	legitimate skip		
19	8	don't know		
19	9	not applicable		
29	●	missing		
22. Were you and <PARTNER> married to each other at the time of this birth?			H3PG22	num 1
2798	0	no		
1424	1	yes		
48	6	refused		
2516	7	legitimate skip		
12	8	don't know		
28	9	not applicable		
31	●	missing		
23. Were you and <PARTNER> living together at that time?			H3PG23	num 1
1547	0	no		
2676	1	yes		
46	6	refused		
2516	7	legitimate skip		
16	8	don't know		
27	9	not applicable		
29	●	missing		
<i>[If Q.22 = 0 and Q.23 = 0, ask Q.24.]</i>				
24. Which of the following statements best describes your relationship with <PARTNER> at the time of this birth?			H3PG24	num 1
230	1	We did not see or talk to each other.		
174	2	We hardly ever saw or talked to each other.		
132	3	We were just friends.		
284	4	We were involved in an on-again, off-again relationship.		

In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
626	5	We were romantically involved on a steady basis.		
14	6	refused		
5350	7	legitimate skip		
10	8	don't know		
8	9	not applicable		
29	●	missing		

*** H3PG13**

This was an open-ended question with a range of 0 to 9, making the response category of 0 ambiguous. Zero could mean before the first month or never.

****H3PG14, H3PG15**

A response range for these variables was omitted causing the number of prenatal visits for some respondents to seem high.