2019

Add Health Wave V Codebook

Add Health

The National Longitudinal Study of Adolescent to Adult Health

Wave V
Mixed-Mode Survey

UNC CAROLINA POPULATION CENTER

CAROLINA POPULATION CENTER | CAROLINA SQUARE - SUITE 210 | 123 WEST FRANKLIN STREET | CHAPEL HILL, NC 27516

Add Health is supported by grant P01-HD31921 from the Eunice Kennedy Shriver National Institute of Child Health and Human Development, with cooperative funding from 23 other federal agencies and foundations.

Add Health is a program project directed by Kathleen Mullan Harris and designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris at the University of North Carolina at Chapel Hill, and funded by grant P01-HD31921 from the Eunice Kennedy Shriver National Institute of Child Health and Human Development, with cooperative funding from 23 other federal agencies and foundations. Information on how to obtain the Add Health data files is available on the Add Health website (http://www.cpc.unc.edu/addhealth).

Wave V Mixed-Mode Survey Index

Table of Contents

Section Title	Page
Section A: Survey Variables	1
Section: Census Regions	5
Section 1: Background	6
Section 2: Household	21
Section 3: Military and Employment	45
Section 4: Income	66
Section 5: Health, Illness and Physical Disabilities	73
Section 6: Sexual Experiences and Pregnancy	117
Section 7: Tobacco, Alcohol, and Substances	125
Section 8: Early Life	140
Section 9: Personality	151
Section 10: Social Support	156
Section 11: Parents and Siblings	167
Section 12: Religion and Spirituality	194
Section 13: Feelings and Experiences	197
Section 14: Involvement with Criminal Justice System	211
Section 15: Relationships	233
Section 16: Pregnancy, Live Births, Children and Parenting	260
Section 17: Illness and Physical Limitations	396
Section 18: Fitness Tracking	410
Section 19: Mental & Cognitive Health	422
Section 20: Home Visit & Biomarker Consent	435

Section 21: Survey Experience 438

Appendix: Flowcharts 443

Index Index 1

*Due to different versions of the survey, as a product of the mixed-mode survey model, the questions in the codebook may vary slightly from the survey.

Return to Table of Contents

Wave V, Section A: Survey Variables

Title	Wave V, Section A: Survey Variables
File Name	wave5.xpt
Case Quantity	12300
Variable Count	7

AID - RESPONDENT IDENTIFIER

Type	Text
Constraints	Maximum Length: 8
AID	Respondent Identifier

Valid	Invalid	Minimum	Maximum
12300	0	11316958	99886996

IMONTH5 - MONTH OF WAVE V SURVEY

Type	Code
Measurement Unit	numeric
IMONTH5	Month Wave V Survey Completed
Notes	For analyses requiring month, day, and year, Add Health generally recommends setting day of interview to 15.

			Frequency	% of total	% of valid
Valid	1	January	483	3.9%	3.9%
	2	February	327	2.7%	2.7%
	3	March	1,010	8.2%	8.2%
	4	April	526	4.3%	4.3%
	5	May	375	3.0%	3.0%
	6	June	1,286	10.5%	10.5%
	7	July	1,998	16.2%	16.2%
	8	August	3,385	27.5%	27.5%
	9	September	1,135	9.2%	9.2%
	10	October	898	7.3%	7.3%
	11	November	485	3.9%	3.9%
	12	December	389	3.2%	3.2%
		Total	12,297	99.9%	100%
Missing	.	missing	3	0.02%	
		Total	3	0.02%	

Valid	Invalid	Minimum	Maximum
12297	3	1	12

IYEAR5 - YEAR OF WAVE V SURVEY

Type	Code
Measurement Unit	numeric
IYEAR5	Year Wave V Survey Completed
Notes	For analyses requiring month, day, and year, Add Health generally recommends setting day of interview to 15.

			Frequency	% of total	% of valid
Valid	2016	2016	3,563	29.0%	29.0%
	2017	2017	6,347	51.6%	51.6%
	2018	2018	2,383	19.4%	19.4%
	2019	2019	4	0.03%	0.03%
		Total	12,297	99.9%	100%
Missing	.	missing	3	0.02%	
		Total	3	0.02%	

Valid	Invalid	Minimum	Maximum
12297	3	2016	2019

MODULES - MODULES COMPLETED

Type	Code
Measurement Unit	text
MODULES	Modules Completed

			Frequency	% of total	% of valid
Valid	A	Module A only completed	312	2.5%	2.5%
	A/B	Modules A and B completed	11,985	97.4%	97.5%
		Total	12,297	99.9%	100%
Missing		missing	3	0.02%	
		Total	3	0.02%	

Valid	Invalid
12297	3

MODE - SURVEY MODE

Type	Code
Measurement Unit	text
MODE	Type of Survey Completed

Notes	In-person (I) identifies respondents who were interviewed in-person with an instrument possessing a combination of CAPI and CASI components. One member of Sample S2B responded using the Web instrument, rather than the Sample 2B instrument.

			Frequency	% of total	% of valid
Valid	I	in-person	1,910	15.5%	15.5%
	M	mail	387	3.1%	3.1%
	S	split mail & web	12	0.1%	0.1%
	T	telephone	227	1.8%	1.8%
	W	web	9,761	79.4%	79.4%
		Total	12,297	99.9%	100%
Missing		missing	3	0.02%	
		Total	3	0.02%	

Valid	Invalid
12297	3

SAMPLE - SAMPLE ASSIGNMENT

Type	Code
Measurement Unit	text
SAMPLE	Sample Assignment
Notes	One member of Sample S2B responded using the Web instrument, rather than the Sample 2B instrument.

			Frequency	% of total	% of valid
Valid	1	Sample 1	4,183	34.0%	34.0%
	1/ NRFU	Sample 1 Non-Response Follow-Up	397	3.2%	3.2%
	2A	Sample 2a	1,497	12.2%	12.2%
	2A/ NRFU	Sample 2a Non-Response Follow-Up	220	1.8%	1.8%
	2B	Sample 2b	1,102	9.0%	9.0%
	3	Sample 3	3,910	31.8%	31.8%
	3/ NRFU	Sample 3 Non-Response Follow-Up	795	6.5%	6.5%
	PILOT	Pilot Sample	169	1.4%	1.4%
	PILOT/ NRFU	Pilot Sample Non-Response Follow-Up	24	0.2%	0.2%
		Total	12,297	99.9%	100%
Missing		missing	3	0.02%	
		Total	3	0.02%	

Valid	Invalid	Minimum	Maximum

12297	3	1	3

PLATFORM - PLATFORM/DEVICE USED BY WEB RESP-W5

Type	Code
Measurement Unit	numeric
PLATFORM	Platform or Device used to answer web survey
Notes	The response category "PC" refers to surveys completed on personal computers. This category includes in-person CAPI/CASI interviews conducted by Add Health staff, and, therefore, does not reflect respondent device preference in all cases. The value 95 represents respondents who were interviewed by phone and those who elected to respond to the mailed paper survey. This excludes the twelve participants who responded by both the mail and web survey instruments. In these twelve cases, PLATFORM reports the device used to answer the web survey.

			Frequency	% of total	% of valid
Valid	1	PC	6,820	55.4%	58.4%
	2	Smartphone	3,994	32.5%	34.2%
	3	Tablet	780	6.3%	6.7%
	4	ebook reader	73	0.6%	0.6%
	5	Mobile	7	0.1%	0.1%
	6	Game Console	4	0.03%	0.03%
	7	other (music player, TV)	3	0.02%	0.02%
		Total	11,681	95.0%	100%
Missing	.	missing	5	0.04%	
	95	not measured	614	4.9%	
		Total	619	5.0%	

Valid	Invalid	Minimum	Maximum
11681	619	1	7

Return to Table of Contents

Wave V, Census Regions

Title	Wave V, Census Regions
File Name	wave5.xpt
Case Quantity	12300
Variable Count	1

W5REGION - Respondent census region-W5

Type	Code
Measurement Unit	numeric
W5REGION	Census region

			Frequency	% of total	% of valid
Valid	1	West	2,754	22.4%	22.4%
	2	Midwest	2,648	21.5%	21.5%
	3	Northeast	1,414	11.5%	11.5%
	4	South	4,553	37.0%	37.0%
	98	International	9	0.1%	0.1%
	99	No location	919	7.5%	7.5%
		Total	12,297	99.9%	100%
Missing	.	missing	3	0.02%	
		Total	3	0.02%	

Valid	Invalid	Minimum	Maximum
12297	3	1	99

Return to Table of Contents

Wave V, Section 1: Background

Title	Wave V, Section 1: Background
File Name	wave5.xpt
Case Quantity	12300
Variable Count	33

H5OD1M - S1Q1A BIRTH MONTH-W5

Type	Code
Measurement Unit	Numeric
H5OD1M	What is your date of birth? Q1A. Respondent Birth Month.

			Frequency	% of total	% of valid
Valid	1	January	1,021	8.3%	8.3%
	2	February	926	7.5%	7.5%
	3	March	987	8.0%	8.0%
	4	April	1,032	8.4%	8.4%
	5	May	997	8.1%	8.1%
	6	June	1,041	8.5%	8.5%
	7	July	1,085	8.8%	8.8%
	8	August	1,043	8.5%	8.5%
	9	September	1,033	8.4%	8.4%
	10	October	1,097	8.9%	8.9%
	11	November	1,000	8.1%	8.1%
	12	December	1,032	8.4%	8.4%
		Total	12,294	99.9%	100%
Missing	.	missing	6	0.04%	
		Total	6	0.04%	

Valid	Invalid	Minimum	Maximum
12294	6	1	12

H5OD1Y - S1Q1B BIRTH YEAR-W5

Type	Code
Measurement Unit	Numeric
H5OD1Y	What is your date of birth? Q1B. Respondent Birth Year.

			Frequency	% of total	% of valid
Valid	1974	1974	23	0.2%	0.2%
	1975	1975	103	0.8%	0.8%
	1976	1976	727	5.9%	5.9%

	1977	1977	2,171	17.7%	17.7%
	1978	1978	2,396	19.5%	19.5%
	1979	1979	2,304	18.7%	18.7%
	1980	1980	1,934	15.7%	15.7%
	1981	1981	1,544	12.6%	12.6%
	1982	1982	1,055	8.6%	8.6%
	1983	1983	36	0.3%	0.3%
		Total	12,293	99.9%	100%
Missing	.	missing	7	0.1%	
		Total	7	0.1%	

Valid	Invalid	Minimum	Maximum
12293	7	1974	1983

H5OD2A - S1Q2A SEX ASSIGNED AT BIRTH-W5

Type	Code
Measurement Unit	Numeric
H5OD2A	Q2A. What sex were you assigned at birth, on your original birth certificate?

			Frequency	% of total	% of valid
Valid	1	male	5,324	43.3%	43.3%
	2	female	6,973	56.7%	56.7%
		Total	12,297	99.9%	100%
Missing	.	missing	3	0.02%	
		Total	3	0.02%	

Valid	Invalid	Minimum	Maximum
12297	3	1	2

H5OD2B - S1Q2B GENDER-W5

Type	Code
Measurement Unit	Numeric
H5OD2B	Q2B. What is your gender?

			Frequency	% of total	% of valid
Valid	1	male	5,314	43.2%	43.3%
	2	female	6,955	56.5%	56.7%
		Total	12,269	99.7%	100%
Missing	.	missing	3	0.02%	
	92	missing/suppressed	28	0.2%	
		Total	31	0.3%	

Valid	Invalid	Minimum	Maximum
12269	31	1	2

H5OD3 - S1Q3 FEMININE/MASCULINE APPEARANCE-W5

Type	Code
Measurement Unit	Numeric
H5OD3	Q3. On average, how do you think people would describe your appearance, style, or dress?

			Frequency	% of total	% of valid
Valid	1	very feminine	2,495	20.3%	20.3%
	2	mostly feminine	3,153	25.6%	25.7%
	3	somewhat feminine	930	7.6%	7.6%
	4	equally feminine and masculine	401	3.3%	3.3%
	5	somewhat masculine	378	3.1%	3.1%
	6	mostly masculine	2,097	17.0%	17.1%
	7	very masculine	2,818	22.9%	23.0%
		Total	12,272	99.8%	100%
Missing	.	missing	28	0.2%	
		Total	28	0.2%	

Valid	Invalid	Minimum	Maximum
12272	28	1	7

H5OD4A - S1Q4A RACE-WHITE-W5

Type	Code
Measurement Unit	Numeric
H5OD4A	What is your race or ethnic origin? Mark one or more boxes. Q4A. White

			Frequency	% of total	% of valid
Valid	0	not marked	4,576	37.2%	37.3%
	1	marked	7,686	62.5%	62.7%
		Total	12,262	99.7%	100%
Missing	.	missing	38	0.3%	
		Total	38	0.3%	

Valid	Invalid	Minimum	Maximum
12262	38	0	1

H5OD4B - S1Q4B RACE-BLACK/AFRICAN AM-W5

Type	Code

Measurement Unit	Numeric
H5OD4B	What is your race or ethnic origin? Mark one or more boxes. Q4B. Black, African American

			Frequency	% of total	% of valid
Valid	0	not marked	9,718	79.0%	79.3%
	1	marked	2,544	20.7%	20.7%
		Total	12,262	99.7%	100%
Missing	.	missing	38	0.3%	
		Total	38	0.3%	

Valid	Invalid	Minimum	Maximum
12262	38	0	1

H5OD4C - S1Q4C RACE-HISPANIC-W5

Type	Code
Measurement Unit	Numeric
H5OD4C	What is your race or ethnic origin? Mark one or more boxes. Q4C. Hispanic
Logic	if Q4C=1 ask Q5A to Q5F.

			Frequency	% of total	% of valid
Valid	0	not marked	10,515	85.5%	85.8%
	1	marked	1,747	14.2%	14.2%
		Total	12,262	99.7%	100%
Missing	.	missing	38	0.3%	
		Total	38	0.3%	

Valid	Invalid	Minimum	Maximum
12262	38	0	1

H5OD4D - S1Q4D RACE-ASIAN-W5

Type	Code
Measurement Unit	Numeric
H5OD4D	What is your race or ethnic origin? Mark one or more boxes. Q4D. Asian
Logic	If Q4D=1 ask Q6A to Q6G.

			Frequency	% of total	% of valid
Valid	0	not marked	11,454	93.1%	93.4%
	1	marked	808	6.6%	6.6%

		Total	12,262	99.7%	100%
Missing	.	missing	38	0.3%	
		Total	38	0.3%	

Valid	Invalid	Minimum	Maximum
12262	38	0	1

H5OD4E - S1Q4E RACE-PACIFIC ISLANDER-W5

Type	Code
Measurement Unit	Numeric
H5OD4E	What is your race or ethnic origin? Mark one or more boxes. Q4E. Pacific Islander
Logic	If Q4E=1 ask Q7A to Q7D.

			Frequency	% of total	% of valid
Valid	0	not marked	12,111	98.5%	98.8%
	1	marked	151	1.2%	1.2%
		Total	12,262	99.7%	100%
Missing	.	missing	38	0.3%	
		Total	38	0.3%	

Valid	Invalid	Minimum	Maximum
12262	38	0	1

H5OD4F - S1Q4F RACE-AM INDIAN/ALSK NATIVE-W5

Type	Code
Measurement Unit	Numeric
H5OD4F	What is your race or ethnic origin? Mark one or more boxes. Q4F. American Indian or Alaska Native

			Frequency	% of total	% of valid
Valid	0	not marked	11,967	97.3%	97.6%
	1	marked	295	2.4%	2.4%
		Total	12,262	99.7%	100%
Missing	.	missing	38	0.3%	
		Total	38	0.3%	

Valid	Invalid	Minimum	Maximum
12262	38	0	1

H5OD4G - S1Q4G RACE-OTHER-W5

Type	Code
Measurement Unit	Numeric
H5OD4G	What is your race or ethnic origin? Mark one or more boxes. Q4G. Some other race or origin

			Frequency	% of total	% of valid
Valid	0	not marked	12,186	99.1%	99.4%
	1	marked	76	0.6%	0.6%
		Total	12,262	99.7%	100%
Missing	.	missing	38	0.3%	
		Total	38	0.3%	

Valid	Invalid	Minimum	Maximum
12262	38	0	1

H5OD5A - S1Q5A HISPANIC-MEXICAN/CHICANO-W5

Type	Code
Measurement Unit	Numeric
H5OD5A	Which of the following best describes your Hispanic race or ethnic origin? Mark one or more boxes. Q5A. Mexican, Mexican American, Chicano

			Frequency	% of total	% of valid
Valid	0	not marked	882	7.2%	50.5%
	1	marked	865	7.0%	49.5%
		Total	1,747	14.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	10,515	85.5%	
		Total	10,553	85.8%	

Valid	Invalid	Minimum	Maximum
1747	10553	0	1

H5OD5B - S1Q5B HISPANIC-PUERTO RICAN-W5

Type	Code
Measurement Unit	Numeric
H5OD5B	Which of the following best describes your Hispanic race or ethnic origin? Mark one or more boxes. Q5B. Puerto Rican

			Frequency	% of total	% of valid
Valid	0	not marked	1,438	11.7%	82.3%
	1	marked	309	2.5%	17.7%
		Total	1,747	14.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	10,515	85.5%	
		Total	10,553	85.8%	

Valid	Invalid	Minimum	Maximum
1747	10553	0	1

H5OD5C - S1Q5C HISPANIC-CUBAN-W5

Type	Code
Measurement Unit	Numeric
H5OD5C	Which of the following best describes your Hispanic race or ethnic origin? Mark one or more boxes. Q5C. Cuban

			Frequency	% of total	% of valid
Valid	0	not marked	1,445	11.7%	82.7%
	1	marked	302	2.5%	17.3%
		Total	1,747	14.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	10,515	85.5%	
		Total	10,553	85.8%	

Valid	Invalid	Minimum	Maximum
1747	10553	0	1

H5OD5D - S1Q5D HISPANIC-CENTRAL AMERICAN-W5

Type	Code
Measurement Unit	Numeric
Description	Created by collapsing write-in responses for 'other Hispanic race or ethnic origin'.
H5OD5D	Which of the following best describes your Hispanic race or ethnic origin? Mark one or more boxes. Q5D. Central American

			Frequency	% of total	% of valid
Valid	0	not marked	1,662	13.5%	95.1%
	1	marked	85	0.7%	4.9%
		Total	1,747	14.2%	100%
Missing	.	missing	38	0.3%	

	97	legitimate skip	10,515	85.5%	
		Total	10,553	85.8%	

Valid	Invalid	Minimum	Maximum
1747	10553	0	1

H5OD5E - S1Q5E HISPANIC-SOUTH AMERICAN-W5

Type	Code
Measurement Unit	Numeric
Description	Created by collapsing write-in responses for 'other Hispanic race or ethnic origin'.
H5OD5E	Which of the following best describes your Hispanic race or ethnic origin? Mark one or more boxes. Q5E. South American

			Frequency	% of total	% of valid
Valid	0	not marked	1,695	13.8%	97.0%
	1	marked	52	0.4%	3.0%
		Total	1,747	14.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	10,515	85.5%	
		Total	10,553	85.8%	

Valid	Invalid	Minimum	Maximum
1747	10553	0	1

H5OD5F - S1Q5F HISPANIC-OTHER-W5

Type	Code
Measurement Unit	Numeric
H5OD5F	Which of the following best describes your Hispanic race or ethnic origin? Mark one or more boxes. Q5F. Other Hispanic, Latino, or Spanish origin

			Frequency	% of total	% of valid
Valid	0	not marked	1,557	12.7%	89.1%
	1	marked	190	1.5%	10.9%
		Total	1,747	14.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	10,515	85.5%	
		Total	10,553	85.8%	

Valid	Invalid	Minimum	Maximum

1747	10553	0	1

H5OD6A - S1Q6A ASIAN-INDIAN-W5

Type	Code
Measurement Unit	Numeric
H5OD6A	Which of the following best describes your Asian race or ethnic origin? Mark one or more boxes. Q6A. Indian

			Frequency	% of total	% of valid
Valid	0	not marked	782	6.4%	96.8%
	1	marked	26	0.2%	3.2%
		Total	808	6.6%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	11,454	93.1%	
		Total	11,492	93.4%	

Valid	Invalid	Minimum	Maximum
808	11492	0	1

H5OD6B - S1Q6B ASIAN-CHINESE-W5

Type	Code
Measurement Unit	Numeric
H5OD6B	Which of the following best describes your Asian race or ethnic origin? Mark one or more boxes. Q6B. Chinese

			Frequency	% of total	% of valid
Valid	0	not marked	573	4.7%	70.9%
	1	marked	235	1.9%	29.1%
		Total	808	6.6%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	11,454	93.1%	
		Total	11,492	93.4%	

Valid	Invalid	Minimum	Maximum
808	11492	0	1

H5OD6C - S1Q6C ASIAN-FILIPINO-W5

Type	Code
Measurement Unit	Numeric

H5OD6C	Which of the following best describes your Asian race or ethnic origin? Mark one or more boxes. Q6C. Filipino

			Frequency	% of total	% of valid
Valid	0	not marked	442	3.6%	54.7%
	1	marked	366	3.0%	45.3%
		Total	808	6.6%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	11,454	93.1%	
		Total	11,492	93.4%	

Valid	Invalid	Minimum	Maximum
808	11492	0	1

H5OD6D - S1Q6D ASIAN-JAPANESE-W5

Type	Code
Measurement Unit	Numeric
H5OD6D	Which of the following best describes your Asian race or ethnic origin? Mark one or more boxes. Q6D. Japanese

			Frequency	% of total	% of valid
Valid	0	not marked	744	6.0%	92.1%
	1	marked	64	0.5%	7.9%
		Total	808	6.6%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	11,454	93.1%	
		Total	11,492	93.4%	

Valid	Invalid	Minimum	Maximum
808	11492	0	1

H5OD6E - S1Q6E ASIAN-KOREAN-W5

Type	Code
Measurement Unit	Numeric
H5OD6E	Which of the following best describes your Asian race or ethnic origin? Mark one or more boxes. Q6E. Korean

			Frequency	% of total	% of valid
Valid	0	not marked	739	6.0%	91.5%

	1	marked	69	0.6%	8.5%
		Total	808	6.6%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	11,454	93.1%	
		Total	11,492	93.4%	

Valid	Invalid	Minimum	Maximum
808	11492	0	1

H5OD6F - S1Q6F ASIAN-VIETNAMESE-W5

Type	Code
Measurement Unit	Numeric
H5OD6F	Which of the following best describes your Asian race or ethnic origin? Mark one or more boxes. Q6F. Vietnamese

			Frequency	% of total	% of valid
Valid	0	not marked	757	6.2%	93.7%
	1	marked	51	0.4%	6.3%
		Total	808	6.6%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	11,454	93.1%	
		Total	11,492	93.4%	

Valid	Invalid	Minimum	Maximum
808	11492	0	1

H5OD6G - S1Q6G ASIAN-OTHER-W5

Type	Code
Measurement Unit	Numeric
H5OD6G	Which of the following best describes your Asian race or ethnic origin? Mark one or more boxes. Q6G. Other Asian

			Frequency	% of total	% of valid
Valid	0	not marked	755	6.1%	93.4%
	1	marked	53	0.4%	6.6%
		Total	808	6.6%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	11,454	93.1%	
		Total	11,492	93.4%	

Valid	Invalid	Minimum	Maximum
808	11492	0	1

H5OD7A - S1Q7A PACIFIC-NATIVE HAWAIIAN-W5

Type	Code
Measurement Unit	Numeric
H5OD7A	Which of the following best describes your Pacific Islander race or ethnic origin? Mark one or more boxes. Q7A. Native Hawaiian

			Frequency	% of total	% of valid
Valid	0	not marked	103	0.8%	68.2%
	1	marked	48	0.4%	31.8%
		Total	151	1.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	12,111	98.5%	
		Total	12,149	98.8%	

Valid	Invalid	Minimum	Maximum
151	12149	0	1

H5OD7B - S1Q7B PACIFIC-SAMOAN-W5

Type	Code
Measurement Unit	Numeric
H5OD7B	Which of the following best describes your Pacific Islander race or ethnic origin? Mark one or more boxes. Q7B. Samoan

			Frequency	% of total	% of valid
Valid	0	not marked	95	0.8%	62.9%
	1	marked	56	0.5%	37.1%
		Total	151	1.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	12,111	98.5%	
		Total	12,149	98.8%	

Valid	Invalid	Minimum	Maximum
151	12149	0	1

H5OD7C - S1Q7C PACIFIC-GUAMANIAN/CHAMORRO-W5

Type	Code
Measurement Unit	Numeric

H5OD7C	Which of the following best describes your Pacific Islander race or ethnic origin? Mark one or more boxes. Q7C. Guamanian or Chamorro

			Frequency	% of total	% of valid
Valid	0	not marked	143	1.2%	94.7%
	1	marked	8	0.1%	5.3%
		Total	151	1.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	12,111	98.5%	
		Total	12,149	98.8%	

Valid	Invalid	Minimum	Maximum
151	12149	0	1

H5OD7D - S1Q7D PACIFIC-OTHER-W5

Type	Code
Measurement Unit	Numeric
H5OD7D	Which of the following best describes your Pacific Islander race or ethnic origin? Mark one or more boxes. Q7D. Other Pacific Islander

			Frequency	% of total	% of valid
Valid	0	not marked	115	0.9%	76.2%
	1	marked	36	0.3%	23.8%
		Total	151	1.2%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	12,111	98.5%	
		Total	12,149	98.8%	

Valid	Invalid	Minimum	Maximum
151	12149	0	1

H5OD8 - S1Q8 RACE-SINGLE CATEGORY IDENTIFY-W5

Type	Code
Measurement Unit	Numeric
H5OD8	Q8. Of the race/ethnicity categories you selected, please pick the one with which you most strongly identify
Logic	If only one race/ethnicity, skip to Q9.

			Frequency	% of total	% of valid
Valid	1	White	348	2.8%	37.2%

	2	Black, African American	182	1.5%	19.5%
	3	Hispanic	4	0.03%	0.4%
	4	Hispanic: Mexican, Mexican American, Chicano	84	0.7%	9.0%
	5	Hispanic: Puerto Rican	42	0.3%	4.5%
	6	Hispanic: Cuban	60	0.5%	6.4%
	7	Other Hispanic, Latino, or Spanish origin	41	0.3%	4.4%
	9	Asian: Indian	3	0.02%	0.3%
	10	Asian: Chinese	26	0.2%	2.8%
	11	Asian: Filipino	44	0.4%	4.7%
	12	Asian: Japanese	15	0.1%	1.6%
	13	Asian: Korean	5	0.04%	0.5%
	14	Asian: Vietnamese	4	0.03%	0.4%
	15	Other Asian	6	0.04%	0.6%
	17	Pacific Islander: Native Hawaiian	8	0.1%	0.9%
	18	Pacific Islander: Samoan	5	0.04%	0.5%
	20	Other Pacific Islander	8	0.1%	0.9%
	21	American Indian or Alaska Native	32	0.3%	3.4%
	22	Some other race or origin	18	0.1%	1.9%
		Total	935	7.6%	100%
Missing	.	missing	39	0.3%	
	997	legitimate skip	11,326	92.1%	
		Total	11,365	92.4%	

Valid	Invalid	Minimum	Maximum
935	11365	1	22

H5OD9 - S1Q9 BORN IN THE UNITED STATES-W5

Type	Code
Measurement Unit	Numeric
H5OD9	Q9. Were you born in the United States?

			Frequency	% of total	% of valid
Valid	0	no	905	7.4%	7.6%
	1	yes	10,982	89.3%	92.4%
		Total	11,887	96.6%	100%
Missing	.	missing	14	0.1%	
	95	not asked of everyone	399	3.2%	
		Total	413	3.4%	

Valid	Invalid	Minimum	Maximum
11887	413	0	1

H5OD10 - S1Q10 CURR/ATTENDING COL/UNIV/VOC SCH-W5

Type	Code
Measurement Unit	Numeric
H5OD10	Q10. Are you currently attending a college, university, or vocational/technical school where you take courses for academic credit?

			Frequency	% of total	% of valid
Valid	0	no	11,294	91.8%	92.1%
	1	yes	974	7.9%	7.9%
		Total	12,268	99.7%	100%
Missing	.	missing	32	0.3%	
		Total	32	0.3%	

Valid	Invalid	Minimum	Maximum
12268	32	0	1

H5OD11 - S1Q11 HIGHEST EDU ACHIEVED TO DATE-W5

Type	Code
Measurement Unit	Numeric
H5OD11	Q11. What is the highest level of education that you have achieved to date?

			Frequency	% of total	% of valid
Valid	1	8th grade or less	25	0.2%	0.2%
	2	some high school	488	4.0%	4.0%
	3	high school diploma	1,417	11.5%	11.5%
	4	GED	378	3.1%	3.1%
	5	some vocational/technical training (after high school)	358	2.9%	2.9%
	6	some community college	1,144	9.3%	9.3%
	7	completed vocational/technical training (after high school)	716	5.8%	5.8%
	8	associate or junior college degree	1,279	10.4%	10.4%
	9	some college	1,471	12.0%	12.0%
	10	completed college (bachelor's degree)	2,566	20.9%	20.9%
	11	some graduate school	418	3.4%	3.4%
	12	completed a master's degree	1,205	9.8%	9.8%
	13	some graduate training beyond a master's degree	253	2.1%	2.1%
	14	completed a doctoral degree	193	1.6%	1.6%
	15	some post baccalaureate professional education (such as law school, medical school, nursing)	52	0.4%	0.4%

	16	completed a post baccalaureate professional degree (such as law, medicine, nursing)	312	2.5%	2.5%
		Total	12,275	99.8%	100%
Missing	.	missing	25	0.2%	
		Total	25	0.2%	

Valid	Invalid	Minimum	Maximum
12275	25	1	16

Return to Table of Contents

Wave V, Section 2: Household

Title	Wave V, Section 2: Household
File Name	Wave5.xpt
Case Quantity	12300
Variable Count	48

H5HR1 - S2Q1 CURRENT MARITAL STATUS-W5

Type	Code
Measurement Unit	numeric
H5HR1	Q1. Are you currently?

			Frequency	% of total	% of valid
Valid	1	married	7,130	58.0%	58.1%
	2	widowed	57	0.5%	0.5%
	3	divorced	1,384	11.3%	11.3%
	4	separated	382	3.1%	3.1%
	5	never married	3,321	27.0%	27.1%
		Total	12,274	99.8%	100%
Missing	.	missing	26	0.2%	
		Total	26	0.2%	

Valid	Invalid	Minimum	Maximum
12274	26	1	5

H5HR2 - S2Q2 CURRENT LIVING ARRANGEMENT-W5

Type	Code
Measurement Unit	numeric
H5HR2	Q2. Now we want to know about your current living arrangement. Where do you live now - that is, where do you stay most often?
Logic	If Q2=1, 2, or 3 ask Q3 Else go to Section 3: Military and Employment.

			Frequency	% of total	% of valid
Valid	1	your own place (e.g., apartment, house, trailer)	10,634	86.5%	86.6%
	2	your parents' home	940	7.6%	7.7%
	3	another person's home	471	3.8%	3.8%
	4	group quarters (e.g., dormitory, barracks, group home, hospital, communal home)	23	0.2%	0.2%
	5	homeless - that is, you have no regular place to stay	31	0.3%	0.3%
	6	other	174	1.4%	1.4%

		Total	12,273	99.8%	100%
Missing	.	missing	27	0.2%	
		Total	27	0.2%	

Valid	Invalid	Minimum	Maximum
12273	27	1	6

H5HR3 - S2Q3 HOW MANY PEOPLE RESP LIVES WITH-W5

Type	Numeric (Double)
H5HR3	Q3. Not counting yourself, how many other people live in your household? If you live alone, enter 0 If someone usually lives with you but is away temporarily, do include him or her.
Logic	If Q3 > 0, ask Q4. Else, go to Section 3: Military and Employment. Loop Q4-Q6 as many times as Q3 (i.e., number of other people living in household) with a max of 15 times. Else, go to Section 3: Military and Employment.

			Frequency	% of total	% of valid
Missing	.	missing	48	0.4%	
	997	legitimate skip	246	2.0%	
		Total	294	2.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
12006	294	0	13	2.64	1.57

H5HR4A - S2Q4A HH MEMBER 1 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4A	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #1] Q4A. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	5,899	48.0%	53.7%
	2	female	5,092	41.4%	46.3%
		Total	10,991	89.4%	100%
Missing	.	missing	61	0.5%	
	97	legitimate skip	1,248	10.1%	
		Total	1,309	10.6%	

Valid	Invalid	Minimum	Maximum
10991	1309	1	2

H5HR4B - S2Q4B HH MEMBER 2 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4B	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #2] Q4B. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	4,366	35.5%	48.9%
	2	female	4,562	37.1%	51.1%
		Total	8,928	72.6%	100%
Missing	.	missing	88	0.7%	
	97	legitimate skip	3,284	26.7%	
		Total	3,372	27.4%	

Valid	Invalid	Minimum	Maximum
8928	3372	1	2

H5HR4C - S2Q4C HH MEMBER 3 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4C	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #3] Q4C. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	3,278	26.7%	50.2%
	2	female	3,255	26.5%	49.8%
		Total	6,533	53.1%	100%
Missing	.	missing	115	0.9%	
	97	legitimate skip	5,652	46.0%	
		Total	5,767	46.9%	

Valid	Invalid	Minimum	Maximum
6533	5767	1	2

H5HR4D - S2Q4D HH MEMBER 4 SEX-W5

Type	Code
Measurement Unit	numeric

H5HR4D	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #4] Q4D. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	1,493	12.1%	49.9%
	2	female	1,498	12.2%	50.1%
		Total	2,991	24.3%	100%
Missing	.	missing	121	1.0%	
	97	legitimate skip	9,188	74.7%	
		Total	9,309	75.7%	

Valid	Invalid	Minimum	Maximum
2991	9309	1	2

H5HR4E - S2Q4E HH MEMBER 5 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4E	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #5] Q4E. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	634	5.2%	53.3%
	2	female	555	4.5%	46.7%
		Total	1,189	9.7%	100%
Missing	.	missing	70	0.6%	
	97	legitimate skip	11,041	89.8%	
		Total	11,111	90.3%	

Valid	Invalid	Minimum	Maximum
1189	11111	1	2

H5HR4F - S2Q4F HH MEMBER 6 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4F	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #6] Q4F. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	229	1.9%	52.3%
	2	female	209	1.7%	47.7%
		Total	438	3.6%	100%
Missing	.	missing	56	0.5%	
	97	legitimate skip	11,806	96.0%	
		Total	11,862	96.4%	

Valid	Invalid	Minimum	Maximum
438	11862	1	2

H5HR4G - S2Q4G HH MEMBER 7 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4G	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #7] Q4G. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	94	0.8%	58.4%
	2	female	67	0.5%	41.6%
		Total	161	1.3%	100%
Missing	.	missing	40	0.3%	
	97	legitimate skip	12,099	98.4%	
		Total	12,139	98.7%	

Valid	Invalid	Minimum	Maximum
161	12139	1	2

H5HR4H - S2Q4H HH MEMBER 8 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4H	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #8] Q4H. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	33	0.3%	47.1%
	2	female	37	0.3%	52.9%
		Total	70	0.6%	100%
Missing	.	missing	37	0.3%	

	97	legitimate skip	12,193	99.1%	
		Total	12,230	99.4%	

Valid	Invalid	Minimum	Maximum
70	12230	1	2

H5HR4I - S2Q4I HH MEMBER 9 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4I	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #9] Q4I. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	14	0.1%	48.3%
	2	female	15	0.1%	51.7%
		Total	29	0.2%	100%
Missing	.	missing	30	0.2%	
	97	legitimate skip	12,241	99.5%	
		Total	12,271	99.8%	

Valid	Invalid	Minimum	Maximum
29	12271	1	2

H5HR4J - S2Q4J HH MEMBER 10 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4J	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #10] Q4J. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	4	0.03%	30.8%
	2	female	9	0.1%	69.2%
		Total	13	0.1%	100%
Missing	.	missing	26	0.2%	
	97	legitimate skip	12,261	99.7%	
		Total	12,287	99.9%	

Valid	Invalid	Minimum	Maximum

13	12287	1	2

H5HR4K - S2Q4K HH MEMBER 11 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4K	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #11] Q4K. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	5	0.04%	50.0%
	2	female	5	0.04%	50.0%
		Total	10	0.1%	100%
Missing	.	missing	27	0.2%	
	97	legitimate skip	12,263	99.7%	
		Total	12,290	99.9%	

Valid	Invalid	Minimum	Maximum
10	12290	1	2

H5HR4L - S2Q4L HH MEMBER 12 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4L	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #12] Q4L. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	2	0.02%	50.0%
	2	female	2	0.02%	50.0%
		Total	4	0.03%	100%
Missing	.	missing	27	0.2%	
	97	legitimate skip	12,269	99.7%	
		Total	12,296	100.0%	

Valid	Invalid	Minimum	Maximum
4	12296	1	2

H5HR4M - S2Q4M HH MEMBER 13 SEX-W5

Type	Code

Measurement Unit	numeric
H5HR4M	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #13] Q4M. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Valid	1	male	1	0.008%	100.0%
		Total	1	0.008%	100%
Missing	.	missing	26	0.2%	
	97	legitimate skip	12,273	99.8%	
		Total	12,299	100.0%	

Valid	Invalid	Minimum	Maximum
1	12299	1	1

H5HR4N - S2Q4N HH MEMBER 14 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4N	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #14] Q4N. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	97	legitimate skip	12,274	99.8%	
		Total	12,300	100.0%	

Valid	Invalid
0	12300

H5HR4O - S2Q4O HH MEMBER 15 SEX-W5

Type	Code
Measurement Unit	numeric
H5HR4O	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #15] Q4O. What is [...]'s biological sex?

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	97	legitimate skip	12,274	99.8%	

		Total	12,300	100.0%	

Valid	Invalid
0	12300

H5HR5A - S2Q5A HH MEMBER 1 AGE-W5

Type	Numeric (Double)
H5HR5A	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #1] Q5A. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	114	0.9%	
	997	legitimate skip	1,252	10.2%	
		Total	1,366	11.1%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
10934	1366	0	98	39.06	14.43

H5HR5B - S2Q5B HH MEMBER 2 AGE-W5

Type	Numeric (Double)
H5HR5B	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #2] Q5B. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	122	1.0%	
	997	legitimate skip	3,289	26.7%	
		Total	3,411	27.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
8889	3411	0	92	16.76	15.76

H5HR5C - S2Q5C HH MEMBER 3 AGE-W5

Type	Numeric (Double)
H5HR5C	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #3] Q5C. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	122	1.0%	
	997	legitimate skip	5,656	46.0%	
		Total	5,778	47.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
6522	5778	0	103	10.9	9.98

H5HR5D - S2Q5D HH MEMBER 4 AGE-W5

Type	Numeric (Double)
H5HR5D	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #4] Q5D. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	119	1.0%	
	997	legitimate skip	9,191	74.7%	
		Total	9,310	75.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2990	9310	0	80	9.38	8.81

H5HR5E - S2Q5E HH MEMBER 5 AGE-W5

Type	Numeric (Double)
H5HR5E	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #5] Q5E. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	74	0.6%	
	997	legitimate skip	11,043	89.8%	
		Total	11,117	90.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1183	11117	0	74	8.95	9.2

H5HR5F - S2Q5F HH MEMBER 6 AGE-W5

Type	Numeric (Double)

H5HR5F	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #6] Q5F. What is[...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	59	0.5%	
	997	legitimate skip	11,808	96.0%	
		Total	11,867	96.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
433	11867	0	66	8.68	10.23

H5HR5G - S2Q5G HH MEMBER 7 AGE-W5

Type	Numeric (Double)
H5HR5G	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #7] Q5G. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	41	0.3%	
	997	legitimate skip	12,099	98.4%	
		Total	12,140	98.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
160	12140	0	68	9.31	11.64

H5HR5H - S2Q5H HH MEMBER 8 AGE-W5

Type	Numeric (Double)
H5HR5H	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #8] Q5H. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	38	0.3%	
	997	legitimate skip	12,193	99.1%	
		Total	12,231	99.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
69	12231	0	42	8.14	8.87

H5HR5I - S2Q5I HH MEMBER 9 AGE-W5

Type	Numeric (Double)
H5HR5I	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #9] Q5I. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	30	0.2%	
	997	legitimate skip	12,241	99.5%	
		Total	12,271	99.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
29	12271	0	17	6.79	4.75

H5HR5J - S2Q5J HH MEMBER 10 AGE-W5

Type	Numeric (Double)
H5HR5J	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #10] Q5J. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	997	legitimate skip	12,261	99.7%	
		Total	12,287	99.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
13	12287	0	15	5.62	5.06

H5HR5K - S2Q5K HH MEMBER 11 AGE-W5

Type	Numeric (Double)
H5HR5K	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #11] Q5K. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	27	0.2%	
	997	legitimate skip	12,264	99.7%	
		Total	12,291	99.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9	12291	0	39	12.11	14.68

H5HR5L - S2Q5L HH MEMBER 12 AGE-W5

Type	Numeric (Double)
H5HR5L	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #12] Q5L. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	27	0.2%	
	997	legitimate skip	12,270	99.8%	
		Total	12,297	100.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
3	12297	0	12	7.33	6.43

H5HR5M - S2Q5M HH MEMBER 13 AGE-W5

Type	Numeric (Double)
H5HR5M	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #13] Q5M. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	997	legitimate skip	12,273	99.8%	
		Total	12,299	100.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1	12299	8	8	8	NaN

H5HR5N - S2Q5N HH MEMBER 14 AGE-W5

Type	Numeric (Double)
H5HR5N	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #14] Q5N. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	997	legitimate skip	12,274	99.8%	

		Total	12,300	100.0%	

Valid	Invalid
0	12300

H5HR5O - S2Q5O HH MEMBER 15 AGE-W5

Type	Numeric (Double)
H5HR5O	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #15] Q5O. What is [...]'s age in years? For infants under 12 months, record 0.

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	997	legitimate skip	12,274	99.8%	
		Total	12,300	100.0%	

Valid	Invalid
0	12300

H5HR6A - S2Q6A HH MEMBER 1 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6A	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #1] Q6A. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	6,496	52.8%	59.1%
	2	partner/boyfriend/girlfriend	1,304	10.6%	11.9%
	3	biological son/daughter	1,098	8.9%	10.0%
	4	step son/daughter	117	1.0%	1.1%
	5	adopted son/daughter	55	0.4%	0.5%
	6	brother/sister	297	2.4%	2.7%
	7	father/mother	946	7.7%	8.6%
	8	father-in-law/mother-in-law	149	1.2%	1.4%
	9	grandfather/grandmother	75	0.6%	0.7%
	10	uncle/aunt	33	0.3%	0.3%
	11	cousin	23	0.2%	0.2%
	12	nephew/niece	17	0.1%	0.2%
	13	other relative	132	1.1%	1.2%
	14	non-relative	243	2.0%	2.2%
		Total	10,985	89.3%	100%

Missing	.	missing	64	0.5%	
	997	legitimate skip	1,251	10.2%	
		Total	1,315	10.7%	

Valid	Invalid	Minimum	Maximum
10985	1315	1	14

H5HR6B - S2Q6B HH MEMBER 2 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6B	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #2] Q6B. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	292	2.4%	3.3%
	2	partner/boyfriend/girlfriend	111	0.9%	1.2%
	3	biological son/daughter	6,090	49.5%	68.3%
	4	step son/daughter	1,062	8.6%	11.9%
	5	adopted son/daughter	150	1.2%	1.7%
	6	brother/sister	221	1.8%	2.5%
	7	father/mother	446	3.6%	5.0%
	8	father-in-law/mother-in-law	54	0.4%	0.6%
	9	grandfather/grandmother	16	0.1%	0.2%
	10	uncle/aunt	26	0.2%	0.3%
	11	cousin	31	0.3%	0.3%
	12	nephew/niece	69	0.6%	0.8%
	13	other relative	143	1.2%	1.6%
	14	non-relative	212	1.7%	2.4%
		Total	8,923	72.5%	100%
Missing	.	missing	90	0.7%	
	997	legitimate skip	3,287	26.7%	
		Total	3,377	27.5%	

Valid	Invalid	Minimum	Maximum
8923	3377	1	14

H5HR6C - S2Q6C HH MEMBER 3 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric

H5HR6C	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #3] Q6C. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	130	1.1%	2.0%
	2	partner/boyfriend/girlfriend	64	0.5%	1.0%
	3	biological son/daughter	4,958	40.3%	75.9%
	4	step son/daughter	747	6.1%	11.4%
	5	adopted son/daughter	91	0.7%	1.4%
	6	brother/sister	162	1.3%	2.5%
	7	father/mother	30	0.2%	0.5%
	8	father-in-law/mother-in-law	5	0.04%	0.1%
	9	grandfather/grandmother	4	0.03%	0.1%
	10	uncle/aunt	13	0.1%	0.2%
	11	cousin	37	0.3%	0.6%
	12	nephew/niece	90	0.7%	1.4%
	13	other relative	86	0.7%	1.3%
	14	non-relative	116	0.9%	1.8%
		Total	6,533	53.1%	100%
Missing	.	missing	112	0.9%	
	997	legitimate skip	5,655	46.0%	
		Total	5,767	46.9%	

Valid	Invalid	Minimum	Maximum
6533	5767	1	14

H5HR6D - S2Q6D HH MEMBER 4 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6D	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #4] Q6D. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	45	0.4%	1.5%
	2	partner/boyfriend/girlfriend	26	0.2%	0.9%
	3	biological son/daughter	2,226	18.1%	74.2%
	4	step son/daughter	364	3.0%	12.1%
	5	adopted son/daughter	40	0.3%	1.3%
	6	brother/sister	44	0.4%	1.5%
	7	father/mother	6	0.05%	0.2%
	8	father-in-law/mother-in-law	5	0.04%	0.2%
	9	grandfather/grandmother	4	0.03%	0.1%

	10	uncle/aunt	6	0.05%	0.2%
	11	cousin	27	0.2%	0.9%
	12	nephew/niece	76	0.6%	2.5%
	13	other relative	56	0.5%	1.9%
	14	non-relative	77	0.6%	2.6%
		Total	3,002	24.4%	100%
Missing	.	missing	110	0.9%	
	997	legitimate skip	9,188	74.7%	
		Total	9,298	75.6%	

Valid	Invalid	Minimum	Maximum
3002	9298	1	14

H5HR6E - S2Q6E HH MEMBER 5 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6E	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #5] Q6E. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	17	0.1%	1.4%
	2	partner/boyfriend/girlfriend	4	0.03%	0.3%
	3	biological son/daughter	832	6.8%	69.9%
	4	step son/daughter	131	1.1%	11.0%
	5	adopted son/daughter	25	0.2%	2.1%
	6	brother/sister	22	0.2%	1.8%
	7	father/mother	3	0.03%	0.3%
	8	father-in-law/mother-in-law	2	0.02%	0.2%
	9	grandfather/grandmother	1	0.008%	0.1%
	10	uncle/aunt	5	0.04%	0.4%
	11	cousin	19	0.2%	1.6%
	12	nephew/niece	62	0.5%	5.2%
	13	other relative	27	0.2%	2.3%
	14	non-relative	40	0.3%	3.4%
		Total	1,190	9.7%	100%
Missing	.	missing	71	0.6%	
	997	legitimate skip	11,039	89.7%	
		Total	11,110	90.3%	

Valid	Invalid	Minimum	Maximum
1190	11110	1	14

H5HR6F - S2Q6F HH MEMBER 6 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6F	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #6] Q6F. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	6	0.04%	1.4%
	2	partner/boyfriend/girlfriend	2	0.02%	0.5%
	3	biological son/daughter	258	2.1%	59.2%
	4	step son/daughter	55	0.4%	12.6%
	5	adopted son/daughter	9	0.1%	2.1%
	6	brother/sister	5	0.04%	1.1%
	7	father/mother	2	0.02%	0.5%
	8	father-in-law/mother-in-law	2	0.02%	0.5%
	10	uncle/aunt	1	0.008%	0.2%
	11	cousin	13	0.1%	3.0%
	12	nephew/niece	46	0.4%	10.6%
	13	other relative	17	0.1%	3.9%
	14	non-relative	20	0.2%	4.6%
		Total	436	3.5%	100%
Missing	.	missing	57	0.5%	
	997	legitimate skip	11,807	96.0%	
		Total	11,864	96.5%	

Valid	Invalid	Minimum	Maximum
436	11864	1	14

H5HR6G - S2Q6G HH MEMBER 7 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6G	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #7] Q6G. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	7	0.1%	4.3%
	2	partner/boyfriend/girlfriend	1	0.008%	0.6%
	3	biological son/daughter	83	0.7%	50.6%
	4	step son/daughter	15	0.1%	9.1%
	5	adopted son/daughter	4	0.03%	2.4%
	6	brother/sister	6	0.04%	3.7%

	7	father/mother	1	0.008%	0.6%
	8	father-in-law/mother-in-law	2	0.02%	1.2%
	11	cousin	5	0.04%	3.0%
	12	nephew/niece	23	0.2%	14.0%
	13	other relative	6	0.05%	3.7%
	14	non-relative	11	0.1%	6.7%
		Total	164	1.3%	100%
Missing	.	missing	40	0.3%	
	997	legitimate skip	12,096	98.3%	
		Total	12,136	98.7%	

Valid	Invalid	Minimum	Maximum
164	12136	1	14

H5HR6H - S2Q6H HH MEMBER 8 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6H	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #8] Q6H. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	2	0.02%	2.8%
	3	biological son/daughter	39	0.3%	54.9%
	4	step son/daughter	7	0.1%	9.9%
	5	adopted son/daughter	1	0.008%	1.4%
	6	brother/sister	2	0.02%	2.8%
	11	cousin	6	0.05%	8.5%
	12	nephew/niece	11	0.1%	15.5%
	13	other relative	2	0.02%	2.8%
	14	non-relative	1	0.008%	1.4%
		Total	71	0.6%	100%
Missing	.	missing	37	0.3%	
	997	legitimate skip	12,192	99.1%	
		Total	12,229	99.4%	

Valid	Invalid	Minimum	Maximum
71	12229	1	14

H5HR6I - S2Q6I HH MEMBER 9 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric

H5HR6I	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #9] Q6I. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	1	0.008%	3.3%
	3	biological son/daughter	13	0.1%	43.3%
	4	step son/daughter	2	0.02%	6.7%
	11	cousin	3	0.02%	10.0%
	12	nephew/niece	10	0.1%	33.3%
	13	other relative	1	0.008%	3.3%
		Total	30	0.2%	100%
Missing	.	missing	30	0.2%	
	997	legitimate skip	12,240	99.5%	
		Total	12,270	99.8%	

Valid	Invalid	Minimum	Maximum
30	12270	1	13

H5HR6J - S2Q6J HH MEMBER 10 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6J	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #10] Q6J. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	1	0.008%	6.7%
	3	biological son/daughter	7	0.1%	46.7%
	4	step son/daughter	2	0.02%	13.3%
	11	cousin	1	0.008%	6.7%
	12	nephew/niece	2	0.02%	13.3%
	13	other relative	1	0.008%	6.7%
	14	non-relative	1	0.008%	6.7%
		Total	15	0.1%	100%
Missing	.	missing	26	0.2%	
	997	legitimate skip	12,259	99.7%	
		Total	12,285	99.9%	

Valid	Invalid	Minimum	Maximum
15	12285	1	14

H5HR6K - S2Q6K HH MEMBER 11 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6K	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #11] Q6K. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	3	biological son/daughter	3	0.02%	33.3%
	4	step son/daughter	1	0.008%	11.1%
	12	nephew/niece	3	0.02%	33.3%
	13	other relative	1	0.008%	11.1%
	14	non-relative	1	0.008%	11.1%
		Total	9	0.1%	100%
Missing	.	missing	27	0.2%	
	997	legitimate skip	12,264	99.7%	
		Total	12,291	99.9%	

Valid	Invalid	Minimum	Maximum
9	12291	3	14

H5HR6L - S2Q6L HH MEMBER 12 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6L	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #12] Q6L. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	3	biological son/daughter	2	0.02%	66.7%
	12	nephew/niece	1	0.008%	33.3%
		Total	3	0.02%	100%
Missing	.	missing	27	0.2%	
	997	legitimate skip	12,270	99.8%	
		Total	12,297	100.0%	

Valid	Invalid	Minimum	Maximum
3	12297	3	12

H5HR6M - S2Q6M HH MEMBER 13 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6M	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #13] Q6M. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	1	husband/wife	1	0.008%	50.0%
	3	biological son/daughter	1	0.008%	50.0%
		Total	2	0.02%	100%
Missing	.	missing	26	0.2%	
	997	legitimate skip	12,272	99.8%	
		Total	12,298	100.0%	

Valid	Invalid	Minimum	Maximum
2	12298	1	3

H5HR6N - S2Q6N HH MEMBER 14 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric
H5HR6N	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #14] Q6N. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	7	father/mother	1	0.008%	100.0%
		Total	1	0.008%	100%
Missing	.	missing	26	0.2%	
	997	legitimate skip	12,273	99.8%	
		Total	12,299	100.0%	

Valid	Invalid	Minimum	Maximum
1	12299	7	7

H5HR6O - S2Q6O HH MEMBER 15 RELATION TO RESP-W5

Type	Code
Measurement Unit	numeric

H5HR6O	Not including yourself, please provide the following information for each of the other people living in your household starting with the oldest and working across to the youngest. --- [Member #15] Q6O. What is [...]'s relationship to you?

			Frequency	% of total	% of valid
Valid	3	biological son/daughter	1	0.008%	50.0%
	5	adopted son/daughter	1	0.008%	50.0%
		Total	2	0.02%	100%
Missing	.	missing	26	0.2%	
	997	legitimate skip	12,272	99.8%	
		Total	12,298	100.0%	

Valid	Invalid	Minimum	Maximum
2	12298	3	5

Return to Table of Contents

Wave V, Section 3: Military and Employment

Title	Wave V, Section 3: Military and Employment
File Name	wave5.xpt
Case Quantity	12300
Variable Count	36

H5LM1 - S3Q1 EVER BEEN IN MILITARY-W5

Type	Code
Measurement Unit	numeric
H5LM1	Q1. Have you ever served in the military?
Logic	If Q1=1, ask Q2M. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	11,407	92.7%	93.0%
	1	yes	865	7.0%	7.0%
		Total	12,272	99.8%	100%
Missing	.	missing	28	0.2%	
		Total	28	0.2%	

Valid	Invalid	Minimum	Maximum
12272	28	0	1

H5LM2M - S3Q2M TOTAL ACTIVE DUTY TIME MONTHS-W5

Type	Code
Measurement Unit	numeric
H5LM2M	Q2M. What is the total amount of time you have served in the military?
Notes	Includes soft check if Q2M not 0-11.

			Frequency	% of total	% of valid
Valid	0	less than 1 month	260	2.1%	37.0%
	1	1 month	45	0.4%	6.4%
	2	2 months	41	0.3%	5.8%
	3	3 months	53	0.4%	7.5%
	4	4 months	37	0.3%	5.3%
	5	5 months	35	0.3%	5.0%
	6	6 months	85	0.7%	12.1%
	7	7 months	23	0.2%	3.3%
	8	8 months	30	0.2%	4.3%
	9	9 months	27	0.2%	3.8%
	10	10 months	27	0.2%	3.8%
	11	11 months	40	0.3%	5.7%

		Total	703	5.7%	100%
Missing	.	missing	4	0.03%	
	997	legitimate skip	11,432	92.9%	
	998	don't know	161	1.3%	
		Total	11,597	94.3%	

Valid	Invalid	Minimum	Maximum
703	11597	0	11

H5LM2Y - S3Q2Y TOTAL ACTIVE DUTY TIME YEARS-W5

Type	Code
Measurement Unit	numeric
H5LM2Y	Q2Y. What is the total amount of time you have served in the military?
Notes	Includes soft check if Q2Y not 0-25.
Logic	Ask Q3.

			Frequency	% of total	% of valid
Valid	0	0 years	34	0.3%	4.0%
	1	1 year	46	0.4%	5.4%
	2	2 years	56	0.5%	6.6%
	3	3 years	72	0.6%	8.5%
	4	4 years	148	1.2%	17.4%
	5	5 years	34	0.3%	4.0%
	6	6 years	76	0.6%	9.0%
	7	7 years	29	0.2%	3.4%
	8	8 years	76	0.6%	9.0%
	9	9 years	32	0.3%	3.8%
	10	10 years	31	0.3%	3.7%
	11	11 year	17	0.1%	2.0%
	12	12 years	15	0.1%	1.8%
	13	13 years	13	0.1%	1.5%
	14	14 years	25	0.2%	2.9%
	15	15 years	22	0.2%	2.6%
	16	16 years	17	0.1%	2.0%
	17	17 years	25	0.2%	2.9%
	18	18 years	24	0.2%	2.8%
	19	19 years	18	0.1%	2.1%
	20	20 years	28	0.2%	3.3%
	21	21 years	6	0.05%	0.7%
	22	22 years	4	0.03%	0.5%
	24	24 years	1	0.008%	0.1%
		Total	849	6.9%	100%
Missing	.	missing	4	0.03%	
	997	legitimate skip	11,432	92.9%	
	998	don't know	15	0.1%	
		Total	11,451	93.1%	

Valid	Invalid	Minimum	Maximum
849	11451	0	24

H5LM3 - S3Q3 MILITARY SERVICE STATUS-W5

Type	Code
Measurement Unit	numeric
H5LM3	Q3. Which best describes your military service?
Logic	If Q3=2, 3, or 4, ask Q4M. Else go to Q5.

			Frequency	% of total	% of valid
Valid	1	currently serving	166	1.3%	19.3%
	2	previously served in the US	349	2.8%	40.5%
	3	previously served outside the US	12	0.1%	1.4%
	4	previously served both in the US and outside the US	334	2.7%	38.8%
		Total	861	7.0%	100%
Missing	.	missing	7	0.1%	
	97	legitimate skip	11,432	92.9%	
		Total	11,439	93.0%	

Valid	Invalid	Minimum	Maximum
861	11439	1	4

H5LM4M - S3Q4M MONTH DISCHARGED ACT/MILITARY-W5

Type	Code
Measurement Unit	numeric
H5LM4M	Q4M. In what month and year did your most recent military service end?

			Frequency	% of total	% of valid
Valid	1	January	58	0.5%	8.6%
	2	February	61	0.5%	9.0%
	3	March	36	0.3%	5.3%
	4	April	50	0.4%	7.4%
	5	May	60	0.5%	8.9%
	6	June	64	0.5%	9.5%
	7	July	66	0.5%	9.7%
	8	August	68	0.6%	10.0%
	9	September	63	0.5%	9.3%
	10	October	64	0.5%	9.5%
	11	November	41	0.3%	6.1%
	12	December	46	0.4%	6.8%
		Total	677	5.5%	100%

Missing	.	missing	21	0.2%	
	997	legitimate skip	11,602	94.3%	
		Total	11,623	94.5%	

Valid	Invalid	Minimum	Maximum
677	11623	1	12

H5LM4Y - S3Q4Y YEAR DISCHARGED ACT/MILITARY-W5

Type	Code
Measurement Unit	numeric
H5LM4Y	Q4Y. In what month and year did your most recent military service end?

			Frequency	% of total	% of valid
Valid	1996	1996	9	0.1%	1.3%
	1997	1997	24	0.2%	3.5%
	1998	1998	16	0.1%	2.3%
	1999	1999	39	0.3%	5.7%
	2000	2000	48	0.4%	7.0%
	2001	2001	53	0.4%	7.7%
	2002	2002	44	0.4%	6.4%
	2003	2003	71	0.6%	10.4%
	2004	2004	47	0.4%	6.9%
	2005	2005	54	0.4%	7.9%
	2006	2006	49	0.4%	7.2%
	2007	2007	38	0.3%	5.6%
	2008	2008	37	0.3%	5.4%
	2009	2009	20	0.2%	2.9%
	2010	2010	23	0.2%	3.4%
	2011	2011	23	0.2%	3.4%
	2012	2012	16	0.1%	2.3%
	2013	2013	18	0.1%	2.6%
	2014	2014	14	0.1%	2.0%
	2015	2015	15	0.1%	2.2%
	2016	2016	17	0.1%	2.5%
	2017	2017	9	0.1%	1.3%
		Total	684	5.6%	100%
Missing	.	missing	14	0.1%	
	99997	legitimate skip	11,602	94.3%	
		Total	11,616	94.4%	

Valid	Invalid	Minimum	Maximum
684	11616	1996	2017

H5LM5 - S3Q5 CURRENTLY WORK-W5

Type	Code

Measurement Unit	numeric
H5LM5	Q5. Are you currently working for pay?
Logic	If Q5=1 ask Q6. Else if Q5=2, go to Q17M. Else if Q5 is missing go to Section 4: Income. Else go to Q27.

			Frequency	% of total	% of valid
Valid	1	yes	10,272	83.5%	83.8%
	2	no, but have worked for pay in the past	1,873	15.2%	15.3%
	3	no, have never worked for pay	113	0.9%	0.9%
		Total	12,258	99.7%	100%
Missing	.	missing	42	0.3%	
		Total	42	0.3%	

Valid	Invalid	Minimum	Maximum
12258	42	1	3

H5LM6 - S3Q6 # JOBS CURRENTLY WORK FOR PAY-W5

Type	Numeric (Double)
H5LM6	Q6. On how many jobs are you currently working for pay?
Notes	Includes soft check if Q6 not 1-19.

			Frequency	% of total	% of valid
Missing	.	missing	13	0.1%	
	997	legitimate skip	2,025	16.5%	
		Total	2,038	16.6%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
10262	2038	1	40	1.16	0.63

H5LM7 - S3Q7 TOTAL HR/WK CURRENTLY WORKING-W5

Type	Numeric (Double)
H5LM7	Q7. How many total hours a week do you usually spend at [your job/all your jobs]?
Notes	Includes soft check if Q7 not 0-120.

			Frequency	% of total	% of valid
Missing	.	missing	25	0.2%	
	9997	legitimate skip	2,025	16.5%	
		Total	2,050	16.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
10250	2050	0	168	42.86	12.45

H5LM8M - S3Q8M MONTH PAY JOB STARTED-W5

Type	Code
Measurement Unit	numeric
H5LM8M	In what month and year did you begin your current job? Q8M. Month you began current job.
Notes	Includes soft check if Q8M not 1-12.

			Frequency	% of total	% of valid
Valid	1	January	924	7.5%	9.1%
	2	February	717	5.8%	7.0%
	3	March	746	6.1%	7.3%
	4	April	785	6.4%	7.7%
	5	May	872	7.1%	8.6%
	6	June	934	7.6%	9.2%
	7	July	881	7.2%	8.7%
	8	August	1,369	11.1%	13.5%
	9	September	933	7.6%	9.2%
	10	October	834	6.8%	8.2%
	11	November	669	5.4%	6.6%
	12	December	510	4.1%	5.0%
		Total	10,174	82.7%	100%
Missing	.	missing	101	0.8%	
	997	legitimate skip	2,025	16.5%	
		Total	2,126	17.3%	

Valid	Invalid	Minimum	Maximum
10174	2126	1	12

H5LM8Y - S3Q8Y YEAR PAY JOB STARTED-W5

Type	Code
Measurement Unit	numeric
H5LM8Y	In what month and year did you begin your current job? Q8Y. Year you began current job.
Notes	Includes soft check if Q8Y not >= DOB + 14 years.

			Frequency	% of total	% of valid
Valid	1977	1977	1	0.08%	0.01%
	1990	1990	2	0.02%	0.02%
	1994	1994	5	0.04%	0.05%
	1995	1995	26	0.2%	0.3%
	1996	1996	48	0.4%	0.5%

	1997	1997	80	0.7%	0.8%
	1998	1998	110	0.9%	1.1%
	1999	1999	166	1.3%	1.6%
	2000	2000	237	1.9%	2.3%
	2001	2001	226	1.8%	2.2%
	2002	2002	250	2.0%	2.5%
	2003	2003	272	2.2%	2.7%
	2004	2004	332	2.7%	3.3%
	2005	2005	369	3.0%	3.6%
	2006	2006	429	3.5%	4.2%
	2007	2007	427	3.5%	4.2%
	2008	2008	386	3.1%	3.8%
	2009	2009	315	2.6%	3.1%
	2010	2010	421	3.4%	4.1%
	2011	2011	455	3.7%	4.5%
	2012	2012	601	4.9%	5.9%
	2013	2013	651	5.3%	6.4%
	2014	2014	838	6.8%	8.2%
	2015	2015	1,183	9.6%	11.6%
	2016	2016	1,261	10.3%	12.4%
	2017	2017	903	7.3%	8.9%
	2018	2018	191	1.6%	1.9%
		Total	10,191	82.9%	100%
Missing	.	missing	84	0.7%	
	99997	legitimate skip	2,025	16.5%	
		Total	2,109	17.1%	

Valid	Invalid	Minimum	Maximum
10191	2109	1977	2018

H5LM9 - S3Q9 TYPE OF WORK CURR-W5

Type	Code
Measurement Unit	numeric
H5LM9	Q9. Which one of the following best describes your chief job activity or business this week?

			Frequency	% of total	% of valid
Valid	1	active duty military	118	1.0%	1.2%
	2	employee of private for-profit company or business or of an individual for wages, salary, or commissions	6,179	50.2%	61.1%
	3	employee of a private not-for-profit, tax-exempt, or charitable organization	962	7.8%	9.5%
	4	local government employee (e.g., city, county)	837	6.8%	8.3%

	5	state government employee	728	5.9%	7.2%
	6	federal government employee	325	2.6%	3.2%
	7	self-employed in own not incorporated business, professional practice, or farm	513	4.2%	5.1%
	8	self-employed in own incorporated business, professional practice, or farm	417	3.4%	4.1%
	9	work without pay in family business or farm	31	0.3%	0.3%
		Total	10,110	82.2%	100%
Missing	.	missing	165	1.3%	
	97	legitimate skip	2,025	16.5%	
		Total	2,190	17.8%	

Valid	Invalid	Minimum	Maximum
10110	2190	1	9

H5LM10 - S3Q10 TYPE OF INDUSTRY CURR-W5

Type	Text
Constraints	Maximum Length: 9
H5LM10	Q10. What kind of business or industry is this? Describe the activity at the location where employed. (For example: hospital, newspaper publishing, mail order house, auto engine manufacturing, bank)
Notes	For industry codes consult: https://www2.census.gov/programs-surveys/demo/guidance/industry-occupation/census-2012-final-code-list.xls. Code 9990: Uncodable. Current industry assignment was based on open-ended responses to the following question: What kind of business or industry is this? Describe the activity at the location where employed. (For example: hospital, newspaper publishing, mail order house, auto engine manufacturing, bank)

			Frequency	% of total	% of valid
Missing		missing	202	1.6%	
	99997	legitimate skip	2,025	16.5%	
		Total	2,227	18.1%	

Valid	Invalid	Minimum	Maximum
10073	2227	170	9990

H5LM11 - S3Q10 INDUSTRY MAINLY CURR-W5

Type	Code
Measurement Unit	numeric

H5LM11	Q11. is this mainly...?

			Frequency	% of total	% of valid
Valid	1	manufacturing	947	7.7%	9.4%
	2	wholesale trade	266	2.2%	2.6%
	3	retail trade	1,300	10.6%	12.8%
	4	other (agriculture, construction, service, government, etc.)	7,613	61.9%	75.2%
		Total	10,126	82.3%	100%
Missing	.	missing	149	1.2%	
	97	legitimate skip	2,025	16.5%	
		Total	2,174	17.7%	

Valid	Invalid	Minimum	Maximum
10126	2174	1	4

H5LM12 - S3Q12 KIND OF WORK CURR-W5

Type	Text
Constraints	Maximum Length: 9
H5LM12	Q12. What kind of work are you doing? (For example: registered nurse, personnel manager, supervisor of order department, secretary, accountant)
Notes	For occupation codes consult: https://www2.census.gov/programs-surveys/demo/guidance/industry-occupation/2010-occ-codes-with-crosswalk-from-2002-2011.xls. Code 9990: Uncodable. Current occupation assignment was based on open-ended responses to the following two questions: • What kind of work are you doing? (For example: registered nurse, personnel manager, supervisor of order department, secretary, accountant) • What are your most important activities or duties? (For example: patient care, directing hiring policies, supervising order clerks, typing and filing, reconciling financial records)

			Frequency	% of total	% of valid
Missing		missing	202	1.6%	
	99997	legitimate skip	2,025	16.5%	
		Total	2,227	18.1%	

Valid	Invalid	Minimum	Maximum
10073	2227	10	9990

H5LM13A - S3Q13A EMPLOYER PROVIDES-HEALTH INS-W5

Type	Code

Measurement Unit	numeric
H5LM13A	Q13A. Does your employer make the following available to you... health insurance?

			Frequency	% of total	% of valid
Valid	0	no	1,965	16.0%	19.2%
	1	yes	8,246	67.0%	80.8%
		Total	10,211	83.0%	100%
Missing	.	missing	64	0.5%	
	97	legitimate skip	2,025	16.5%	
		Total	2,089	17.0%	

Valid	Invalid	Minimum	Maximum
10211	2089	0	1

H5LM13B - S3Q13B EMPLOYER PROVIDES-RETIRE BEN-W5

Type	Code
Measurement Unit	numeric
H5LM13B	Q13B. Does your employer make the following available to you... retirement benefits (such as 401(k), 403b, or a company pension plan)?

			Frequency	% of total	% of valid
Valid	0	no	2,365	19.2%	23.2%
	1	yes	7,830	63.7%	76.8%
		Total	10,195	82.9%	100%
Missing	.	missing	80	0.7%	
	97	legitimate skip	2,025	16.5%	
		Total	2,105	17.1%	

Valid	Invalid	Minimum	Maximum
10195	2105	0	1

H5LM13C - S3Q13C EMPLOYER PROVIDES-PD VAC/SICK-W5

Type	Code
Measurement Unit	numeric
H5LM13C	Q13C. Does your employer make the following available to you... paid vacation, sick, personal leave?

			Frequency	% of total	% of valid
Valid	0	no	1,753	14.3%	17.2%
	1	yes	8,451	68.7%	82.8%
		Total	10,204	83.0%	100%

Missing	.	missing	71	0.6%	
	97	legitimate skip	2,025	16.5%	
		Total	2,096	17.0%	

Valid	Invalid	Minimum	Maximum
10204	2096	0	1

H5LM14 - S3Q14 SPEND MST TIME STAND/SEAT WORK-W5

Type	Code
Measurement Unit	numeric
H5LM14	Q14. In your current job, do you spend most of your time...?

			Frequency	% of total	% of valid
Valid	1	seated, for example, using a computer or driving	4,990	40.6%	48.8%
	2	standing, doing light physical work, for example, standing at a counter or desk, teaching, or working at a conveyor belt	2,005	16.3%	19.6%
	3	standing, doing moderate physical work, for example, nursing or being a mechanic	2,385	19.4%	23.3%
	4	standing, doing hard physical work, for example, doing construction work	850	6.9%	8.3%
		Total	10,230	83.2%	100%
Missing	.	missing	45	0.4%	
	97	legitimate skip	2,025	16.5%	
		Total	2,070	16.8%	

Valid	Invalid	Minimum	Maximum
10230	2070	1	4

H5LM15 - S3Q15 DECISION-MAKING FREEDOM WORK-W5

Type	Code
Measurement Unit	numeric
H5LM15	Q15. Overall, how often do you have the freedom to make important decisions about what you do at work and how you do it?

			Frequency	% of total	% of valid
Valid	1	none or almost none of the time	538	4.4%	5.2%
	2	some of the time	2,833	23.0%	27.6%
	3	most of the time	3,942	32.0%	38.5%
	4	all or almost all of the time	2,936	23.9%	28.6%

		Total	10,249	83.3%	100%
Missing	.	missing	26	0.2%	
	97	legitimate skip	2,025	16.5%	
		Total	2,051	16.7%	

Valid	Invalid	Minimum	Maximum
10249	2051	1	4

H5LM16 - S3Q16 GLOBAL JOB SATISFACTION-W5

Type	Code
Measurement Unit	numeric
H5LM16	Q16. How satisfied or dissatisfied are you with this job as a whole?
Logic	Go to Section 4: Income.

			Frequency	% of total	% of valid
Valid	1	extremely satisfied	2,802	22.8%	27.4%
	2	satisfied	5,189	42.2%	50.7%
	3	neither satisfied nor dissatisfied	1,467	11.9%	14.3%
	4	dissatisfied	632	5.1%	6.2%
	5	extremely dissatisfied	153	1.2%	1.5%
		Total	10,243	83.3%	100%
Missing	.	missing	32	0.3%	
	97	legitimate skip	2,025	16.5%	
		Total	2,057	16.7%	

Valid	Invalid	Minimum	Maximum
10243	2057	1	5

H5LM17M - S3Q17M MONTH PAY JOB ENDED-W5

Type	Code
Measurement Unit	numeric
H5LM17M	In what month and year did you last work? Q17M. Month you last worked
Notes	Includes soft check if Q17M not 1-12.

			Frequency	% of total	% of valid
Valid	1	January	161	1.3%	8.9%
	2	February	136	1.1%	7.6%
	3	March	125	1.0%	6.9%
	4	April	149	1.2%	8.3%
	5	May	191	1.6%	10.6%
	6	June	199	1.6%	11.0%
	7	July	178	1.4%	9.9%

	8	August	150	1.2%	8.3%
	9	September	123	1.0%	6.8%
	10	October	138	1.1%	7.7%
	11	November	119	1.0%	6.6%
	12	December	132	1.1%	7.3%
		Total	1,801	14.6%	100%
Missing	.	missing	75	0.6%	
	997	legitimate skip	10,424	84.7%	
		Total	10,499	85.4%	

Valid	Invalid	Minimum	Maximum
1801	10499	1	12

H5LM17Y - S3Q17Y YEAR PAY JOB ENDED-W5

Type	Code
Measurement Unit	numeric
H5LM17Y	In what month and year did you last work? Q17Y. Year you last worked.
Notes	Includes soft check if Q17Y not >=DOB + 14.
Logic	Ask Q18M.

			Frequency	% of total	% of valid
Valid	1994	1994	1	0.008%	0.1%
	1995	1995	3	0.02%	0.2%
	1996	1996	2	0.02%	0.1%
	1997	1997	6	0.05%	0.3%
	1998	1998	7	0.1%	0.4%
	1999	1999	10	0.1%	0.5%
	2000	2000	18	0.1%	1.0%
	2001	2001	19	0.2%	1.0%
	2002	2002	14	0.1%	0.8%
	2003	2003	23	0.2%	1.3%
	2004	2004	27	0.2%	1.5%
	2005	2005	39	0.3%	2.1%
	2006	2006	50	0.4%	2.7%
	2007	2007	44	0.4%	2.4%
	2008	2008	63	0.5%	3.4%
	2009	2009	64	0.5%	3.5%
	2010	2010	80	0.7%	4.4%
	2011	2011	67	0.5%	3.7%
	2012	2012	105	0.9%	5.7%
	2013	2013	108	0.9%	5.9%
	2014	2014	112	0.9%	6.1%
	2015	2015	160	1.3%	8.7%
	2016	2016	367	3.0%	20.1%
	2017	2017	336	2.7%	18.4%

	2018	2018	104	0.8%	5.7%
		Total	1,829	14.9%	100%
Missing	.	missing	47	0.4%	
	99997	legitimate skip	10,424	84.7%	
		Total	10,471	85.1%	

Valid	Invalid	Minimum	Maximum
1829	10471	1994	2018

H5LM18M - S3Q18M MONTH PAY JOB STARTED-W5

Type	Code
Measurement Unit	numeric
H5LM18M	In what month and year did you begin your most recent job? Q18M. Month you began most recent job.
Notes	Includes soft check if Q18M not 1-12.

			Frequency	% of total	% of valid
Valid	1	January	178	1.4%	11.2%
	2	February	113	0.9%	7.1%
	3	March	122	1.0%	7.6%
	4	April	131	1.1%	8.2%
	5	May	143	1.2%	9.0%
	6	June	149	1.2%	9.3%
	7	July	96	0.8%	6.0%
	8	August	188	1.5%	11.8%
	9	September	149	1.2%	9.3%
	10	October	156	1.3%	9.8%
	11	November	95	0.8%	6.0%
	12	December	76	0.6%	4.8%
		Total	1,596	13.0%	100%
Missing	.	missing	280	2.3%	
	997	legitimate skip	10,424	84.7%	
		Total	10,704	87.0%	

Valid	Invalid	Minimum	Maximum
1596	10704	1	12

H5LM18Y - S3Q18Y YEAR PAY JOB STARTED-W5

Type	Code
Measurement Unit	numeric
H5LM18Y	In what month and year did you begin your [current/most recent] job? Q18Y. Year you began most recent job.
Notes	Includes soft check if Q18Y not >= DOB + 14 years.

			Frequency	% of total	% of valid
Valid	1988	1988	1	0.008%	0.1%
	1992	1992	2	0.02%	0.1%
	1994	1994	4	0.03%	0.2%
	1995	1995	6	0.05%	0.4%
	1996	1996	16	0.1%	1.0%
	1997	1997	22	0.2%	1.3%
	1998	1998	14	0.1%	0.9%
	1999	1999	30	0.2%	1.8%
	2000	2000	62	0.5%	3.8%
	2001	2001	33	0.3%	2.0%
	2002	2002	32	0.3%	2.0%
	2003	2003	36	0.3%	2.2%
	2004	2004	57	0.5%	3.5%
	2005	2005	59	0.5%	3.6%
	2006	2006	68	0.6%	4.2%
	2007	2007	69	0.6%	4.2%
	2008	2008	76	0.6%	4.7%
	2009	2009	69	0.6%	4.2%
	2010	2010	66	0.5%	4.0%
	2011	2011	75	0.6%	4.6%
	2012	2012	77	0.6%	4.7%
	2013	2013	86	0.7%	5.3%
	2014	2014	118	1.0%	7.2%
	2015	2015	169	1.4%	10.4%
	2016	2016	211	1.7%	12.9%
	2017	2017	138	1.1%	8.5%
	2018	2018	34	0.3%	2.1%
		Total	1,630	13.3%	100%
Missing	.	missing	246	2.0%	
	99997	legitimate skip	10,424	84.7%	
		Total	10,670	86.7%	

Valid	Invalid	Minimum	Maximum
1630	10670	1988	2018

H5LM19 - S3Q19 TYPE OF WORK PREV-W5

Type	Code
Measurement Unit	numeric
H5LM19	Q19. Which one of the following best describes your chief job activity or business when you last worked?

			Frequency	% of total	% of valid
Valid	1	active duty military	20	0.2%	1.1%

	2	employee of private for-profit company or business or of an individual for wages, salary, or commissions	1,229	10.0%	69.0%
	3	employee of a private not-for-profit, tax-exempt, or charitable organization	138	1.1%	7.7%
	4	local government employee	95	0.8%	5.3%
	5	state government employee	72	0.6%	4.0%
	6	federal government employee	39	0.3%	2.2%
	7	self-employed in own not inc business, prof practice, or farm	114	0.9%	6.4%
	8	self-employed in own incorp business, prof practice, or farm	40	0.3%	2.2%
	9	work without pay in family business or farm	35	0.3%	2.0%
		Total	1,782	14.5%	100%
Missing	.	missing	94	0.8%	
	97	legitimate skip	10,424	84.7%	
		Total	10,518	85.5%	

Valid	Invalid	Minimum	Maximum
1782	10518	1	9

H5LM20 - S3Q20 TYPE OF INDUSTRY PREV-W5

Type	Text
Constraints	Maximum Length: 9
H5LM20	Q20. What kind of business or industry was this? Describe the activity at the location where employed. (For example: hospital, newspaper publishing, mail order house, auto engine manufacturing, bank)
Notes	For industry codes consult: https://www2.census.gov/programs-surveys/demo/guidance/industry-occupation/census-2012-final-code-list.xls. Code 9990: Uncodable. Previous industry assignment was based on open-ended responses to the following question: What kind of business or industry was this? Describe the activity at the location where employed. (For example: hospital, newspaper publishing, mail order house, auto engine manufacturing, bank)

			Frequency	% of total	% of valid
Missing		missing	48	0.4%	
	99997	legitimate skip	10,424	84.7%	
		Total	10,472	85.1%	

Valid	Invalid	Minimum	Maximum
1828	10472	170	9990

H5LM21 - S3Q21 INDUSTRY MAINLY PREV-W5

Type	Code
Measurement Unit	numeric
H5LM21	Q21. was this mainly...?

			Frequency	% of total	% of valid
Valid	1	manufacturing	176	1.4%	9.7%
	2	wholesale trade	63	0.5%	3.5%
	3	retail trade	352	2.9%	19.5%
	4	other (agriculture, construction, service, government, etc.)	1,216	9.9%	67.3%
		Total	1,807	14.7%	100%
Missing	.	missing	69	0.6%	
	97	legitimate skip	10,424	84.7%	
		Total	10,493	85.3%	

Valid	Invalid	Minimum	Maximum
1807	10493	1	4

H5LM22 - S3Q22 KIND OF WORK PREV-W5

Type	Text
Constraints	Maximum Length: 9
H5LM22	Q22. What kind of work were you doing? (For example: registered nurse, personnel manager, supervisor of order department, secretary, accountant)
Notes	For occupation codes consult: https://www2.census.gov/programs-surveys/demo/guidance/industry-occupation/2010-occ-codes-with-crosswalk-from-2002-2011.xls. Code 9990: Uncodable. Previous occupation assignment was based on open-ended responses to the following two questions: • What kind of work were you doing? (For example: registered nurse, personnel manager, supervisor of order department, secretary, accountant) • What were your most important activities or duties? (For example: patient care, directing hiring policies, supervising order clerks, typing and filing, reconciling financial records)

			Frequency	% of total	% of valid
Missing		missing	48	0.4%	
	99997	legitimate skip	10,424	84.7%	
		Total	10,472	85.1%	

Valid	Invalid	Minimum	Maximum

1828	10472	10	9990

H5LM23A - S3Q23A EMPLOYER PROVIDED-HEALTH INS-W5

Type	Code
Measurement Unit	numeric
H5LM23A	Q23A. Did your employer make the following available to you... health insurance?

			Frequency	% of total	% of valid
Valid	0	no	844	6.9%	46.0%
	1	yes	990	8.0%	54.0%
		Total	1,834	14.9%	100%
Missing	.	missing	42	0.3%	
	97	legitimate skip	10,424	84.7%	
		Total	10,466	85.1%	

Valid	Invalid	Minimum	Maximum
1834	10466	0	1

H5LM23B - S3Q23B EMPLOYER PROVIDED-RETIRE BEN-W5

Type	Code
Measurement Unit	numeric
H5LM23B	Q23B. Did your employer make the following available to you... retirement benefits (such as 401(k), 403b, or a company pension plan)?

			Frequency	% of total	% of valid
Valid	0	no	974	7.9%	53.4%
	1	yes	849	6.9%	46.6%
		Total	1,823	14.8%	100%
Missing	.	missing	53	0.4%	
	97	legitimate skip	10,424	84.7%	
		Total	10,477	85.2%	

Valid	Invalid	Minimum	Maximum
1823	10477	0	1

H5LM23C - S3Q23C EMPLOYER PROVIDED-PD VAC/SICK-W5

Type	Code
Measurement Unit	numeric
H5LM23C	Q23C. Did your employer make the following available to you... paid vacation, sick, personal leave?

			Frequency	% of total	% of valid
Valid	0	no	828	6.7%	45.2%
	1	yes	1,002	8.1%	54.8%
		Total	1,830	14.9%	100%
Missing	.	missing	46	0.4%	
	97	legitimate skip	10,424	84.7%	
		Total	10,470	85.1%	

Valid	Invalid	Minimum	Maximum
1830	10470	0	1

H5LM24 - S3Q24 SPENT MST TIME STAND/SEAT WORK-W5

Type	Code
Measurement Unit	numeric
H5LM24	Q24. In your most recent job, did you spend most of your time...?

			Frequency	% of total	% of valid
Valid	1	seated, for example, using a computer or driving	628	5.1%	34.2%
	2	standing, doing light physical work, for example, standing at a counter or desk, teaching, or working at a conveyor belt	477	3.9%	26.0%
	3	standing, doing moderate physical work, for example, nursing or being a mechanic	497	4.0%	27.1%
	4	standing, doing hard physical work, for example, doing construction work	234	1.9%	12.7%
		Total	1,836	14.9%	100%
Missing	.	missing	40	0.3%	
	97	legitimate skip	10,424	84.7%	
		Total	10,464	85.1%	

Valid	Invalid	Minimum	Maximum
1836	10464	1	4

H5LM25 - S3Q25 DECISION-MAKING FREEDOM WORK-W5

Type	Code
Measurement Unit	numeric
H5LM25	Q25. Overall, how often did you have the freedom to make important decisions about what you did at work and how you did it?

			Frequency	% of total	% of valid
Valid	1	none or almost none of the time	354	2.9%	19.1%
	2	some of the time	632	5.1%	34.1%
	3	most of the time	559	4.5%	30.2%
	4	all or almost all of the time	306	2.5%	16.5%
		Total	1,851	15.0%	100%
Missing	.	missing	25	0.2%	
	97	legitimate skip	10,424	84.7%	
		Total	10,449	85.0%	

Valid	Invalid	Minimum	Maximum
1851	10449	1	4

H5LM26 - S3Q26 GLOBAL JOB SATISFACTION-W5

Type	Code
Measurement Unit	numeric
H5LM26	Q26. How satisfied or dissatisfied were you with your most recent job as a whole?
Logic	If Q5=2 ask Q27. Else go to Section 4: Income.

			Frequency	% of total	% of valid
Valid	1	extremely satisfied	297	2.4%	16.1%
	2	satisfied	805	6.5%	43.7%
	3	neither satisfied nor dissatisfied	380	3.1%	20.6%
	4	dissatisfied	222	1.8%	12.0%
	5	extremely dissatisfied	140	1.1%	7.6%
		Total	1,844	15.0%	100%
Missing	.	missing	32	0.3%	
	97	legitimate skip	10,424	84.7%	
		Total	10,456	85.0%	

Valid	Invalid	Minimum	Maximum
1844	10456	1	5

H5LM27 - S3Q27 DESCR CURRENT WORK STATUS-W5

Type	Code
Measurement Unit	numeric
H5LM27	Q27. Which one of the following categories best describes what you are doing now?

			Frequency	% of total	% of valid
Valid	1	only temporarily laid off	85	0.7%	4.3%

	2	on sick leave or temporarily disabled	105	0.9%	5.3%
	3	on maternity/paternity leave	30	0.2%	1.5%
	4	permanently disabled	279	2.3%	14.2%
	5	unemployed and looking for work	488	4.0%	24.9%
	6	unemployed and not looking for work	117	1.0%	6.0%
	7	student	98	0.8%	5.0%
	8	keeping house	533	4.3%	27.2%
	9	retired	29	0.2%	1.5%
	10	other	199	1.6%	10.1%
		Total	1,963	16.0%	100%
Missing	.	missing	26	0.2%	
	997	legitimate skip	10,311	83.8%	
		Total	10,337	84.0%	

Valid	Invalid	Minimum	Maximum
1963	10337	1	10

Return to Table of Contents

Wave V, Section 4: Income

Title	Wave V, Section 4: Income
File Name	wave5.xpt
Case Quantity	12300
Variable Count	12

H5EC1 - S4Q1 INCOME PERS EARNINGS 16/17-W5

Type	Code
Measurement Unit	numeric
H5EC1	Q1. These next few questions are about the income of you and everyone who lives in your household. This information helps us to understand whether people in different income groups use certain types of medical care and have different experiences. First, in the last calendar year, how much income did you receive from personal earnings before taxes? Include wages or salaries, tips, bonuses, overtime pay, and income from self-employment.
Logic	If the number of people residing with respondent >0 ask Q2. Else go to Q3.

			Frequency	% of total	% of valid
Valid	1	less than $5,000	1,193	9.7%	9.9%
	2	$5,000 to $9,999	496	4.0%	4.1%
	3	$10,000 to $14,999	487	4.0%	4.0%
	4	$15,000 to $19,999	460	3.7%	3.8%
	5	$20,000 to $24,999	667	5.4%	5.5%
	6	$25,000 to $29,999	629	5.1%	5.2%
	7	$30,000 to $39,999	1,353	11.0%	11.2%
	8	$40,000 to $49,999	1,412	11.5%	11.7%
	9	$50,000 to $74,999	2,462	20.0%	20.4%
	10	$75,000 to $99,999	1,303	10.6%	10.8%
	11	$100,000 to $149,999	1,032	8.4%	8.5%
	12	$150,000 to $199,999	288	2.3%	2.4%
	13	$200,000 or more	307	2.5%	2.5%
		Total	12,089	98.3%	100%
Missing	.	missing	211	1.7%	
		Total	211	1.7%	

Valid	Invalid	Minimum	Maximum
12089	211	1	13

H5EC2 - S4Q2 TOTAL HOUSEHOLD INC 16/17 -W5

Type	Code
Measurement Unit	numeric

H5EC2	Q2. What was the total household income before taxes and deductions in the last calendar year for all household members who contribute to household expenses?
Notes	Includes soft check if Q2 not >= Q1.

			Frequency	% of total	% of valid
Valid	1	less than $5,000	266	2.2%	2.6%
	2	$5,000 to $9,999	213	1.7%	2.1%
	3	$10,000 to $14,999	194	1.6%	1.9%
	4	$15,000 to $19,999	197	1.6%	2.0%
	5	$20,000 to $24,999	279	2.3%	2.8%
	6	$25,000 to $29,999	309	2.5%	3.1%
	7	$30,000 to $39,999	595	4.8%	5.9%
	8	$40,000 to $49,999	706	5.7%	7.0%
	9	$50,000 to $74,999	1,731	14.1%	17.2%
	10	$75,000 to $99,999	1,705	13.9%	16.9%
	11	$100,000 to $149,999	2,129	17.3%	21.1%
	12	$150,000 to $199,999	945	7.7%	9.4%
	13	$200,000 or more	815	6.6%	8.1%
		Total	10,084	82.0%	100%
Missing	.	missing	152	1.2%	
	997	legitimate skip	1,296	10.5%	
	998	don't know	768	6.2%	
		Total	2,216	18.0%	

Valid	Invalid	Minimum	Maximum
10084	2216	1	13

H5EC3 - S4Q3 SINCE 08 RECEIVE GIFT/INHERIT-W5

Type	Code
Measurement Unit	numeric
H5EC3	Q3. Some people's assets come from gifts and inheritances. Since 2008, have you or your spouse/partner received any large financial gifts or inheritances of money or property from your parents, in-laws, or relatives?
Logic	If Q3=1 ask Q4. Else go to Q5A.

			Frequency	% of total	% of valid
Valid	0	no	10,902	88.6%	89.3%
	1	yes	1,301	10.6%	10.7%
		Total	12,203	99.2%	100%
Missing	.	missing	97	0.8%	
		Total	97	0.8%	

Valid	Invalid	Minimum	Maximum

12203	97	0	1

H5EC4 - S4Q4 SINCE 08 HOW MUCH MONEY RECVD-W5

Type	Numeric (Double)
H5EC4	Q4. Since 2008, how much money did you or your spouse/partner receive?
Notes	Includes soft check if Q4 not in whole dollars.

			Frequency	% of total	% of valid
Missing	.	missing	69	0.6%	
	999999997	legitimate skip	10,996	89.4%	
		Total	11,065	90.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1235	11065	0	10000000	112674.32	496683.81

H5EC5A - S4Q5A EST TOTAL HSHLD DEBT-MORTGAGE-W5

Type	Code
Measurement Unit	numeric
H5EC5A	Q5A. Now, think about your debts. How much do you and others in your household owe altogether for a mortgage or mortgages?

			Frequency	% of total	% of valid
Valid	1	none	4,049	32.9%	33.5%
	2	less than $10,000	693	5.6%	5.7%
	3	$10,000 to $24,999	546	4.4%	4.5%
	4	$25,000 to $49,999	563	4.6%	4.7%
	5	$50,000 to $99,999	1,239	10.1%	10.3%
	6	$100,000 to $249,999	3,066	24.9%	25.4%
	7	$250,000 to $499,999	1,483	12.1%	12.3%
	8	$500,000 to $999,999	364	3.0%	3.0%
	9	$1,000,000 or more	84	0.7%	0.7%
		Total	12,087	98.3%	100%
Missing	.	missing	213	1.7%	
		Total	213	1.7%	

Valid	Invalid	Minimum	Maximum
12087	213	1	9

H5EC5B - S4Q5B EST TOTAL HSHLD DEBT-EDUC-W5

Type	Code
Measurement Unit	numeric

H5EC5B	Q5B. How much do you and others in your household owe altogether for education (including student loans)?

			Frequency	% of total	% of valid
Valid	1	none	6,119	49.7%	50.6%
	2	less than $10,000	1,508	12.3%	12.5%
	3	$10,000 to $24,999	1,414	11.5%	11.7%
	4	$25,000 to $49,999	1,247	10.1%	10.3%
	5	$50,000 to $99,999	1,098	8.9%	9.1%
	6	$100,000 to $249,999	551	4.5%	4.6%
	7	$250,000 to $499,999	121	1.0%	1.0%
	8	$500,000 to $999,999	16	0.1%	0.1%
	9	$1,000,000 or more	14	0.1%	0.1%
		Total	12,088	98.3%	100%
Missing	.	missing	212	1.7%	
		Total	212	1.7%	

Valid	Invalid	Minimum	Maximum
12088	212	1	9

H5EC5C - S4Q5C EST TOTAL HSHLD DEBT-OTHER-W5

Type	Code
Measurement Unit	numeric
H5EC5C	Q5C. How much do you and others in your household owe altogether for all other debts, including other loans, credit card debts, medical or legal bills, etc.?

			Frequency	% of total	% of valid
Valid	1	none	1,743	14.2%	14.4%
	2	less than $10,000	3,998	32.5%	33.1%
	3	$10,000 to $24,999	2,898	23.6%	24.0%
	4	$25,000 to $49,999	1,892	15.4%	15.7%
	5	$50,000 to $99,999	919	7.5%	7.6%
	6	$100,000 to $249,999	404	3.3%	3.3%
	7	$250,000 to $499,999	154	1.3%	1.3%
	8	$500,000 to $999,999	49	0.4%	0.4%
	9	$1,000,000 or more	21	0.2%	0.2%
		Total	12,078	98.2%	100%
Missing	.	missing	222	1.8%	
		Total	222	1.8%	

Valid	Invalid	Minimum	Maximum
12078	222	1	9

H5EC6 - S4Q6 NET STATUS IF ASSESTS LIQUEFIED-W5

Type	Code
Measurement Unit	numeric
H5EC6	Q6. Suppose you and others in your household were to sell all of your major possessions (including your home), turn all of your investments and other assets into cash, and pay off all of your debts. Would you have something left over, break even, or be in debt?

			Frequency	% of total	% of valid
Valid	1	have something left over	7,533	61.2%	62.2%
	2	break even	1,938	15.8%	16.0%
	3	be in debt	2,645	21.5%	21.8%
		Total	12,116	98.5%	100%
Missing	.	missing	184	1.5%	
		Total	184	1.5%	

Valid	Invalid	Minimum	Maximum
12116	184	1	3

H5EC7 - S4Q7 SINCE 08 LATE PAYING BILLS-W5

Type	Code
Measurement Unit	numeric
H5EC7	Q7. In recent years, many people have experienced financial difficulties and even trouble paying their bills, especially since the 2008 economic recession. Since 2008, did you or your spouse/partner fall behind on paying your bills?

			Frequency	% of total	% of valid
Valid	0	no	6,189	50.3%	50.7%
	1	yes	6,013	48.9%	49.3%
		Total	12,202	99.2%	100%
Missing	.	missing	98	0.8%	
		Total	98	0.8%	

Valid	Invalid	Minimum	Maximum
12202	98	0	1

H5EC8 - S4Q8 SINCE 08 EVICTED FROM HOUSE-W5

Type	Code
Measurement Unit	numeric
H5EC8	Q8. Since 2008, have you experienced a foreclosure procedure, eviction, or repossession of something?

			Frequency	% of total	% of valid
Valid	0	no	10,173	82.7%	83.3%
	1	yes	2,037	16.6%	16.7%
		Total	12,210	99.3%	100%
Missing	.	missing	90	0.7%	
		Total	90	0.7%	

Valid	Invalid	Minimum	Maximum
12210	90	0	1

H5EC9 - S4Q9 WHERE RESP IS ON LADDER-W5

Type	Code
Measurement Unit	numeric
H5EC9	Q9. Think of this ladder as representing where people stand in the United States. At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs. At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job. Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.
Notes	Values were recoded to reflect the order of ladder steps.

			Frequency	% of total	% of valid
Valid	1	step 1	345	2.8%	2.8%
	2	step 2	440	3.6%	3.6%
	3	step 3	1,106	9.0%	9.0%
	4	step 4	1,531	12.4%	12.5%
	5	step 5	2,632	21.4%	21.5%
	6	step 6	2,377	19.3%	19.5%
	7	step 7	2,220	18.0%	18.2%
	8	step 8	1,055	8.6%	8.6%
	9	step 9	299	2.4%	2.4%
	10	step 10	216	1.8%	1.8%
		Total	12,221	99.4%	100%
Missing	.	missing	79	0.6%	
		Total	79	0.6%	

Valid	Invalid	Minimum	Maximum
12221	79	1	10

H5EC10 - S4Q10 INCOME MOD FLAG-W5

Type	Code
Measurement Unit	numeric
H5EC10	Q10. Income section administered separately.

Notes	A total of 125 respondents were administered the income section by phone interview due to a skip pattern error introduced in June 2016. This resulted from an update to the Web instrument following the Pilot sample's conclusion. This programmatic error, which was detected and remedied within a month, resulted in the omission of the entire income section under certain conditions.

			Frequency	% of total	% of valid
Valid	0	no	12,173	99.0%	99.0%
	1	yes	124	1.0%	1.0%
		Total	12,297	100.0%	100%
Missing	.	missing	3	0.02%	
		Total	3	0.02%	

Valid	Invalid	Minimum	Maximum
12297	3	0	1

Return to Table of Contents

Wave V, Section 5: Health, Illness, and Physical Disabilities

Title	Wave V, Section 5: Health, Illness, and Physical Disabilities
File Name	wave5.xpt
Case Quantity	12300
Variable Count	103

H5ID1 - S5Q1 HOW IS GEN PHYSICAL HEALTH-W5

Type	Code
Measurement Unit	numeric
H5ID1	Q1. These next questions are about your health and healthcare. In general, how is your health?

			Frequency	% of total	% of valid
Valid	1	excellent	2,032	16.5%	16.6%
	2	very good	4,459	36.3%	36.3%
	3	good	4,113	33.4%	33.5%
	4	fair	1,382	11.2%	11.3%
	5	poor	286	2.3%	2.3%
		Total	12,272	99.8%	100%
Missing	.	missing	28	0.2%	
		Total	28	0.2%	

Valid	Invalid	Minimum	Maximum
12272	28	1	5

H5ID2F - S5Q2F HEIGHT-FEET-W5

Type	Code
Measurement Unit	numeric
H5ID2F	Q2F. How tall are you in feet and inches? [feet]
Notes	Includes soft check if Q2F not 3-7.

			Frequency	% of total	% of valid
Valid	3	3 feet	3	0.02%	0.02%
	4	4 feet	186	1.5%	1.5%
	5	5 feet	9,982	81.2%	81.3%
	6	6 feet	2,098	17.1%	17.1%
	7	7 feet	2	0.02%	0.02%
		Total	12,271	99.8%	100%
Missing	.	missing	7	0.1%	

	98	don't know	22	0.2%	
		Total	29	0.2%	

Valid	Invalid	Minimum	Maximum
12271	29	3	7

H5ID2I - S5Q2I HEIGHT-INCHES-W5

Type	Code
Measurement Unit	numeric
H5ID2I	Q2I. How tall are you in feet and inches? [inches]
Notes	Includes soft check if Q2I not 0-11.

			Frequency	% of total	% of valid
Valid	0	0 inches	992	8.1%	8.1%
	1	1 inch	864	7.0%	7.1%
	2	2 inches	1,150	9.3%	9.4%
	3	3 inches	1,105	9.0%	9.0%
	4	4 inches	1,301	10.6%	10.6%
	5	5 inches	997	8.1%	8.2%
	6	6 inches	1,170	9.5%	9.6%
	7	7 inches	1,120	9.1%	9.2%
	8	8 inches	844	6.9%	6.9%
	9	9 inches	896	7.3%	7.3%
	10	10 inches	949	7.7%	7.8%
	11	11 inches	833	6.8%	6.8%
		Total	12,221	99.4%	100%
Missing	.	missing	15	0.1%	
	998	don't know	64	0.5%	
		Total	79	0.6%	

Valid	Invalid	Minimum	Maximum
12221	79	0	11

H5ID3 - S5Q3 WEIGHT-LBS-W5

Type	Numeric (Double)
H5ID3	Q3. What is your current weight in pounds?
Notes	Includes soft check if Q3 not 70-700.

			Frequency	% of total	% of valid
Missing	.	missing	64	0.5%	
		Total	64	0.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
12236	64	85	740	191.32	52.36

H5ID4 - S5Q4 LIMIT:CLIMB SEV. FLIGHT STAIRS-W5

Type	Code
Measurement Unit	numeric
H5ID4	Q4. How much does your health now limit you in climbing several flights of stairs?
Logic	If Q4 = 2 or 3, ask Q5; else, skip to Q6A.

			Frequency	% of total	% of valid
Valid	1	not limited	9,330	75.9%	76.1%
	2	limited a little	2,345	19.1%	19.1%
	3	limited a lot	587	4.8%	4.8%
		Total	12,262	99.7%	100%
Missing	.	missing	38	0.3%	
		Total	38	0.3%	

Valid	Invalid	Minimum	Maximum
12262	38	1	3

H5ID5 - S5Q5 LIMIT CAUSE BY COND>YR/RECENT-W5

Type	Code
Measurement Unit	numeric
H5ID5	Q5. Is your limitation caused by a condition that has lasted more than a year, or by a condition that has developed recently?

			Frequency	% of total	% of valid
Valid	1	lasted more than a year	2,195	17.8%	76.0%
	2	developed recently	692	5.6%	24.0%
		Total	2,887	23.5%	100%
Missing	.	missing	48	0.4%	
	97	legitimate skip	9,365	76.1%	
		Total	9,413	76.5%	

Valid	Invalid	Minimum	Maximum
2887	9413	1	2

H5ID6A - S5Q6A EVER BEEN DX CANCER/LEUKEMIA-W5

Type	Code
Measurement Unit	numeric

H5ID6A	Q6A. Has a doctor, nurse, or other health care provider ever told you that you have or had cancer or lymphoma or leukemia (do not include skin cancer, except melanoma)?
Logic	If Q6A = 1, ask Q6AA; else, skip to Q6B.

			Frequency	% of total	% of valid
Valid	0	no	11,955	97.2%	97.7%
	1	yes	282	2.3%	2.3%
		Total	12,237	99.5%	100%
Missing	.	missing	63	0.5%	
		Total	63	0.5%	

Valid	Invalid	Minimum	Maximum
12237	63	0	1

H5ID6AA - S5Q6AA AGE DX CANCER/LEUKEMIA-W5

Type	Numeric (Double)
H5ID6AA	Q6AA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with cancer or lymphoma or leukemia? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6AA not <= Age.
Logic	If Q6A = 1, ask Q6AM; else, skip to Q6B.

			Frequency	% of total	% of valid
Missing	.	missing	6	0.05%	
	997	legitimate skip	12,015	97.7%	
		Total	12,021	97.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
279	12021	0	40	28.73	9.21

H5ID6AM - S5Q6AM MED FOR CANCER/LEUKEMIA-W5

Type	Code
Measurement Unit	numeric
H5ID6AM	Q6AM. During the past 4 weeks, have you taken any prescription medication for cancer or lymphoma or leukemia?

			Frequency	% of total	% of valid
Valid	0	no	250	2.0%	89.3%
	1	yes	30	0.2%	10.7%
		Total	280	2.3%	100%
Missing	.	missing	5	0.04%	

	97	legitimate skip	12,015	97.7%	
		Total	12,020	97.7%	

Valid	Invalid	Minimum	Maximum
280	12020	0	1

H5ID6B - S5Q6B HIGH CHOLESTEROL/LIPIDS/TRIG-W5

Type	Code
Measurement Unit	numeric
H5ID6B	Q6B. Has a doctor, nurse, or other health care provider ever told you that you have or had high blood cholesterol or triglycerides or lipids?
Logic	If Q6B = 1, ask Q6BA; else, skip to Q6C.

			Frequency	% of total	% of valid
Valid	0	no	10,081	82.0%	82.5%
	1	yes	2,138	17.4%	17.5%
		Total	12,219	99.3%	100%
Missing	.	missing	81	0.7%	
		Total	81	0.7%	

Valid	Invalid	Minimum	Maximum
12219	81	0	1

H5ID6BA - S5Q6BA AGE DX HIGH CHOLEST/LIPID/TRIG-W5

Type	Numeric (Double)
H5ID6BA	Q6BA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with high blood cholesterol or triglycerides or lipids? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6BA not <= Age.
Logic	If Q6B = 1, ask Q6BM; else, skip to Q6C.

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	997	legitimate skip	10,159	82.6%	
		Total	10,185	82.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2115	10185	0	42	31.11	7.32

H5ID6BM - S5Q6BM MED FOR HIGH CHOLEST/LIPID/TRIG-W5

Type	Code

Measurement Unit	numeric
H5ID6BM	Q6BM. During the past 4 weeks, have you taken any prescription medication for high blood cholesterol or triglycerides or lipids?

			Frequency	% of total	% of valid
Valid	0	no	1,527	12.4%	71.8%
	1	yes	600	4.9%	28.2%
		Total	2,127	17.3%	100%
Missing	.	missing	14	0.1%	
	97	legitimate skip	10,159	82.6%	
		Total	10,173	82.7%	

Valid	Invalid	Minimum	Maximum
2127	10173	0	1

H5ID6C - S5Q6C EVER DX W/HIGH BLOOD PRESSUR-W5

Type	Code
Measurement Unit	numeric
H5ID6C	Q6C. Has a doctor, nurse, or other health care provider ever told you that you have or had high blood pressure or hypertension [female: When you were not pregnant.]
Logic	If Q6C = 1, ask Q6CA; else, skip to Q6D.

			Frequency	% of total	% of valid
Valid	0	no	9,908	80.6%	81.0%
	1	yes	2,322	18.9%	19.0%
		Total	12,230	99.4%	100%
Missing	.	missing	70	0.6%	
		Total	70	0.6%	

Valid	Invalid	Minimum	Maximum
12230	70	0	1

H5ID6CA - S5Q6CA AGE DX HIGH BLOOD PRESSURE-W5

Type	Numeric (Double)
H5ID6CA	Q6CA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with high blood pressure or hypertension? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6CA not <= Age.
Logic	If Q6C = 1, ask Q6CM; else, skip to Q6D.

	Frequency	% of total	% of valid

Missing	.	missing	24	0.2%	
	997	legitimate skip	9,975	81.1%	
		Total	9,999	81.3%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2301	9999	0	43	31.05	6.67

H5ID6CM - S5Q6CM MED FOR HIGH BLOOD PRESSURE-W5

Type	Code
Measurement Unit	numeric
H5ID6CM	Q6CM. During the past 4 weeks, have you taken any prescription medication for high blood pressure or hypertension?

			Frequency	% of total	% of valid
Valid	0	no	1,107	9.0%	47.9%
	1	yes	1,202	9.8%	52.1%
		Total	2,309	18.8%	100%
Missing	.	missing	16	0.1%	
	97	legitimate skip	9,975	81.1%	
		Total	9,991	81.2%	

Valid	Invalid	Minimum	Maximum
2309	9991	0	1

H5ID6D - S5Q6D EVER BEEN DX WITH DIABETES-W5

Type	Code
Measurement Unit	numeric
H5ID6D	Q6D. Has a doctor, nurse, or other health care provider ever told you that you have or had high blood sugar or diabetes[female: When you were not pregnant.]
Logic	If Q6D = 1, ask Q6DA; else, skip to Q6E.

			Frequency	% of total	% of valid
Valid	0	no	11,465	93.2%	93.6%
	1	yes	778	6.3%	6.4%
		Total	12,243	99.5%	100%
Missing	.	missing	57	0.5%	
		Total	57	0.5%	

Valid	Invalid	Minimum	Maximum
12243	57	0	1

H5ID6DA - S5Q6DA AGE DX WITH DIABETES-W5

Type	Numeric (Double)
H5ID6DA	Q6DA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with high blood sugar or diabetes? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6DA not <= Age.
Logic	If Q6D = 1, ask Q6DM; else, skip to Q6E.

			Frequency	% of total	% of valid
Missing	.	missing	10	0.1%	
	997	legitimate skip	11,519	93.7%	
		Total	11,529	93.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
771	11529	0	42	30.64	8.14

H5ID6DM - S5Q6DM MED FOR WITH DIABETES-W5

Type	Code
Measurement Unit	numeric
H5ID6DM	Q6DM. During the past 4 weeks, have you taken any prescription medication for high blood sugar or diabetes?

			Frequency	% of total	% of valid
Valid	0	no	315	2.6%	40.9%
	1	yes	456	3.7%	59.1%
		Total	771	6.3%	100%
Missing	.	missing	10	0.1%	
	97	legitimate skip	11,519	93.7%	
		Total	11,529	93.7%	

Valid	Invalid	Minimum	Maximum
771	11529	0	1

H5ID6E - S5Q6E EVER BEEN DX HEART DISEASE-W5

Type	Code
Measurement Unit	numeric
H5ID6E	Q6E. Has a doctor, nurse, or other health care provider ever told you that you have or had a heart attack or have you had heart surgery for clogged coronary arteries (including bypass, angioplasty or stent)?
Logic	If Q6E = 1, ask Q6EA; else, skip to Q6F.

			Frequency	% of total	% of valid
Valid	0	no	12,148	98.8%	99.3%
	1	yes	86	0.7%	0.7%
		Total	12,234	99.5%	100%
Missing	.	missing	66	0.5%	
		Total	66	0.5%	

Valid	Invalid	Minimum	Maximum
12234	66	0	1

H5ID6EA - S5Q6EA AGE DX HEART DISEASE-W5

Type	Numeric (Double)
H5ID6EA	Q6EA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with a heart attack or had heart surgery for clogged coronary arteries? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6EA not <= Age.
Logic	If Q6E = 1, ask Q6EM; else, skip to Q6F.

			Frequency	% of total	% of valid
Missing	.	missing	5	0.04%	
	997	legitimate skip	12,211	99.3%	
		Total	12,216	99.3%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
84	12216	0	41	30.2	10.38

H5ID6EM - S5Q6EM MED FOR HEART DISEASE-W5

Type	Code
Measurement Unit	numeric
H5ID6EM	Q6EM. During the past 4 weeks, have you taken any prescription medication for a heart attack or heart surgery for clogged coronary arteries?

			Frequency	% of total	% of valid
Valid	0	no	44	0.4%	52.4%
	1	yes	40	0.3%	47.6%
		Total	84	0.7%	100%
Missing	.	missing	5	0.0%	
	97	legitimate skip	12,211	99.3%	
		Total	12,216	99.3%	

Valid	Invalid	Minimum	Maximum
84	12216	0	1

H5ID6F - S5Q6F EVER BEEN DX ASTHM/CR BRN/EMPH-W5

Type	Code
Measurement Unit	numeric
H5ID6F	Q6F. Has a doctor, nurse, or other health care provider ever told you that you have or had asthma, chronic bronchitis or emphysema?
Logic	If Q6F = 1, ask Q6FA; else, skip to Q6G.

			Frequency	% of total	% of valid
Valid	0	no	10,331	84.0%	84.4%
	1	yes	1,906	15.5%	15.6%
		Total	12,237	99.5%	100%
Missing	.	missing	63	0.5%	
		Total	63	0.5%	

Valid	Invalid	Minimum	Maximum
12237	63	0	1

H5ID6FA - S5Q6FA AGE DX ASTHMA/CHRN BRONC/EMPHY-W5

Type	Numeric (Double)
H5ID6FA	Q6FA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with asthma, chronic bronchitis or emphysema? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6FA not <= Age.
Logic	If Q6F = 1, ask Q6FM; else, skip to Q6G.

			Frequency	% of total	% of valid
Missing	.	missing	14	0.1%	
	997	legitimate skip	10,391	84.5%	
		Total	10,405	84.6%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1895	10405	0	41	14.76	11.09

H5ID6FM - S5Q6FM MED FOR ASTHMA/CHRN BRONC/EMPHY-W5

Type	Code
Measurement Unit	numeric
H5ID6FM	Q6FM. During the past 4 weeks, have you taken any prescription medication for asthma, chronic bronchitis or emphysema?

			Frequency	% of total	% of valid
Valid	0	no	1,307	10.6%	68.8%

	1	yes	592	4.8%	31.2%
		Total	1,899	15.4%	100%
Missing	.	missing	10	0.1%	
	97	legitimate skip	10,391	84.5%	
		Total	10,401	84.6%	

Valid	Invalid	Minimum	Maximum
1899	10401	0	1

H5ID6G - S5Q6G EVER BEEN DX WITH DEPRESSION-W5

Type	Code
Measurement Unit	numeric
H5ID6G	Q6G. Has a doctor, nurse, or other health care provider ever told you that you have or had depression?
Logic	If Q6G = 1, ask Q6GA; else, skip to Q6H.

			Frequency	% of total	% of valid
Valid	0	no	9,231	75.0%	75.4%
	1	yes	3,011	24.5%	24.6%
		Total	12,242	99.5%	100%
Missing	.	missing	58	0.5%	
		Total	58	0.5%	

Valid	Invalid	Minimum	Maximum
12242	58	0	1

H5ID6GA - S5Q6GA AGE DX DEPRESSION-W5

Type	Numeric (Double)
H5ID6GA	Q6GA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with depression? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6GA not <= Age.
Logic	If Q6G = 1, ask Q6GM; else, skip to Q6H.

			Frequency	% of total	% of valid
Missing	.	missing	19	0.2%	
	997	legitimate skip	9,286	75.5%	
		Total	9,305	75.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2995	9305	0	41	25.49	8.03

H5ID6GM - S5Q6GM MED FOR DEPRESSION-W5

Type	Code
Measurement Unit	numeric
H5ID6GM	Q6GM. During the past 4 weeks, have you taken any prescription medication for depression?

			Frequency	% of total	% of valid
Valid	0	no	1,731	14.1%	57.6%
	1	yes	1,272	10.3%	42.4%
		Total	3,003	24.4%	100%
Missing	.	missing	11	0.1%	
	97	legitimate skip	9,286	75.5%	
		Total	9,297	75.6%	

Valid	Invalid	Minimum	Maximum
3003	9297	0	1

H5ID6H - S5Q6H EVER BEEN DX PTSD-W5

Type	Code
Measurement Unit	numeric
H5ID6H	Q6H. Has a doctor, nurse, or other health care provider ever told you that you have or had post-traumatic stress disorder or PTSD?
Logic	If Q6H = 1, ask Q6HA; else, skip to Q6I.

			Frequency	% of total	% of valid
Valid	0	no	11,417	92.8%	93.3%
	1	yes	817	6.6%	6.7%
		Total	12,234	99.5%	100%
Missing	.	missing	66	0.5%	
		Total	66	0.5%	

Valid	Invalid	Minimum	Maximum
12234	66	0	1

H5ID6HA - S5Q6HA AGE DX PST TRAU STR DIS/PTSD-W5

Type	Numeric (Double)
H5ID6HA	Q6HA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with post-traumatic stress disorder or PTSD? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6HA not <= Age.
Logic	If Q6H = 1, ask Q6HM; else, skip to Q6I.

			Frequency	% of total	% of valid
Missing	.	missing	9	0.1%	
	997	legitimate skip	11,480	93.3%	
		Total	11,489	93.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
811	11489	0	40	28.56	7.85

H5ID6HM - S5Q6HM MED FOR PST TRAU STR DIS/PTSD-W5

Type	Code
Measurement Unit	numeric
H5ID6HM	Q6HM. During the past 4 weeks, have you taken any prescription medication for post-traumatic stress disorder or PTSD?

			Frequency	% of total	% of valid
Valid	0	no	583	4.7%	71.6%
	1	yes	231	1.9%	28.4%
		Total	814	6.6%	100%
Missing	.	missing	6	0.05%	
	97	legitimate skip	11,480	93.3%	
		Total	11,486	93.4%	

Valid	Invalid	Minimum	Maximum
814	11486	0	1

H5ID6I - S5Q6I EVER BEEN DX PANIC/ANXIETY DIS-W5

Type	Code
Measurement Unit	numeric
H5ID6I	Q6I. Has a doctor, nurse, or other health care provider ever told you that you have or had anxiety or panic disorder?
Logic	If Q6I = 1, ask Q6IA; else, skip to Q6J.

			Frequency	% of total	% of valid
Valid	0	no	9,544	77.6%	78.0%
	1	yes	2,698	21.9%	22.0%
		Total	12,242	99.5%	100%
Missing	.	missing	58	0.5%	
		Total	58	0.5%	

Valid	Invalid	Minimum	Maximum
12242	58	0	1

H5ID6IA - S5Q6IA AGE DX PANIC/ANXIETY DISORDER-W5

Type	Numeric (Double)
H5ID6IA	Q6IA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with anxiety or panic disorder? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6IA not <= Age.
Logic	If Q6I = 1, ask Q6IM; else, skip to Q6J.

			Frequency	% of total	% of valid
Missing	.	missing	17	0.1%	
	997	legitimate skip	9,599	78.0%	
		Total	9,616	78.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2684	9616	0	41	28.11	7.41

H5ID6IM - S5Q6IM MED FOR PANIC/ANXIETY DISORDER-W5

Type	Code
Measurement Unit	numeric
H5ID6IM	Q6IM. During the past 4 weeks, have you taken any prescription medication for anxiety or panic disorder?

			Frequency	% of total	% of valid
Valid	0	no	1,429	11.6%	53.2%
	1	yes	1,257	10.2%	46.8%
		Total	2,686	21.8%	100%
Missing	.	missing	15	0.1%	
	97	legitimate skip	9,599	78.0%	
		Total	9,614	78.2%	

Valid	Invalid	Minimum	Maximum
2686	9614	0	1

H5ID6J - S5Q6J EVER BEEN DX HIV/AIDS-W5

Type	Code
Measurement Unit	numeric
H5ID6J	Q6J. Has a doctor, nurse, or other health care provider ever told you that you have or had HIV/AIDS?
Logic	If Q6J = 1, ask Q6JA; else, skip to Q6K.

	Frequency	% of total	% of valid

Valid	0	no	12,217	99.3%	99.7%
	1	yes	39	0.3%	0.3%
		Total	12,256	99.6%	100%
Missing	.	missing	44	0.4%	
		Total	44	0.4%	

Valid	Invalid	Minimum	Maximum
12256	44	0	1

H5ID6JA - S5Q6JA AGE DX HIV/AIDS-W5

Type	Code
H5ID6JA	Q6JA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with HIV/AIDS? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6JA not <= Age.
Logic	If Q6J = 1, ask Q6JM; else, skip to Q6K.

			Frequency	% of total	% of valid
Valid	1	0 to 4 yrs old	3	0.02%	7.9%
	2	15 to 19 yrs old	3	0.02%	7.9%
	3	20 to 24 yrs old	6	0.05%	15.8%
	4	25 to 29 yrs old	13	0.1%	34.2%
	5	30 to 34 yrs old	8	0.1%	21.1%
	6	35 and older	5	0.04%	13.2%
		Total	38	0.3%	100%
Missing	.	missing	4	0.03%	
	97	legitimate skip	12,258	99.7%	
		Total	12,262	99.7%	

Valid	Invalid	Minimum	Maximum
38	12262	1	6

H5ID6JM - S5Q6JM MED FOR HIV/AIDS-W5

Type	Code
Measurement Unit	numeric
H5ID6JM	Q6JM. During the past 4 weeks, have you taken any prescription medication for HIV/AIDS?

			Frequency	% of total	% of valid
Valid	0	no	6	0.0%	15.8%
	1	yes	32	0.3%	84.2%
		Total	38	0.3%	100%
Missing	.	missing	4	0.03%	

	97	legitimate skip	12,258	99.7%	
		Total	12,262	99.7%	

Valid	Invalid	Minimum	Maximum
38	12262	0	1

H5ID6K - S5Q6K EVER BEEN DX HEPATITIS C-W5

Type	Code
Measurement Unit	numeric
H5ID6K	Q6K. Has a doctor, nurse, or other health care provider ever told you that you have or had hepatitis B or C?
Logic	If Q6K = 1, ask Q6KA; else, skip to Q6L.

			Frequency	% of total	% of valid
Valid	0	no	12,147	98.8%	99.2%
	1	yes	101	0.8%	0.8%
		Total	12,248	99.6%	100%
Missing	.	missing	52	0.4%	
		Total	52	0.4%	

Valid	Invalid	Minimum	Maximum
12248	52	0	1

H5ID6KA - S5Q6KA AGE DX HEPATITIS C-W5

Type	Numeric (Double)
H5ID6KA	Q6KA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with hepatitis B or C? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6KA not <= Age.
Logic	If Q6K = 1, ask Q6KM; else, skip to Q6L.

			Frequency	% of total	% of valid
Missing	.	missing	6	0.05%	
	997	legitimate skip	12,196	99.2%	
		Total	12,202	99.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
98	12202	0	40	28.53	8.32

H5ID6KM - S5Q6KM MED FOR HEPATITIS C-W5

Type	Code

Measurement Unit	numeric
H5ID6KM	Q6KM. During the past 4 weeks, have you taken any prescription medication for hepatitis B or C?

			Frequency	% of total	% of valid
Valid	0	no	93	0.8%	92.1%
	1	yes	8	0.1%	7.9%
		Total	101	0.8%	100%
Missing	.	missing	3	0.02%	
	97	legitimate skip	12,196	99.2%	
		Total	12,199	99.2%	

Valid	Invalid	Minimum	Maximum
101	12199	0	1

H5ID6L - S5Q6L EVER BEEN DX KIDNEY DISEASE-W5

Type	Code
Measurement Unit	numeric
H5ID6L	Q6L. Has a doctor, nurse, or other health care provider ever told you that you have or had chronic kidney disease or failure?
Logic	If Q6L = 1, ask Q6LA; else, skip to Q6M.

			Frequency	% of total	% of valid
Valid	0	no	12,175	99.0%	99.4%
	1	yes	78	0.6%	0.6%
		Total	12,253	99.6%	100%
Missing	.	missing	47	0.4%	
		Total	47	0.4%	

Valid	Invalid	Minimum	Maximum
12253	47	0	1

H5ID6LA - S5Q6LA AGE DX KIDNEY DISEASE-W5

Type	Numeric (Double)
H5ID6LA	Q6LA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with chronic kidney disease or failure? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6LA not <= Age.
Logic	If Q6L = 1, ask Q6LM; else, skip to Q6M.

			Frequency	% of total	% of valid
Missing	.	missing	4	0.03%	

	997	legitimate skip	12,219	99.3%	
		Total	12,223	99.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
77	12223	4	40	29.3	8.65

H5ID6LM - S5Q6LM MED FOR KIDNEY DISEASE-W5

Type	Code
Measurement Unit	numeric
H5ID6LM	Q6LM. During the past 4 weeks, have you taken any prescription medication for chronic kidney disease or failure?

			Frequency	% of total	% of valid
Valid	0	no	46	0.4%	59.7%
	1	yes	31	0.3%	40.3%
		Total	77	0.6%	100%
Missing	.	missing	4	0.03%	
	97	legitimate skip	12,219	99.3%	
		Total	12,223	99.4%	

Valid	Invalid	Minimum	Maximum
77	12223	0	1

H5ID6M - S5Q6M EVER BEEN DX BLOOD CLOT-W5

Type	Code
Measurement Unit	numeric
H5ID6M	Q6M. Has a doctor, nurse, or other health care provider ever told you that you have or had blood clot in the lung or a deep vein of the leg (excluding varicose veins)?
Logic	If Q6M = 1, ask Q6MA; else, skip to Q6N.

			Frequency	% of total	% of valid
Valid	0	no	12,057	98.0%	98.6%
	1	yes	168	1.4%	1.4%
		Total	12,225	99.4%	100%
Missing	.	missing	75	0.6%	
		Total	75	0.6%	

Valid	Invalid	Minimum	Maximum
12225	75	0	1

H5ID6MA - S5Q6MA AGE DX BLOOD CLOT-W5

Type	Numeric (Double)
H5ID6MA	Q6MA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with a blood clot in the lung or a deep vein of the leg (excluding varicose veins)? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6MA not <= Age.
Logic	If Q6M = 1, ask Q6MM; else, skip to Q6N.

			Frequency	% of total	% of valid
Missing	.	missing	3	0.02%	
	997	legitimate skip	12,129	98.6%	
		Total	12,132	98.6%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
168	12132	6	40	31.11	5.93

H5ID6MM - S5Q6MM MED FOR BLOOD CLOT-W5

Type	Code
Measurement Unit	numeric
H5ID6MM	Q6MM. During the past 4 weeks, have you taken any prescription medication for a blood clot in the lung or a deep vein of the leg (excluding varicose veins)?

			Frequency	% of total	% of valid
Valid	0	no	126	1.0%	75.4%
	1	yes	41	0.3%	24.6%
		Total	167	1.4%	100%
Missing	.	missing	4	0.03%	
	97	legitimate skip	12,129	98.6%	
		Total	12,133	98.6%	

Valid	Invalid	Minimum	Maximum
167	12133	0	1

H5ID6N - S5Q6N EVER BEEN DX STROKE-W5

Type	Code
Measurement Unit	numeric
H5ID6N	Q6N. Has a doctor, nurse, or other health care provider ever told you that you have or had a stroke, mini-stroke, or have you had surgery for clogged neck arteries (including endarterectomy, bypass, angioplasty or stent)?
Logic	If Q6N = 1, ask Q6NA; else, skip to Q6O.

			Frequency	% of total	% of valid
Valid	0	no	12,133	98.6%	99.1%
	1	yes	108	0.9%	0.9%
		Total	12,241	99.5%	100%
Missing	.	missing	59	0.5%	
		Total	59	0.5%	

Valid	Invalid	Minimum	Maximum
12241	59	0	1

H5ID6NA - S5Q6NA AGE DX STROKE-W5

Type	Numeric (Double)
H5ID6NA	Q6NA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with a stroke or mini-stroke, or had surgery for clogged neck arteries (including endarterectomy, bypass, angioplasty or stent)? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6NA not <= Age.
Logic	If Q6N = 1, ask Q6NM; else, skip to Q6O.

			Frequency	% of total	% of valid
Missing	.	missing	3	0.02%	
	997	legitimate skip	12,189	99.1%	
		Total	12,192	99.1%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
108	12192	0	42	30.28	7.99

H5ID6NM - S5Q6NM MED FOR STROKE-W5

Type	Code
Measurement Unit	numeric
H5ID6NM	Q6NM. During the past 4 weeks, have you taken any prescription medication for a stroke or mini-stroke, or surgery for clogged neck arteries (including endarterectomy, bypass, angioplasty or stent)?

			Frequency	% of total	% of valid
Valid	0	no	81	0.7%	76.4%
	1	yes	25	0.2%	23.6%
		Total	106	0.9%	100%
Missing	.	missing	5	0.04%	
	97	legitimate skip	12,189	99.1%	
		Total	12,194	99.1%	

Valid	Invalid	Minimum	Maximum
106	12194	0	1

H5ID6O - S5Q6O EVER BEEN DX HEART FAILURE-W5

Type	Code
Measurement Unit	numeric
H5ID6O	Q6O. Has a doctor, nurse, or other health care provider ever told you that you have or had heart failure?
Logic	If Q6O = 1, ask Q6OA; else, skip to Q6P.

			Frequency	% of total	% of valid
Valid	0	no	12,178	99.0%	99.5%
	1	yes	65	0.5%	0.5%
		Total	12,243	99.5%	100%
Missing	.	missing	57	0.5%	
		Total	57	0.5%	

Valid	Invalid	Minimum	Maximum
12243	57	0	1

H5ID6OA - S5Q6OA AGE DX HEART FAILURE-W5

Type	Numeric (Double)
H5ID6OA	Q6OA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with heart failure? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6OA not <= Age.
Logic	If Q6O = 1, ask Q6OM; else, skip to Q6P.

			Frequency	% of total	% of valid
Missing	.	missing	3	0.02%	
	997	legitimate skip	12,232	99.4%	
		Total	12,235	99.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
65	12235	0	41	29.88	9.73

H5ID6OM - S5Q6OM MED FOR HEART FAILURE-W5

Type	Code
Measurement Unit	numeric
H5ID6OM	Q6OM. During the past 4 weeks, have you taken any prescription medication for heart failure?

			Frequency	% of total	% of valid
Valid	0	no	24	0.2%	37.5%
	1	yes	40	0.3%	62.5%
		Total	64	0.5%	100%
Missing	.	missing	4	0.03%	
	97	legitimate skip	12,232	99.4%	
		Total	12,236	99.5%	

Valid	Invalid	Minimum	Maximum
64	12236	0	1

H5ID6P - S5Q6P EVER BEEN DX AFIB-W5

Type	Code
Measurement Unit	numeric
H5ID6P	Q6P. Has a doctor, nurse, or other health care provider ever told you that you have or had atrial fibrillation (AFib, AF)?
Logic	If Q6P = 1, ask Q6PA; else, skip to Q6Q.

			Frequency	% of total	% of valid
Valid	0	no	12,165	98.9%	99.4%
	1	yes	70	0.6%	0.6%
		Total	12,235	99.5%	100%
Missing	.	missing	65	0.5%	
		Total	65	0.5%	

Valid	Invalid	Minimum	Maximum
12235	65	0	1

H5ID6PA - S5Q6PA AGE DX AFIB-W5

Type	Numeric (Double)
H5ID6PA	Q6PA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with atrial fibrillation (AFib, AF)? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6PA not <= Age.
Logic	If Q6P = 1, ask Q6PM; else, skip to Q6Q.

			Frequency	% of total	% of valid
Missing	.	missing	3	0.02%	
	997	legitimate skip	12,227	99.4%	
		Total	12,230	99.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev

70	12230	0	40	31.04	7.59

H5ID6PM - S5Q6PM MED FOR AFIB-W5

Type	Code
Measurement Unit	numeric
H5ID6PM	Q6PM. During the past 4 weeks, have you taken any prescription medication for atrial fibrillation (AFib, AF)?

			Frequency	% of total	% of valid
Valid	0	no	46	0.4%	65.7%
	1	yes	24	0.2%	34.3%
		Total	70	0.6%	100%
Missing	.	missing	3	0.02%	
	97	legitimate skip	12,227	99.4%	
		Total	12,230	99.4%	

Valid	Invalid	Minimum	Maximum
70	12230	0	1

H5ID6Q - S5Q6Q EVER BEEN DX AORTIC ANEURYSM-W5

Type	Code
Measurement Unit	numeric
H5ID6Q	Q6Q. Has a doctor, nurse, or other health care provider ever told you that you have or had aortic aneurysm?
Logic	If Q6Q = 1, ask Q6QA; else, skip to Q6R.

			Frequency	% of total	% of valid
Valid	0	no	12,223	99.4%	99.9%
	1	yes	10	0.1%	0.1%
		Total	12,233	99.5%	100%
Missing	.	missing	67	0.5%	
		Total	67	0.5%	

Valid	Invalid	Minimum	Maximum
12233	67	0	1

H5ID6QA - S5Q6QA AGE DX AORTIC ANEURYSM-W5

Type	Numeric (Double)
H5ID6QA	Q6QA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with an aortic aneurysm? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6QA not <= Age.

Logic	If Q6Q = 1, ask Q6QM; else, skip to Q6R.

			Frequency	% of total	% of valid
Missing	.	missing	4	0.03%	
	997	legitimate skip	12,287	99.9%	
		Total	12,291	99.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9	12291	12	38	27.44	10.26

H5ID6QM - S5Q6QM MED FOR AORTIC ANEURYSM-W5

Type	Code
Measurement Unit	numeric
H5ID6QM	Q6QM. During the past 4 weeks, have you taken any prescription medication for an aortic aneurysm?

			Frequency	% of total	% of valid
Valid	0	no	6	0.05%	60.0%
	1	yes	4	0.0%	40.0%
		Total	10	0.1%	100%
Missing	.	missing	3	0.02%	
	97	legitimate skip	12,287	99.9%	
		Total	12,290	99.9%	

Valid	Invalid	Minimum	Maximum
10	12290	0	1

H5ID6R - S5Q6R DX ARTERIAL DISEASE-W5

Type	Code
Measurement Unit	numeric
H5ID6R	Q6R. Has a doctor, nurse, or other health care provider ever told you that you have or had arterial disease of the legs or had surgery for clogged leg arteries (including bypass, angioplasty or stent, but excluding surgery for varicose veins)?
Logic	If Q6R = 1, ask Q6RA; else, skip to Q6S.

			Frequency	% of total	% of valid
Valid	0	no	12,217	99.3%	99.8%
	1	yes	23	0.2%	0.2%
		Total	12,240	99.5%	100%
Missing	.	missing	60	0.5%	
		Total	60	0.5%	

Valid	Invalid	Minimum	Maximum
12240	60	0	1

H5ID6RA - S5Q6RA AGE DX ARTERIAL DISEASE-W5

Type	Numeric (Double)
H5ID6RA	Q6RA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with arterial disease of the legs or had surgery for clogged leg arteries (including bypass, angioplasty or stent, but excluding surgery for varicose veins)? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6RA not <= Age.
Logic	If Q6R = 1, ask Q6RM; else, skip to Q6S.

			Frequency	% of total	% of valid
Missing	.	missing	4	0.03%	
	997	legitimate skip	12,274	99.8%	
		Total	12,278	99.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
22	12278	23	41	34.09	3.96

H5ID6RM - S5Q6RM MED FOR ARTERIAL DISEASE-W5

Type	Code
Measurement Unit	numeric
H5ID6RM	Q6RM. During the past 4 weeks, have you taken any prescription medication for arterial disease of the legs or surgery for clogged leg arteries (including bypass, angioplasty or stent, but excluding surgery for varicose veins)?

			Frequency	% of total	% of valid
Valid	0	no	18	0.1%	78.3%
	1	yes	5	0.04%	21.7%
		Total	23	0.2%	100%
Missing	.	missing	3	0.02%	
	97	legitimate skip	12,274	99.8%	
		Total	12,277	99.8%	

Valid	Invalid	Minimum	Maximum
23	12277	0	1

H5ID6S - S5Q6S EVER BEEN DX SLEEP APNEA-W5

Type	Code
Measurement Unit	numeric

H5ID6S	Q6S. Has a doctor, nurse, or other health care provider ever told you that you have or had sleep apnea?
Logic	If Q6S = 1, ask Q6SA; else, skip to Q6T.

			Frequency	% of total	% of valid
Valid	0	no	11,351	92.3%	92.6%
	1	yes	901	7.3%	7.4%
		Total	12,252	99.6%	100%
Missing	.	missing	48	0.4%	
		Total	48	0.4%	

Valid	Invalid	Minimum	Maximum
12252	48	0	1

H5ID6SA - S5Q6SA AGE DX SLEEP APNEA-W5

Type	Numeric (Double)
H5ID6SA	Q6SA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with sleep apnea? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6SA not <= Age.
Logic	If Q6S = 1, ask Q6SM; else, skip to Q6T.

			Frequency	% of total	% of valid
Missing	.	missing	7	0.1%	
	997	legitimate skip	11,396	92.7%	
		Total	11,403	92.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
897	11403	0	43	31.75	6.71

H5ID6SM - S5Q6SM MED FOR SLEEP APNEA-W5

Type	Code
Measurement Unit	numeric
H5ID6SM	Q6SM. During the past 4 weeks, have you taken any prescription medication for sleep apnea?

			Frequency	% of total	% of valid
Valid	0	no	798	6.5%	89.0%
	1	yes	99	0.8%	11.0%
		Total	897	7.3%	100%
Missing	.	missing	7	0.1%	
	97	legitimate skip	11,396	92.7%	

		Total	11,403	92.7%	

Valid	Invalid	Minimum	Maximum
897	11403	0	1

H5ID6T - S5Q6T EVER BEEN DX EATING DISORDR-W5

Type	Code
Measurement Unit	numeric
H5ID6T	Q6T. Has a doctor, nurse, or other health care provider ever told you that you have or had anorexia, bulimia or binge eating?
Logic	If Q6T = 1, ask Q6TA; else, skip to Q7A.

			Frequency	% of total	% of valid
Valid	0	no	12,040	97.9%	98.4%
	1	yes	198	1.6%	1.6%
		Total	12,238	99.5%	100%
Missing	.	missing	62	0.5%	
		Total	62	0.5%	

Valid	Invalid	Minimum	Maximum
12238	62	0	1

H5ID6TA - S5Q6TA AGE DX EATING DISORDR-W5

Type	Numeric (Double)
H5ID6TA	Q6TA. How old were you when you were diagnosed by a doctor, nurse or other health care provider with anorexia, bulimia or binge eating? If you were less than 1 year old, enter 0.
Notes	Includes soft check if Q6TA not <= Age.
Logic	If Q6T = 1, ask Q6TM; else, skip to Q7A.

			Frequency	% of total	% of valid
Missing	.	missing	5	0.04%	
	997	legitimate skip	12,099	98.4%	
		Total	12,104	98.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
196	12104	0	40	19.87	7.18

H5ID6TM - S5Q6TM MED FOR EATING DISORDR-W5

Type	Code
Measurement Unit	numeric

H5ID6TM	Q6TM. During the past 4 weeks, have you taken any prescription medication for anorexia, bulimia or binge eating?

			Frequency	% of total	% of valid
Valid	0	no	188	1.5%	96.9%
	1	yes	6	0.05%	3.1%
		Total	194	1.6%	100%
Missing	.	missing	7	0.1%	
	97	legitimate skip	12,099	98.4%	
		Total	12,106	98.4%	

Valid	Invalid	Minimum	Maximum
194	12106	0	1

H5ID7A - S5Q7A MOST DAYS COUGH-W5

Type	Code
Measurement Unit	numeric
H5ID7A	On most days, do you...? Q7A. Cough

			Frequency	% of total	% of valid
Valid	0	no	10,246	83.3%	83.9%
	1	yes	1,960	15.9%	16.1%
		Total	12,206	99.2%	100%
Missing	.	missing	94	0.8%	
		Total	94	0.8%	

Valid	Invalid	Minimum	Maximum
12206	94	0	1

H5ID7B - S5Q7B MOST DAYS PRODUCE PHLEGM-W5

Type	Code
Measurement Unit	numeric
H5ID7B	On most days, do you...? Q7B. Bring up phlegm from your chest

			Frequency	% of total	% of valid
Valid	0	no	11,032	89.7%	90.4%
	1	yes	1,166	9.5%	9.6%
		Total	12,198	99.2%	100%
Missing	.	missing	102	0.8%	

		Total	102	0.8%	

Valid	Invalid	Minimum	Maximum
12198	102	0	1

H5ID7C - S5Q7C MOST DAYS WHEEZE-W5

Type	Code
Measurement Unit	numeric
H5ID7C	On most days, do you...? Q7C. Sound wheezy

			Frequency	% of total	% of valid
Valid	0	no	11,495	93.5%	94.6%
	1	yes	654	5.3%	5.4%
		Total	12,149	98.8%	100%
Missing	.	missing	151	1.2%	
		Total	151	1.2%	

Valid	Invalid	Minimum	Maximum
12149	151	0	1

H5ID8A - S5Q8A CHEST PAIN WALK UPHILL/STAIRS-W5

Type	Code
Measurement Unit	numeric
H5ID8A	Have you ever... ? Q8A. Had chest pain when walking uphill or upstairs that is relieved by rest

			Frequency	% of total	% of valid
Valid	0	no	11,344	92.2%	92.7%
	1	yes	889	7.2%	7.3%
		Total	12,233	99.5%	100%
Missing	.	missing	67	0.5%	
		Total	67	0.5%	

Valid	Invalid	Minimum	Maximum
12233	67	0	1

H5ID8B - S5Q8B CALF PAIN WALK UPHILL/STAIRS-W5

Type	Code
Measurement Unit	numeric

H5ID8B	Have you ever... ? Q8B. Had calf pain when walking uphill or upstairs that is relieved by rest

			Frequency	% of total	% of valid
Valid	0	no	10,158	82.6%	83.1%
	1	yes	2,068	16.8%	16.9%
		Total	12,226	99.4%	100%
Missing	.	missing	74	0.6%	
		Total	74	0.6%	

Valid	Invalid	Minimum	Maximum
12226	74	0	1

H5ID8C - S5Q8C SHORT BREATH WALK UPHILL/STAIRS-W5

Type	Code
Measurement Unit	numeric
H5ID8C	Have you ever... ? Q8C. Had shortness of breath when walking uphill or upstairs that is relieved by rest

			Frequency	% of total	% of valid
Valid	0	no	7,917	64.4%	64.7%
	1	yes	4,317	35.1%	35.3%
		Total	12,234	99.5%	100%
Missing	.	missing	66	0.5%	
		Total	66	0.5%	

Valid	Invalid	Minimum	Maximum
12234	66	0	1

H5ID8D - S5Q8D SLEEP ON PILLOWS TO BREATHE-W5

Type	Code
Measurement Unit	numeric
H5ID8D	Have you ever... ? Q8D. Needed to sleep on two or more pillows to help you breathe

			Frequency	% of total	% of valid
Valid	0	no	11,053	89.9%	90.4%
	1	yes	1,173	9.5%	9.6%
		Total	12,226	99.4%	100%
Missing	.	missing	74	0.6%	

		Total	74	0.6%	

Valid	Invalid	Minimum	Maximum
12226	74	0	1

H5ID8E - S5Q8E AWAKEN BY TROUBLE BREATHING-W5

Type	Code
Measurement Unit	numeric
H5ID8E	Have you ever... ? Q8E. Been awakened at night by trouble breathing

			Frequency	% of total	% of valid
Valid	0	no	10,950	89.0%	89.7%
	1	yes	1,262	10.3%	10.3%
		Total	12,212	99.3%	100%
Missing	.	missing	88	0.7%	
		Total	88	0.7%	

Valid	Invalid	Minimum	Maximum
12212	88	0	1

H5ID8F - S5Q8F SWELLING IN FEET/ANKLES-W5

Type	Code
Measurement Unit	numeric
H5ID8F	Have you ever... ? Q8F. Had swelling in your feet or ankles [female: except during pregnancy]

			Frequency	% of total	% of valid
Valid	0	no	10,173	82.7%	83.3%
	1	yes	2,043	16.6%	16.7%
		Total	12,216	99.3%	100%
Missing	.	missing	84	0.7%	
		Total	84	0.7%	

Valid	Invalid	Minimum	Maximum
12216	84	0	1

H5ID8G - S5Q8G FELT HEART RACE/FLUTTER/SKIP-W5

Type	Code
Measurement Unit	numeric

H5ID8G	Have you ever... ? Q8G. Felt your heart racing, fluttering, or skipping beats

			Frequency	% of total	% of valid
Valid	0	no	8,866	72.1%	72.5%
	1	yes	3,361	27.3%	27.5%
		Total	12,227	99.4%	100%
Missing	.	missing	73	0.6%	
		Total	73	0.6%	

Valid	Invalid	Minimum	Maximum
12227	73	0	1

H5ID8H - S5Q8H 5/MORE MIGRAINE HEADACHES-W5

Type	Code
Measurement Unit	numeric
H5ID8H	Have you ever... ? Q8H. Had five or more headaches that were at least 4 hours long; one-sided, pulsating, intense, or worsened by activity; and associated with nausea, vomiting or sensitivity to light or sound

			Frequency	% of total	% of valid
Valid	0	no	9,645	78.4%	78.9%
	1	yes	2,584	21.0%	21.1%
		Total	12,229	99.4%	100%
Missing	.	missing	71	0.6%	
		Total	71	0.6%	

Valid	Invalid	Minimum	Maximum
12229	71	0	1

H5ID9 - S5Q9 BEST DESCRIBE CURR/HEALTH INS-W5

Type	Code
Measurement Unit	numeric
H5ID9	Q9. Which of the following best describes your current health insurance situation?
Logic	If Q9 = 15, ask to Q10; else, skip to Q11.

			Frequency	% of total	% of valid
Valid	1	I get insurance through work	6,350	51.6%	51.9%
	2	I get insurance through a union	190	1.5%	1.6%
	3	I get insurance through school	19	0.2%	0.2%

	4	I am covered by my spouse's or partner's insurance	2,060	16.7%	16.8%
	5	I am covered by my parent's insurance	14	0.1%	0.1%
	6	I am covered because I am active duty military	43	0.3%	0.4%
	7	I buy private insurance myself	334	2.7%	2.7%
	8	Ibuy insurance through a Health Insurance Marketplace or Exchange (Affordable Care Act or Obamacare)	408	3.3%	3.3%
	9	I am on Medicaid	1,096	8.9%	9.0%
	10	I am on Medicare	335	2.7%	2.7%
	11	I get care through the Department of Veterans Affairs	104	0.8%	0.9%
	12	I am covered through TRI-CARE, CHAMPUS, CHAMP-VA, or any other military health care plan	169	1.4%	1.4%
	13	I am covered through the Indian Health Service	28	0.2%	0.2%
	14	I do not know what my health insurance is	85	0.7%	0.7%
	15	I have no health insurance	994	8.1%	8.1%
		Total	12,229	99.4%	100%
Missing	.	missing	71	0.6%	
		Total	71	0.6%	

Valid	Invalid	Minimum	Maximum
12229	71	1	15

H5ID10A - S5Q10A WHY NO HEALTH INS-NO OFFER-W5

Type	Code
Measurement Unit	numeric
H5ID10A	Why do you not have health insurance? Q10A. I am not offered health insurance through work or school

			Frequency	% of total	% of valid
Valid	0	no	510	4.1%	58.6%
	1	yes	360	2.9%	41.4%
		Total	870	7.1%	100%
Missing	.	missing	127	1.0%	
	97	legitimate skip	11,303	91.9%	
		Total	11,430	92.9%	

Valid	Invalid	Minimum	Maximum
870	11430	0	1

H5ID10B - S5Q10B WHY NO HLTH INS-TOO EXPENSIVE-W5

Type	Code
Measurement Unit	numeric
H5ID10B	Why do you not have health insurance? Q10B. It is too expensive

			Frequency	% of total	% of valid
Valid	0	no	145	1.2%	15.2%
	1	yes	808	6.6%	84.8%
		Total	953	7.7%	100%
Missing	.	missing	44	0.4%	
	97	legitimate skip	11,303	91.9%	
		Total	11,347	92.3%	

Valid	Invalid	Minimum	Maximum
953	11347	0	1

H5ID10C - S5Q10C WHY NO HLTH INS-NOT NEED/WANT-W5

Type	Code
Measurement Unit	numeric
H5ID10C	Why do you not have health insurance? Q10C. I do not need or want health insurance

			Frequency	% of total	% of valid
Valid	0	no	690	5.6%	82.2%
	1	yes	149	1.2%	17.8%
		Total	839	6.8%	100%
Missing	.	missing	158	1.3%	
	97	legitimate skip	11,303	91.9%	
		Total	11,461	93.2%	

Valid	Invalid	Minimum	Maximum
839	11461	0	1

H5ID10D - S5Q10D WHY NO HLTH INS-DENIED INSUR-W5

Type	Code
Measurement Unit	numeric
H5ID10D	Why do you not have health insurance? Q10D. I was denied health insurance

			Frequency	% of total	% of valid

Valid	0	no	718	5.8%	85.7%
	1	yes	120	1.0%	14.3%
		Total	838	6.8%	100%
Missing	.	missing	159	1.3%	
	97	legitimate skip	11,303	91.9%	
		Total	11,462	93.2%	

Valid	Invalid	Minimum	Maximum
838	11462	0	1

H5ID11 - S5Q11 PAST 12/MON NEEDED MED CARE-W5

Type	Code
Measurement Unit	numeric
H5ID11	Q11. In the past 12 months, has there been any time when you thought you should get medical care, but you did not?

			Frequency	% of total	% of valid
Valid	0	no	9,572	77.8%	78.1%
	1	yes	2,683	21.8%	21.9%
		Total	12,255	99.6%	100%
Missing	.	missing	45	0.4%	
		Total	45	0.4%	

Valid	Invalid	Minimum	Maximum
12255	45	0	1

H5ID12 - S5Q12 PAST 12 MON DENTAL EXAM-W5

Type	Code
Measurement Unit	numeric
H5ID12	Q12. In the past 12 months, have you had a dental examination by a dentist or dental hygienist?

			Frequency	% of total	% of valid
Valid	0	no	4,394	35.7%	36.0%
	1	yes	7,822	63.6%	64.0%
		Total	12,216	99.3%	100%
Missing	.	missing	84	0.7%	
		Total	84	0.7%	

Valid	Invalid	Minimum	Maximum
12216	84	0	1

H5ID13 - S5Q13 PAST12 MON PSYCHO/COUNSELING-W5

Type	Code
Measurement Unit	numeric
H5ID13	Q13. In the past 12 months, have you received psychological or emotional counseling?

			Frequency	% of total	% of valid
Valid	0	no	10,445	84.9%	85.5%
	1	yes	1,778	14.5%	14.5%
		Total	12,223	99.4%	100%
Missing	.	missing	77	0.6%	
		Total	77	0.6%	

Valid	Invalid	Minimum	Maximum
12223	77	0	1

H5ID14 - S5Q14 LOCATION HEALTH CARE FACILITY-W5

Type	Code
Measurement Unit	numeric
H5ID14	Q14. To which one of these do you usually go when you are sick or need health care? If you go to more than one place, pick the one you go to most often.

			Frequency	% of total	% of valid
Valid	1	Hospital-based clinic	1,413	11.5%	11.5%
	2	Hospital emergency room	914	7.4%	7.5%
	3	Community health center or clinic, or county health department	583	4.7%	4.8%
	4	Health maintenance organization (HMO)	428	3.5%	3.5%
	5	Private doctor's office	5,887	47.9%	48.1%
	6	School or college clinic	27	0.2%	0.2%
	7	Military hospital or clinic	268	2.2%	2.2%
	8	Clinic at work	136	1.1%	1.1%
	9	Urgent care	1,848	15.0%	15.1%
	10	Some other place	167	1.4%	1.4%
	11	Never get sick or need health care	572	4.7%	4.7%
		Total	12,243	99.5%	100%
Missing	.	missing	57	0.5%	
		Total	57	0.5%	

Valid	Invalid	Minimum	Maximum
12243	57	1	11

H5ID15 - S5Q15 TYPICAL HOURS OF SLEEP-W5

Type	Numeric (Double)
H5ID15	Q15. How many hours of sleep do you usually get per day/night?
Notes	Includes soft check if Q15 not 0-20.

			Frequency	% of total	% of valid
Missing	.	missing	23	0.2%	
		Total	23	0.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
12277	23	0	56	6.75	1.47

H5ID16 - S5Q16 HOW OFTEN TROUBLE SLEEPING-W5

Type	Code
Measurement Unit	numeric
H5ID16	Q16. Over the past 4 weeks, how often did you have trouble falling asleep or staying asleep through the night - for example, you woke up several times at night or woke up earlier than you planned to?

			Frequency	% of total	% of valid
Valid	0	never	2,844	23.1%	23.2%
	1	less than once a week	2,875	23.4%	23.4%
	2	1 or 2 times a week	3,029	24.6%	24.7%
	3	3 or 4 times a week	1,909	15.5%	15.5%
	4	5 or more times a week	1,621	13.2%	13.2%
		Total	12,278	99.8%	100%
Missing	.	missing	22	0.2%	
		Total	22	0.2%	

Valid	Invalid	Minimum	Maximum
12278	22	0	4

H5ID17 - S5Q17 SNORE IN SLEEP-W5

Type	Code
Measurement Unit	numeric
H5ID17	Q17. Based on what you have noticed or what others have told you, how often do you snore now?

	Frequency	% of total	% of valid

Valid	0	never	3,423	27.8%	28.0%
	1	rarely (1-2 nights a week)	4,374	35.6%	35.7%
	2	sometimes (3-5 nights a week)	2,566	20.9%	21.0%
	3	always or almost always (6-7 nights a week)	1,880	15.3%	15.4%
		Total	12,243	99.5%	100%
Missing	.	missing	57	0.5%	
		Total	57	0.5%	

Valid	Invalid	Minimum	Maximum
12243	57	0	3

H5ID18 - S5Q18 STOP BREATHING IN SLEEP-W5

Type	Code
Measurement Unit	numeric
H5ID18	Q18. Based on what you have noticed or what others have told you, how often do you have times when you stop breathing during your sleep?

			Frequency	% of total	% of valid
Valid	0	never	10,393	84.5%	85.3%
	1	rarely (1-2 nights a week)	1,035	8.4%	8.5%
	2	sometimes (3-5 nights a week)	502	4.1%	4.1%
	3	always or almost always (6-7 nights a week)	252	2.0%	2.1%
		Total	12,182	99.0%	100%
Missing	.	missing	118	1.0%	
		Total	118	1.0%	

Valid	Invalid	Minimum	Maximum
12182	118	0	3

H5ID19 - S5Q19 PST 4 WKS TAKEN PRESCRIP MED-W5

Type	Code
Measurement Unit	numeric
H5ID19	Q19. We want to record all prescription medications that you have used in the past four weeks. These medications include solid and non-solid formulations that you may swallow, inhale, apply to the skin or hair, inject, implant, or place in the ears, eyes, nose, mouth, or any other part of the body. [female: This also includes prescription birth control.]Have you taken any prescription medications in the past four weeks?
Logic	If Q19 = 1, ask Q20; else, skip to Q21.

			Frequency	% of total	% of valid

Valid	0	no	6,489	52.8%	55.9%
	1	yes	5,124	41.7%	44.1%
		Total	11,613	94.4%	100%
Missing	.	missing	300	2.4%	
	95	not asked of everyone	387	3.1%	
		Total	687	5.6%	

Valid	Invalid	Minimum	Maximum
11613	687	0	1

H5ID20 - S5Q20 PRESCRIP MED BOTTLES PRESENT-W5

Type	Code
Measurement Unit	numeric
H5ID20	Q20. The next questions are about medications you may be taking. If you can get your medication bottles now, having those will make it easier for you to enter the name of the medication.Did you get your bottles or containers for the medications you are currently taking?

			Frequency	% of total	% of valid
Valid	0	no	755	6.1%	14.8%
	1	yes	3,732	30.3%	73.1%
	2	I have some of my bottles or containers, but not all	619	5.0%	12.1%
		Total	5,106	41.5%	100%
Missing	.	missing	21	0.2%	
	95	not asked of everyone	387	3.1%	
	97	legitimate skip	6,786	55.2%	
		Total	7,194	58.5%	

Valid	Invalid	Minimum	Maximum
5106	7194	0	2

H5ID21 - S5Q21 NUM TIMES FAST FOOD LAST 7 DAYS-W5

Type	Numeric (Double)
H5ID21	Q21. In the past 7 days, how many times did you eat food from a fast food restaurant, such as McDonald's, Burger King, Wendy's, Arby's, Pizza Hut, Taco Bell, or Kentucky Fried Chicken or a local fast food restaurant?
Notes	Includes soft check if Q21 not 0-200.

			Frequency	% of total	% of valid
Missing	.	missing	384	3.1%	
		Total	384	3.1%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11916	384	0	234	1.97	3.1

H5ID22 - S5Q22 NUM NON-DIET SWEET DRINKS-W5

Type	Numeric (Double)
H5ID22	Q22. In the past 7 days, how many regular (non-diet) sweetened drinks did you have? Include regular soda, juice drinks, sweetened tea or coffee, energy drinks, flavored water, or other sweetened drinks.
Notes	Includes soft check if Q22 not 0-200.

			Frequency	% of total	% of valid
Missing	.	missing	429	3.5%	
		Total	429	3.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11871	429	0	120	6.32	8.27

H5ID23 - S5Q23 HRS/WK WATCH TV/VIDEOS-W5

Type	Numeric (Double)
H5ID23	Q23. In the past 7 days, how many hours did you watch television, movies or videos, including DVDs or music videos?
Notes	Includes soft check if Q23 not 0-200.

			Frequency	% of total	% of valid
Missing	.	missing	460	3.7%	
		Total	460	3.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11840	460	0	240	13.13	13.91

H5ID24 - S5Q24 BIKE/SKATEBRD/DANCE/HIKE/HUNT-W5

Type	Code
Measurement Unit	numeric
H5ID24	Q24. In the past 7 days, how many times did you bicycle, skateboard, dance, hike, hunt, or do yard work?

			Frequency	% of total	% of valid
Valid	0	0 times	4,380	35.6%	36.7%
	1	1 time	1,832	14.9%	15.3%
	2	2 times	1,995	16.2%	16.7%
	3	3 times	1,457	11.8%	12.2%
	4	4 times	803	6.5%	6.7%

	5	5 times	522	4.2%	4.4%
	6	6 times	173	1.4%	1.4%
	7	7 or more times	782	6.4%	6.5%
		Total	11,944	97.1%	100%
Missing	.	missing	356	2.9%	
		Total	356	2.9%	

Valid	Invalid	Minimum	Maximum
11944	356	0	7

H5ID25 - S5Q25 ROLR BLADE/SKATE/SKI/AEROBICS-W5

Type	Code
Measurement Unit	numeric
H5ID25	Q25. In the past 7 days, how many times did you roller blade, roller skate, downhill ski, snowboard, play racquet sports, or do aerobics?

			Frequency	% of total	% of valid
Valid	0	0 times	9,048	73.6%	76.1%
	1	1 time	707	5.7%	5.9%
	2	2 times	698	5.7%	5.9%
	3	3 times	564	4.6%	4.7%
	4	4 times	314	2.6%	2.6%
	5	5 times	242	2.0%	2.0%
	6	6 times	88	0.7%	0.7%
	7	7 or more times	228	1.9%	1.9%
		Total	11,889	96.7%	100%
Missing	.	missing	411	3.3%	
		Total	411	3.3%	

Valid	Invalid	Minimum	Maximum
11889	411	0	7

H5ID26 - S5Q26 GYMNSTC/WT LIFT/STRENGTH-W5

Type	Code
Measurement Unit	numeric
H5ID26	Q26. In the past 7 days, how many times did you participate in gymnastics, weight lifting, or strength training?

			Frequency	% of total	% of valid
Valid	0	0 times	7,975	64.8%	67.0%
	1	1 time	855	7.0%	7.2%
	2	2 times	977	7.9%	8.2%
	3	3 times	837	6.8%	7.0%

	4	4 times	471	3.8%	4.0%
	5	5 times	416	3.4%	3.5%
	6	6 times	141	1.1%	1.2%
	7	7 or more times	228	1.9%	1.9%
		Total	11,900	96.7%	100%
Missing	.	missing	400	3.3%	
		Total	400	3.3%	

Valid	Invalid	Minimum	Maximum
11900	400	0	7

H5ID27 - S5Q27 PLAY INDIVIDUAL SPORT-W5

Type	Code
Measurement Unit	numeric
H5ID27	Q27. In the past 7 days, how many times did you participate in individual sports such as running, wrestling, swimming, cross-country skiing, cycle racing, martial arts, or in strenuous team sports such as football, soccer, basketball, lacrosse, rugby, field hockey, or ice hockey?

			Frequency	% of total	% of valid
Valid	0	0 times	8,961	72.9%	75.1%
	1	1 time	943	7.7%	7.9%
	2	2 times	753	6.1%	6.3%
	3	3 times	556	4.5%	4.7%
	4	4 times	295	2.4%	2.5%
	5	5 times	185	1.5%	1.6%
	6	6 times	64	0.5%	0.5%
	7	7 or more times	178	1.4%	1.5%
		Total	11,935	97.0%	100%
Missing	.	missing	365	3.0%	
		Total	365	3.0%	

Valid	Invalid	Minimum	Maximum
11935	365	0	7

H5ID28 - S5Q28 PLAY GOLF/FISH/BOWL/BASEBALL-W5

Type	Code
Measurement Unit	numeric
H5ID28	Q28. In the past 7 days, how many times did you play golf, go fishing or bowling, or play softball or baseball?

			Frequency	% of total	% of valid
Valid	0	0 times	10,148	82.5%	85.3%

	1	1 time	1,015	8.3%	8.5%
	2	2 times	394	3.2%	3.3%
	3	3 times	171	1.4%	1.4%
	4	4 times	76	0.6%	0.6%
	5	5 times	48	0.4%	0.4%
	6	6 times	12	0.1%	0.1%
	7	7 or more times	36	0.3%	0.3%
		Total	11,900	96.7%	100%
Missing	.	missing	400	3.3%	
		Total	400	3.3%	

Valid	Invalid	Minimum	Maximum
11900	400	0	7

H5ID29 - S5Q29 WALK FOR EXERCISE-W5

Type	Code
Measurement Unit	numeric
H5ID29	Q29. In the past 7 days, how many times did you walk for exercise?

			Frequency	% of total	% of valid
Valid	0	0 times	4,080	33.2%	34.3%
	1	1 time	1,356	11.0%	11.4%
	2	2 times	1,732	14.1%	14.5%
	3	3 times	1,430	11.6%	12.0%
	4	4 times	831	6.8%	7.0%
	5	5 times	804	6.5%	6.8%
	6	6 times	262	2.1%	2.2%
	7	7 or more times	1,415	11.5%	11.9%
		Total	11,910	96.8%	100%
Missing	.	missing	390	3.2%	
		Total	390	3.2%	

Valid	Invalid	Minimum	Maximum
11910	390	0	7

H5ID30 - S5Q30 LAST 7 DAYS-TYP PHYS ACTIV-W5

Type	Code
Measurement Unit	numeric
H5ID30	Q30. Were the past 7 days typical in terms of your physical activity?
Logic	If Q30 = 2, ask Q31; else, skip to Section 06.

			Frequency	% of total	% of valid
Valid	0	no	2,457	20.0%	20.6%

	1	yes	9,470	77.0%	79.4%
		Total	11,927	97.0%	100%
Missing	.	missing	373	3.0%	
		Total	373	3.0%	

Valid	Invalid	Minimum	Maximum
11927	373	0	1

H5ID31 - S5Q31 GEN MORE/LESS ACTIVE LAST WEEK-W5

Type	Code
Measurement Unit	numeric
H5ID31	Q31. In the past 7 days, were you more or less active than usual?

			Frequency	% of total	% of valid
Valid	1	more active	490	4.0%	20.2%
	2	less active	1,941	15.8%	79.8%
		Total	2,431	19.8%	100%
Missing	.	missing	29	0.2%	
	97	legitimate skip	9,840	80.0%	
		Total	9,869	80.2%	

Valid	Invalid	Minimum	Maximum
2431	9869	1	2

Return to Table of Contents

Wave V, Section 6: Sexual Experiences and Pregnancy

Title	Wave V, Section 6: Sexual Experiences and Pregnancy
File Name	wave5.xpt
Case Quantity	12300
Variable Count	23

H5SE1 - S6Q1 EVER HAVE VAGINAL SEX-W5

Type	Code
Measurement Unit	numeric
H5SE1	Q1. Have you ever had vaginal intercourse? Vaginal intercourse is when a man inserts his penis into a woman's vagina.
Logic	If Q1=1 ask Q2. Else go to Q3.

			Frequency	% of total	% of valid
Valid	0	no	543	4.4%	4.4%
	1	yes	11,660	94.8%	95.6%
		Total	12,203	99.2%	100%
Missing	.	missing	97	0.8%	
		Total	97	0.8%	

Valid	Invalid	Minimum	Maximum
12203	97	0	1

H5SE2 - S6Q2 AGE FIRST TIME VAGINAL SEX-W5

Type	Numeric (Double)
H5SE2	Q2. How old were you the first time you ever had vaginal intercourse?

			Frequency	% of total	% of valid
Missing	.	missing	154	1.3%	
	997	legitimate skip	633	5.1%	
		Total	787	6.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11513	787	0	41	17.15	3.44

H5SE3 - S6Q3 EVER HAD ORAL SEX-W5

Type	Code
Measurement Unit	numeric
H5SE3	Q3. Have you ever had oral sex? That is, has a partner ever put their mouth on your sex organs or you put your mouth on their sex organs?

Logic	If Q3=1 ask Q4. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	696	5.7%	5.7%
	1	yes	11,445	93.0%	94.3%
		Total	12,141	98.7%	100%
Missing	.	missing	159	1.3%	
		Total	159	1.3%	

Valid	Invalid	Minimum	Maximum
12141	159	0	1

H5SE4 - S6Q4 AGE 1ST TIME HAD ORAL SEX-W5

Type	Numeric (Double)
H5SE4	Q4. How old were you the very first time you had oral sex?

			Frequency	% of total	% of valid
Missing	.	missing	174	1.4%	
	997	legitimate skip	849	6.9%	
		Total	1,023	8.3%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11277	1023	0	40	17.95	3.83

H5SE5 - S6Q5 EVER HAD ANAL INTERCOURSE-W5

Type	Code
Measurement Unit	numeric
H5SE5	Q5. Have you ever had anal intercourse? By anal intercourse, we mean when a man inserts his penis into his partner's anus or butt hole.
Logic	If Q5=1 ask Q6. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	6,303	51.2%	52.0%
	1	yes	5,820	47.3%	48.0%
		Total	12,123	98.6%	100%
Missing	.	missing	177	1.4%	
		Total	177	1.4%	

Valid	Invalid	Minimum	Maximum
12123	177	0	1

H5SE6 - S6Q6 AGE 1ST ANAL INTERCOURSE-W5

Type	Numeric (Double)
H5SE6	Q6. How old were you the very first time you had anal intercourse?

			Frequency	% of total	% of valid
Missing	.	missing	248	2.0%	
	997	legitimate skip	6,300	51.2%	
		Total	6,548	53.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
5752	6548	1	41	23.73	5.85

H5SE7 - S6Q7 # MALE SEX PTNRS EVER HAD-W5

Type	Numeric (Double)
H5SE7	Q7. Considering all types of sexual activity, with how many male partners have you ever had sex?
Logic	If Q7 is don't know ask Q8. Else if Q7=0 or missing go to Q10. Else got to Q9.

			Frequency	% of total	% of valid
Missing	.	missing	226	1.8%	
	9998	don't know	1,009	8.2%	
		Total	1,235	10.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11065	1235	0	999	5.56	18.79

H5SE8 - S6Q8 BEST EST # MALE SEX PTNRS-W5

Type	Code
Measurement Unit	numeric
H5SE8	Q8. What is your best estimate, is it:
Logic	If Q8>1 ask Q9. Else go to Q10.

			Frequency	% of total	% of valid
Valid	1	0 partners	27	0.2%	2.8%
	2	1 to 4 partners	66	0.5%	6.8%
	3	5 to 10 partners	200	1.6%	20.7%
	4	11 to 20 partners	280	2.3%	29.0%
	5	21 to 30 partners	180	1.5%	18.7%
	6	more than 30 partners	212	1.7%	22.0%
		Total	965	7.8%	100%
Missing	.	missing	47	0.4%	

	97	legitimate skip	11,288	91.8%	
		Total	11,335	92.2%	

Valid	Invalid	Minimum	Maximum
965	11335	1	6

H5SE9 - S6Q9 # MALE SEX PTNRS PAST 12 MON-W5

Type	Numeric (Double)
H5SE9	Q9. Considering all types of sexual activity, with how many male partners have you had sex in the past 12 months, even if only one time?

			Frequency	% of total	% of valid
Missing	.	missing	12	0.1%	
	9997	legitimate skip	5,158	41.9%	
		Total	5,170	42.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
7130	5170	0	456	1.35	6.02

H5SE10 - S6Q10 # FEMALE SEX PTNRS EVER HAD-W5

Type	Numeric (Double)
H5SE10	Q10. Considering all types of sexual activity, with how many female partners have you ever had sex?
Logic	If Q10 is don't know ask Q11. Else if Q10=0 or missing go to Q13. Else go to Q12.

			Frequency	% of total	% of valid
Missing	.	missing	289	2.3%	
	9998	don't know	694	5.6%	
		Total	983	8.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11317	983	0	999	7.15	26.1

H5SE11 - S6Q11 BEST EST # FEMALE SEX PTNRS-W5

Type	Code
Measurement Unit	numeric
H5SE11	Q11. What is your best estimate, is it:
Logic	If Q11>1 ask Q12. Else go to Q13.

			Frequency	% of total	% of valid

Valid	1	0 partners	21	0.2%	3.1%
	2	1 to 4 partners	48	0.4%	7.2%
	3	5 to 10 partners	110	0.9%	16.4%
	4	11 to 20 partners	159	1.3%	23.7%
	5	21 to 30 partners	108	0.9%	16.1%
	6	more than 30 partners	224	1.8%	33.4%
		Total	670	5.4%	100%
Missing	.	missing	63	0.5%	
	97	legitimate skip	11,567	94.0%	
		Total	11,630	94.6%	

Valid	Invalid	Minimum	Maximum
670	11630	1	6

H5SE12 - S6Q12 # FEMALE SEX PTNRS PAST 12 MON-W5

Type	Numeric (Double)
H5SE12	Q12. Considering all types of sexual activity, with how many female partners have you had sex in the past 12 months, even if only one time?

			Frequency	% of total	% of valid
Missing	.	missing	25	0.2%	
	9997	legitimate skip	6,190	50.3%	
		Total	6,215	50.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
6085	6215	0	999	1.59	13.45

H5SE13 - S6Q13 ROMANTIC ATTRACT TO FEMALES-W5

Type	Code
Measurement Unit	numeric
H5SE13	Q13. Are you romantically attracted to females?

			Frequency	% of total	% of valid
Valid	0	no	6,542	53.2%	53.5%
	1	yes	5,693	46.3%	46.5%
		Total	12,235	99.5%	100%
Missing	.	missing	65	0.5%	
		Total	65	0.5%	

Valid	Invalid	Minimum	Maximum
12235	65	0	1

H5SE14 - S6Q14 ROMANTIC ATTRACT TO MALE-W5

Type	Code
Measurement Unit	numeric
H5SE14	Q14. Are you romantically attracted to males?

			Frequency	% of total	% of valid
Valid	0	no	5,176	42.1%	42.5%
	1	yes	7,004	56.9%	57.5%
		Total	12,180	99.0%	100%
Missing	.	missing	120	1.0%	
		Total	120	1.0%	

Valid	Invalid	Minimum	Maximum
12180	120	0	1

H5SE15 - S6Q15 SEXUAL SELF DEFINITION-W5

Type	Code
Measurement Unit	numeric
H5SE15	Q15. Please choose the description that best fits how you think about yourself.

			Frequency	% of total	% of valid
Valid	1	100% heterosexual (straight)	10,427	84.8%	85.2%
	2	mostly heterosexual (straight), but somewhat attracted to people of your own sex	1,280	10.4%	10.5%
	3	bisexual that is, attracted to men and women equally	181	1.5%	1.5%
	4	mostly homosexual (gay), but somewhat attracted to people of the opposite sex	119	1.0%	1.0%
	5	100% homosexual (gay)	199	1.6%	1.6%
	6	not sexually attracted to either males or females	35	0.3%	0.3%
		Total	12,241	99.5%	100%
Missing	.	missing	59	0.5%	
		Total	59	0.5%	

Valid	Invalid	Minimum	Maximum
12241	59	1	6

H5SE16 - S6Q16 EVER NON-PHYS FORCED SEX-W5

Type	Code
Measurement Unit	numeric
H5SE16	Q16. Have you ever been forced, in a non-physical way, to have any type of sexual activity against your will - for example, through verbal pressure, threats of harm or by being given alcohol or drugs? Do not include any experiences with a parent or adult caregiver.
Logic	If Q16=1 ask Q17. Else go to Q18.

			Frequency	% of total	% of valid
Valid	0	no	10,560	85.9%	86.3%
	1	yes	1,676	13.6%	13.7%
		Total	12,236	99.5%	100%
Missing	.	missing	64	0.5%	
		Total	64	0.5%	

Valid	Invalid	Minimum	Maximum
12236	64	0	1

H5SE17 - S6Q17 AGE 1ST NON-PHYS FORCED SEX-W5

Type	Numeric (Double)
H5SE17	Q17. How old were you the first or only time this happened?

			Frequency	% of total	% of valid
Missing	.	missing	91	0.7%	
	997	legitimate skip	10,560	85.9%	
		Total	10,651	86.6%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1649	10651	0	40	16.96	7.36

H5SE18 - S6Q18 EVER PHYS FORCED TO HAVE SEX-W5

Type	Code
Measurement Unit	numeric
H5SE18	Q18. Have you ever been physically forced to have any type of sexual activity against your will? Do not include any experiences with a parent or adult caregiver.
Logic	If Q18=1 ask Q19. Else go to Q20.

			Frequency	% of total	% of valid
Valid	0	no	11,005	89.5%	90.2%

	1	yes	1,194	9.7%	9.8%
		Total	12,199	99.2%	100%
Missing	.	missing	101	0.8%	
		Total	101	0.8%	

Valid	Invalid	Minimum	Maximum
12199	101	0	1

H5SE19 - S6Q19 AGE 1ST PHYS FORCED SEX-W5

Type	Numeric (Double)
H5SE19	Q19. How old were you the first or only time this happened?

			Frequency	% of total	% of valid
Missing	.	missing	23	0.2%	
	997	legitimate skip	11,102	90.3%	
		Total	11,125	90.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1175	11125	0	40	16.43	7.49

H5SE20 - S6Q20 R/PTNR EVER PREG W/YR CHILD-W5

Type	Code
Measurement Unit	numeric
H5SE20	Q20. Has a partner of yours (if R=Male)/Have you (if R=Female) ever been pregnant with your biological child?
Logic	If Q20=1 ask Q21. Else go to section 7: Tobacco, Alcohol, and Substances.

			Frequency	% of total	% of valid
Valid	0	no	2,941	23.9%	24.1%
	1	yes	9,256	75.3%	75.9%
		Total	12,197	99.2%	100%
Missing	.	missing	103	0.8%	
		Total	103	0.8%	

Valid	Invalid	Minimum	Maximum
12197	103	0	1

H5SE21 - S6Q21 TIMES R/PARTNER PREGNANT-W5

Type	Numeric (Double)

H5SE21	Q21. How many times [has a partner of yours (if R=Male)/have you (if R=Female)] been pregnant? Include all pregnancies in which you were a biological parent, whether they resulted in babies born alive, miscarriage, stillbirth, ectopic or tubal pregnancy, or abortion.
Logic	If Q21>0 ask Q22. Else go to section 7: Tobacco, Alcohol, and Substances.

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	997	legitimate skip	3,028	24.6%	
		Total	3,054	24.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9246	3054	0	20	2.86	1.7

H5SE22 - S6Q22 TOTAL # LIVE BIRTHS-W5

Type	Numeric (Double)
H5SE22	Q22. How many live births resulted from these pregnancies? Please include babies who died shortly after birth and babies who were placed for adoption.
Logic	If Q22>0 ask Q23. Else go to section 7: Tobacco, Alcohol, and Substances.

			Frequency	% of total	% of valid
Missing	.	missing	36	0.3%	
	997	legitimate skip	3,060	24.9%	
		Total	3,096	25.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9204	3096	0	12	2.04	1.19

H5SE23 - S6Q23 TOTAL # CHILDREN STILL LIVING-W5

Type	Numeric (Double)
H5SE23	Q23. How many of those children are still living?

			Frequency	% of total	% of valid
Missing	.	missing	40	0.3%	
	997	legitimate skip	3,738	30.4%	
	998	don't know	5	0.0%	
		Total	3,783	30.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
8517	3783	0	12	2.16	1.09

Wave V, Section 7: Tobacco, Alcohol, and Substances

Title	Wave V, Section 7: Tobacco, Alcohol, and Substances
File Name	wave5.xpt
Case Quantity	12300
Variable Count	33

H5TO1 - S7Q1 EVER SMOKED CIGS REGULARLY-W5

Type	Code
Measurement Unit	numeric
H5TO1	Q1. The next questions are about your experiences with tobacco, alcohol and other substances. Have you ever smoked cigarettes regularly--that is, at least one cigarette every day for 30 days?

			Frequency	% of total	% of valid
Valid	0	no	7,142	58.1%	58.3%
	1	yes	5,116	41.6%	41.7%
		Total	12,258	99.7%	100%
Missing	.	missing	42	0.3%	
		Total	42	0.3%	

Valid	Invalid	Minimum	Maximum
12258	42	0	1

H5TO2 - S7Q2 NUM DAYS SMOKD CIGS LST 30 DAYS-W5

Type	Numeric (Double)
H5TO2	Q2. During the past 30 days, on how many days did you smoke cigarettes?
Notes	Includes soft check if Q2 not 0-30.
Logic	If Q2>0 ask Q3. Else go to Q4.

			Frequency	% of total	% of valid
Missing	.	missing	93	0.8%	
		Total	93	0.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
12207	93	0	99	5.67	11.34

H5TO3 - S7Q3 NUM CIG SMOKE PR DAY LST 30 DYS-W5

Type	Numeric (Double)
H5TO3	Q3. During the past 30 days, on the days you smoked, how many cigarettes did you smoke each day?

Notes	Includes soft check if Q3 not 0-120.

			Frequency	% of total	% of valid
Missing	.	missing	14	0.1%	
	9997	legitimate skip	9,306	75.7%	
		Total	9,320	75.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2980	9320	0	300	11.21	13.7

H5TO4 - S7Q4 PAST 30 DAYS CIGAR/CHEW/SNUFF-W5

Type	Numeric (Double)
H5TO4	Q4. During the past 30 days, on how many days did you smoke a cigar or pipe, use chewing tobacco (such as Red Man, Garrett, or Beechnut) or snuff (such as Skoal, Skoal Bandits, or Copenhagen)?
Notes	Includes soft check if Q4 not 0-30.
Logic	If (Q1=0 or missing) and (Q2=0 or missing) and (Q4=0 or missing) ask Q5. Else go to Q6.

			Frequency	% of total	% of valid
Missing	.	missing	110	0.9%	
		Total	110	0.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
12190	110	0	78	1.41	5.93

H5TO5 - S7Q5 EVER SMOKED/USED TOBACCO-W5

Type	Code
Measurement Unit	numeric
H5TO5	Q5. Have you ever smoked or used tobacco?
Notes	A total of 400 participants did not receive this question, because they responded to the paper questionnaire. MODE equals M for mail (n=388) or S for split mail and web (n=12) for these respondents.
Logic	If Q5=1 ask Q6. Else go to Q10.

			Frequency	% of total	% of valid
Valid	0	no	4,253	34.6%	66.4%
	1	yes	2,154	17.5%	33.6%
		Total	6,407	52.1%	100%
Missing	.	missing	33	0.3%	
	95	not asked of everyone	399	3.2%	
	97	legitimate skip	5,461	44.4%	

		Total	5,893	47.9%	

Valid	Invalid	Minimum	Maximum
6407	5893	0	1

H5TO6 - S7Q6 EVER TRIED TO QUIT SMOKING-W5

Type	Code
Measurement Unit	numeric
H5TO6	Q6. Have you ever tried to quit or cut down on smoking or using tobacco?
Logic	If Q6=0 ask Q7. Else if Q6=1 go to Q8. Else go to Q10.

			Frequency	% of total	% of valid
Valid	0	no	2,036	16.6%	26.0%
	1	yes	5,785	47.0%	74.0%
		Total	7,821	63.6%	100%
Missing	.	missing	196	1.6%	
	97	legitimate skip	4,283	34.8%	
		Total	4,479	36.4%	

Valid	Invalid	Minimum	Maximum
7821	4479	0	1

H5TO7 - S7Q7 EVER PERIOD WANT QUIT SMOKE-W5

Type	Code
Measurement Unit	numeric
H5TO7	Q7. Has there ever been a period of time when you wanted to quit or cut down on your use of tobacco, or thought you should quit?
Logic	Go to Q10.

			Frequency	% of total	% of valid
Valid	0	no	1,760	14.3%	88.0%
	1	yes	241	2.0%	12.0%
		Total	2,001	16.3%	100%
Missing	.	missing	38	0.3%	
	97	legitimate skip	10,261	83.4%	
		Total	10,299	83.7%	

Valid	Invalid	Minimum	Maximum
2001	10299	0	1

H5TO8 - S7Q8 ABLE QUIT SMOKING FOR 1 MTH-W5

Type	Code
Measurement Unit	numeric
H5TO8	Q8. When you decided to quit or cut down on smoking or using tobacco, were you able to do so for at least one month?

			Frequency	% of total	% of valid
Valid	0	no	796	6.5%	13.8%
	1	yes	4,967	40.4%	86.2%
		Total	5,763	46.9%	100%
Missing	.	missing	25	0.2%	
	97	legitimate skip	6,512	52.9%	
		Total	6,537	53.1%	

Valid	Invalid	Minimum	Maximum
5763	6537	0	1

H5TO9 - S7Q9 NUM TIMES UNABLE QUIT SMOKE-W5

Type	Numeric (Double)
H5TO9	Q9. How many times have you tried but been unable to quit smoking or using tobacco for at least one month?
Notes	Includes soft check if Q9 not 0-50.

			Frequency	% of total	% of valid
Missing	.	missing	106	0.9%	
	997	legitimate skip	6,512	52.9%	
		Total	6,618	53.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
5682	6618	0	99	2.21	5.16

H5TO10 - S7Q10 DAYS SMOKD E-CIGS LST 30 DAYS-W5

Type	Numeric (Double)
H5TO10	Q10. E-cigarettes look like regular cigarettes, but are battery-powered and produce vapor instead of smoke. During the past 30 days, on how many days did you use an e-cigarette?
Notes	Includes soft check if Q10 not 0-30.

			Frequency	% of total	% of valid
Missing	.	missing	121	1.0%	
		Total	121	1.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
12179	121	0	30	0.91	4.74

H5TO11 - S7Q11 EVER DRINK ALCOHOL-W5

Type	Code
Measurement Unit	numeric
H5TO11	Q11. The next questions are about alcohol consumption. Have you ever had a drink of beer, wine, or liquor? Do not include sips or tastes from someone else's drink.
Logic	If Q11=1 ask Q12. Else go to Q20.

			Frequency	% of total	% of valid
Valid	0	no	849	6.9%	6.9%
	1	yes	11,389	92.6%	93.1%
		Total	12,238	99.5%	100%
Missing	.	missing	62	0.5%	
		Total	62	0.5%	

Valid	Invalid	Minimum	Maximum
12238	62	0	1

H5TO12 - S7Q12 PST 12 MON # DAYS DRINK ALCOH-W5

Type	Code
Measurement Unit	numeric
H5TO12	Q12. During the past 12 months, on how many days did you drink alcohol (beer, wine, or liquor)?
Logic	If Q12=1-6 ask Q13. Else go to Q16.

			Frequency	% of total	% of valid
Valid	0	none	942	7.7%	8.3%
	1	1 or 2 days in the past 12 months	1,595	13.0%	14.0%
	2	once a month or less (3 to 12 days in the past 12 months)	2,368	19.3%	20.8%
	3	2 or 3 days a month	2,116	17.2%	18.6%
	4	1 or 2 days a week	2,373	19.3%	20.8%
	5	3 to 5 days a week	1,415	11.5%	12.4%
	6	every day or almost every day	573	4.7%	5.0%
		Total	11,382	92.5%	100%
Missing	.	missing	10	0.1%	
	97	legitimate skip	908	7.4%	
		Total	918	7.5%	

Valid	Invalid	Minimum	Maximum
11382	918	0	6

H5TO13 - S7Q13 NUM DAYS HAD DRINK PST 30 DAYS-W5

Type	Code
Measurement Unit	numeric
H5TO13	Q13. During the past 30 days, on how many days did you drink alcohol (beer, wine, or liquor)?
Logic	If Q13=1-6 ask Q14. Else go to Q15.

			Frequency	% of total	% of valid
Valid	0	none	1,443	11.7%	13.9%
	1	one day	1,675	13.6%	16.1%
	2	2 or 3 days	2,561	20.8%	24.6%
	3	1 day a week	1,056	8.6%	10.2%
	4	2 days a week	1,673	13.6%	16.1%
	5	3 to 5 days a week	1,418	11.5%	13.6%
	6	every day or almost every day	576	4.7%	5.5%
		Total	10,402	84.6%	100%
Missing	.	missing	41	0.3%	
	97	legitimate skip	1,857	15.1%	
		Total	1,898	15.4%	

Valid	Invalid	Minimum	Maximum
10402	1898	0	6

H5TO14 - S7Q14 NUM USUAL DRINKS PST 30 DAYS-W5

Type	Numeric (Double)
H5TO14	Q14. Think of all the times you have had a drink during the past 30 days. How many drinks did you usually have each time? A 'drink' is a glass of wine, a can or bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink.
Notes	Includes soft check if Q14 not 0-25.

			Frequency	% of total	% of valid
Missing	.	missing	26	0.2%	
	997	legitimate skip	3,338	27.1%	
		Total	3,364	27.3%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
8936	3364	0	99	3.06	3.51

H5TO15 - S7Q15 PST 12 MON MANY DAYS/4+ DRINKS-W5

Type	Code
Measurement Unit	numeric
H5TO15	Q15. During the past 12 months, on how many days did you drink [female: 4/male: 5] or more drinks in a row?

			Frequency	% of total	% of valid
Valid	0	none	5,013	40.8%	48.1%
	1	1 or 2 days in the past 12 months	2,040	16.6%	19.6%
	2	once a month or less (3 to 12 days in the past 12 months)	1,258	10.2%	12.1%
	3	2 or 3 days a month	839	6.8%	8.1%
	4	1 or 2 days a week	735	6.0%	7.1%
	5	3 to 5 days a week	356	2.9%	3.4%
	6	every day or almost every day	178	1.4%	1.7%
		Total	10,419	84.7%	100%
Missing	.	missing	24	0.2%	
	97	legitimate skip	1,857	15.1%	
		Total	1,881	15.3%	

Valid	Invalid	Minimum	Maximum
10419	1881	0	6

H5TO16 - S7Q16 EVER TRIED TO QUIT DRINKING-W5

Type	Code
Measurement Unit	numeric
H5TO16	Q16. Have you ever tried to quit or cut down on your drinking?
Logic	If Q16=0 ask Q17. Else go to Q18.

			Frequency	% of total	% of valid
Valid	0	no	7,746	63.0%	68.5%
	1	yes	3,559	28.9%	31.5%
		Total	11,305	91.9%	100%
Missing	.	missing	87	0.7%	
	97	legitimate skip	908	7.4%	
		Total	995	8.1%	

Valid	Invalid	Minimum	Maximum
11305	995	0	1

H5TO17 - S7Q17 EVER TIME WANT QUIT DRINKING-W5

Type	Code
Measurement Unit	numeric
H5TO17	Q17. Has there ever been a period of time when you wanted to quit or cut down on your use of alcohol, or thought you should quit?
Logic	Skip to Q20.

			Frequency	% of total	% of valid
Valid	0	no	7,232	58.8%	93.7%
	1	yes	488	4.0%	6.3%
		Total	7,720	62.8%	100%
Missing	.	missing	29	0.2%	
	97	legitimate skip	4,551	37.0%	
		Total	4,580	37.2%	

Valid	Invalid	Minimum	Maximum
7720	4580	0	1

H5TO18 - S7Q18 ABLE CUT DOWN/QUIT FOR 1 MTH-W5

Type	Code
Measurement Unit	numeric
H5TO18	Q18. When you decided to quit or cut down drinking, were you able to do so for at least one month?

			Frequency	% of total	% of valid
Valid	0	no	308	2.5%	8.6%
	1	yes	3,254	26.5%	91.4%
		Total	3,562	29.0%	100%
Missing	.	missing	84	0.7%	
	97	legitimate skip	8,654	70.4%	
		Total	8,738	71.0%	

Valid	Invalid	Minimum	Maximum
3562	8738	0	1

H5TO19 - S7Q19 NUM TIMES UNABLE TO QUIT 1 MTH-W5

Type	Numeric (Double)
H5TO19	Q19. How many times have you tried but been unable to cut down or quit drinking for at least one month?
Notes	Includes soft check if Q19 not 0-50.

			Frequency	% of total	% of valid
Missing	.	missing	154	1.3%	
	997	legitimate skip	8,654	70.4%	
		Total	8,808	71.6%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
3492	8808	0	99	1.31	5.14

H5TO20 - S7Q20 EVER USED MARIJUANA-W5

Type	Code
Measurement Unit	numeric
H5TO20	Q20. The next questions are about marijuana use. Have you ever used marijuana?
Logic	If Q20=1 ask Q21. Else go to Q26.

			Frequency	% of total	% of valid
Valid	0	no	4,739	38.5%	38.8%
	1	yes	7,485	60.9%	61.2%
		Total	12,224	99.4%	100%
Missing	.	missing	76	0.6%	
		Total	76	0.6%	

Valid	Invalid	Minimum	Maximum
12224	76	0	1

H5TO21 - S7Q21 NUM DAYS USE MARIJ PST 30 DYS-W5

Type	Code
Measurement Unit	numeric
H5TO21	Q21. During the past 30 days, on how many days did you use marijuana?

			Frequency	% of total	% of valid
Valid	0	never	5,227	42.5%	70.0%
	1	one day	426	3.5%	5.7%
	2	2 or 3 days	381	3.1%	5.1%
	3	1 day a week	134	1.1%	1.8%
	4	2 days a week	186	1.5%	2.5%
	5	3 to 5 days a week	283	2.3%	3.8%
	6	every day or almost every day	834	6.8%	11.2%
		Total	7,471	60.7%	100%
Missing	.	missing	17	0.1%	
	97	legitimate skip	4,812	39.1%	
		Total	4,829	39.3%	

Valid	Invalid	Minimum	Maximum
7471	4829	0	6

H5TO22 - S7Q22 EVER TRIED QUIT MARIJUANA-W5

Type	Code
Measurement Unit	numeric
H5TO22	Q22. Have you ever tried to quit or cut down on your use of marijuana?
Logic	If Q22=0 ask Q23. Else if Q22=1 go to Q24. Else go to Q26.

			Frequency	% of total	% of valid
Valid	0	no	4,497	36.6%	60.8%
	1	yes	2,904	23.6%	39.2%
		Total	7,401	60.2%	100%
Missing	.	missing	87	0.7%	
	97	legitimate skip	4,812	39.1%	
		Total	4,899	39.8%	

Valid	Invalid	Minimum	Maximum
7401	4899	0	1

H5TO23 - S7Q23 EVER TIME WANT QUIT MARIJ-W5

Type	Code
Measurement Unit	numeric
H5TO23	Q23. Has there ever been a period of time when you wanted to quit or cut down on your use of marijuana, or thought you should quit?
Logic	Go to Q26.

			Frequency	% of total	% of valid
Valid	0	no	4,260	34.6%	95.2%
	1	yes	215	1.7%	4.8%
		Total	4,475	36.4%	100%
Missing	.	missing	25	0.2%	
	97	legitimate skip	7,800	63.4%	
		Total	7,825	63.6%	

Valid	Invalid	Minimum	Maximum
4475	7825	0	1

H5TO24 - S7Q24 ABLE CUT DOWN/QUIT 1 MTH MARIJ-W5

Type	Code
Measurement Unit	numeric

H5TO24	Q24. When you decided to cut down or quit using marijuana, were you able to do so for at least one month?

			Frequency	% of total	% of valid
Valid	0	no	106	0.9%	3.7%
	1	yes	2,783	22.6%	96.3%
		Total	2,889	23.5%	100%
Missing	.	missing	18	0.1%	
	97	legitimate skip	9,393	76.4%	
		Total	9,411	76.5%	

Valid	Invalid	Minimum	Maximum
2889	9411	0	1

H5TO25 - S7Q25 NUM TIMES UNABLE TO QUIT MARIJ-W5

Type	Numeric (Double)
H5TO25	Q25. How many times have you tried but been unable to cut down or quit using marijuana for at least one month?
Notes	Includes soft check if Q25 not 0-50.

			Frequency	% of total	% of valid
Missing	.	missing	78	0.6%	
	997	legitimate skip	9,393	76.4%	
		Total	9,471	77.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2829	9471	0	50	0.85	3.36

H5TO26A - S7Q26A TOOK NOT PRESCRBD-SEDATIVES-W5

Type	Code
Measurement Unit	numeric
H5TO26A	The next questions are about drug use. Remember, your answers will be kept confidential. In the past 30 days, which of the following types of prescription drugs have you taken that were not prescribed for you, taken in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or that you took only for the feeling or experience they caused? Q26A. Sedatives or downers, such as barbiturates, sleeping pills, Quaalude, or Seconal

			Frequency	% of total	% of valid
Valid	0	no	11,880	96.6%	97.3%
	1	yes	335	2.7%	2.7%
		Total	12,215	99.3%	100%

Missing	.	missing	85	0.7%	
		Total	85	0.7%	

Valid	Invalid	Minimum	Maximum
12215	85	0	1

H5TO26B - S7Q26B TOOK NOT PRESCRBD-TRANQS-W5

Type	Code
Measurement Unit	numeric
H5TO26B	The next questions are about drug use. Remember, your answers will be kept confidential. In the past 30 days, which of the following types of prescription drugs have you taken that were not prescribed for you, taken in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or that you took only for the feeling or experience they caused? Q26B. Tranquilizers, such as Librium, Valium, or Xanax

			Frequency	% of total	% of valid
Valid	0	no	11,846	96.3%	97.1%
	1	yes	358	2.9%	2.9%
		Total	12,204	99.2%	100%
Missing	.	missing	96	0.8%	
		Total	96	0.8%	

Valid	Invalid	Minimum	Maximum
12204	96	0	1

H5TO26C - S7Q26C TOOK NOT PRESCRBD-STIMULNTS-W5

Type	Code
Measurement Unit	numeric
H5TO26C	The next questions are about drug use. Remember, your answers will be kept confidential. In the past 30 days, which of the following types of prescription drugs have you taken that were not prescribed for you, taken in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or that you took only for the feeling or experience they caused? Q26C. Stimulants or uppers, such as amphetamines, prescription diet pills, Ritalin, Preludin, or speed

			Frequency	% of total	% of valid
Valid	0	no	11,872	96.5%	97.3%
	1	yes	335	2.7%	2.7%
		Total	12,207	99.2%	100%
Missing	.	missing	93	0.8%	
		Total	93	0.8%	

Valid	Invalid	Minimum	Maximum
12207	93	0	1

H5TO26D - S7Q26D TOOK NOT PRESCRBD-PAIN KILLRS-W5

Type	Code
Measurement Unit	numeric
H5TO26D	The next questions are about drug use. Remember, your answers will be kept confidential. In the past 30 days, which of the following types of prescription drugs have you taken that were not prescribed for you, taken in larger amounts than prescribed, more often than prescribed, for longer periods than prescribed, or that you took only for the feeling or experience they caused? Q26D. Pain killers or opioids, such as Vicodin, OxyContin, Percocet, Demerol, Percodan, or Tylenol with codeine

			Frequency	% of total	% of valid
Valid	0	no	11,377	92.5%	93.1%
	1	yes	845	6.9%	6.9%
		Total	12,222	99.4%	100%
Missing	.	missing	78	0.6%	
		Total	78	0.6%	

Valid	Invalid	Minimum	Maximum
12222	78	0	1

H5TO27A - S7Q27A PAST 30 DAYS USED COCAINE-W5

Type	Code
Measurement Unit	numeric
H5TO27A	In the past 30 days, have you used any of the following drugs? Q27A. Cocaine (crack, coca leaves)

			Frequency	% of total	% of valid
Valid	0	no	11,981	97.4%	98.0%
	1	yes	243	2.0%	2.0%
		Total	12,224	99.4%	100%
Missing	.	missing	76	0.6%	
		Total	76	0.6%	

Valid	Invalid	Minimum	Maximum
12224	76	0	1

H5TO27B - S7Q27B PAST 30 DAYS USED CRYSTAL METH-W5

Type	Code
Measurement Unit	numeric
H5TO27B	In the past 30 days, have you used any of the following drugs? Q27B. Crystal meth (ice)

			Frequency	% of total	% of valid
Valid	0	no	12,105	98.4%	99.1%
	1	yes	113	0.9%	0.9%
		Total	12,218	99.3%	100%
Missing	.	missing	82	0.7%	
		Total	82	0.7%	

Valid	Invalid	Minimum	Maximum
12218	82	0	1

H5TO27C - S7Q27C PAST 30 DAYS USED HEROIN-W5

Type	Code
Measurement Unit	numeric
H5TO27C	In the past 30 days, have you used any of the following drugs? Q27C. Heroin

			Frequency	% of total	% of valid
Valid	0	no	12,172	99.0%	99.7%
	1	yes	34	0.3%	0.3%
		Total	12,206	99.2%	100%
Missing	.	missing	94	0.8%	
		Total	94	0.8%	

Valid	Invalid	Minimum	Maximum
12206	94	0	1

H5TO27D - S7Q27D PAST 30 DAY USE OTH ILLEG DRUG-W5

Type	Code
Measurement Unit	numeric
H5TO27D	In the past 30 days, have you used any of the following drugs? Q27D. Other types of illegal drugs, such as LSD, PCP, ecstasy, or mushrooms or inhalants

			Frequency	% of total	% of valid
Valid	0	no	12,055	98.0%	98.7%

	1	yes	154	1.3%	1.3%
		Total	12,209	99.3%	100%
Missing	.	missing	91	0.7%	
		Total	91	0.7%	

Valid	Invalid	Minimum	Maximum
12209	91	0	1

Return to Table of Contents

Wave V, Section 8: Early Life

Title	Wave V, Section 8: Early Life
File Name	wave5.xpt
Case Quantity	12300
Variable Count	25

H5EL1O - S8Q1_OZ R BIRTH WEIGHT-OZ-W5

Type	Numeric (Double)
H5EL1O	Q1O. How much did you weigh [in ounces] at birth? Please complete as much as you can.
Logic	If Q1L and Q1O=don't know or if Q1L=5 and Q1O is missing, or if Q1L and Q1O are missing ask Q2. Else go to Q3.

			Frequency	% of total	% of valid
Missing	.	missing	1,068	8.7%	
	998	don't know	4,408	35.8%	
		Total	5,476	44.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
6824	5476	0	47	6.5	4.09

H5EL1P - S8Q1_LB R BIRTH WEIGHT-LB-W5

Type	Numeric (Double)
H5EL1P	Q1L. How much did you weigh [in pounds] at birth? Please complete as much as you can.
Logic	If Q1L and Q1O=don't know or if Q1L=5 and Q1O is missing, or if Q1L and Q1O are missing ask Q2. Else go to Q3.

			Frequency	% of total	% of valid
Missing	.	missing	90	0.7%	
	998	don't know	4,378	35.6%	
		Total	4,468	36.3%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
7832	4468	0	90	6.91	1.83

H5EL2 - S8Q2 R BIRTH WEIGHT < 5.5 LBS-W5

Type	Code
Measurement Unit	numeric

H5EL2	Q2. Did you weigh less than five and a half pounds (i.e., less than 5 pounds, 8 ounces) at birth?

			Frequency	% of total	% of valid
Valid	0	no	4,009	32.6%	91.9%
	1	yes	352	2.9%	8.1%
		Total	4,361	35.5%	100%
Missing	.	missing	51	0.4%	
	97	legitimate skip	7,888	64.1%	
		Total	7,939	64.5%	

Valid	Invalid	Minimum	Maximum
4361	7939	0	1

H5EL3 - S8Q3 R PRETERM DELIVERY-W5

Type	Code
Measurement Unit	numeric
H5EL3	Q3. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). As far as you know, were you born preterm?

			Frequency	% of total	% of valid
Valid	0	no	10,979	89.3%	90.3%
	1	yes	1,181	9.6%	9.7%
		Total	12,160	98.9%	100%
Missing	.	missing	140	1.1%	
		Total	140	1.1%	

Valid	Invalid	Minimum	Maximum
12160	140	0	1

H5EL4 - S8Q4 R STAY IN HOSPITAL/NICU AT BIRTH-W5

Type	Code
Measurement Unit	numeric
H5EL4	Q4. As far as you know, did you stay in the hospital after your mother went home (for example, stay in intensive care nursery [NICU] or need a machine to breathe)?

			Frequency	% of total	% of valid
Valid	0	no	11,144	90.6%	91.7%
	1	yes	1,008	8.2%	8.3%
		Total	12,152	98.8%	100%
Missing	.	missing	148	1.2%	

		Total	148	1.2%	

Valid	Invalid	Minimum	Maximum
12152	148	0	1

H5EL5 - S8Q5 HOW WAS HEALTH B/F AGE 16-W5

Type	Code
Measurement Unit	numeric
H5EL5	Q5. When you were growing up, before age 16, how was your health?

			Frequency	% of total	% of valid
Valid	1	excellent	6,625	53.9%	54.1%
	2	very good	3,475	28.3%	28.4%
	3	good	1,676	13.6%	13.7%
	4	fair	398	3.2%	3.2%
	5	poor	82	0.7%	0.7%
		Total	12,256	99.6%	100%
Missing	.	missing	44	0.4%	
		Total	44	0.4%	

Valid	Invalid	Minimum	Maximum
12256	44	1	5

H5EL6A - S8Q6A TOLD OF ASTHMA B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6A	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6A. Asthma

			Frequency	% of total	% of valid
Valid	0	no	10,433	84.8%	85.5%
	1	yes	1,766	14.4%	14.5%
		Total	12,199	99.2%	100%
Missing	.	missing	101	0.8%	
		Total	101	0.8%	

Valid	Invalid	Minimum	Maximum
12199	101	0	1

H5EL6B - S8Q6B TOLD OF ALLERGY B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6B	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6B. Seasonal allergies or hay fever, not including allergic reactions to medications

			Frequency	% of total	% of valid
Valid	0	no	9,140	74.3%	74.9%
	1	yes	3,068	24.9%	25.1%
		Total	12,208	99.3%	100%
Missing	.	missing	92	0.7%	
		Total	92	0.7%	

Valid	Invalid	Minimum	Maximum
12208	92	0	1

H5EL6C - S8Q6C TOLD OF RHEUMAT DISEASE B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6C	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6C. Rheumatic fever or rheumatic heart disease

			Frequency	% of total	% of valid
Valid	0	no	12,093	98.3%	99.5%
	1	yes	60	0.5%	0.5%
		Total	12,153	98.8%	100%
Missing	.	missing	147	1.2%	
		Total	147	1.2%	

Valid	Invalid	Minimum	Maximum
12153	147	0	1

H5EL6D - S8Q6D TOLD OF SIGHT PBM B/F 16-W5

Type	Code
Measurement Unit	numeric

H5EL6D	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6D. A problem with sight even with eye glasses

			Frequency	% of total	% of valid
Valid	0	no	10,518	85.5%	86.2%
	1	yes	1,683	13.7%	13.8%
		Total	12,201	99.2%	100%
Missing	.	missing	99	0.8%	
		Total	99	0.8%	

Valid	Invalid	Minimum	Maximum
12201	99	0	1

H5EL6E - S8Q6E TOLD OF EPILEPSY/SEIZURE B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6E	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6E. Epilepsy or convulsions or seizures without fever

			Frequency	% of total	% of valid
Valid	0	no	12,027	97.8%	98.7%
	1	yes	164	1.3%	1.3%
		Total	12,191	99.1%	100%
Missing	.	missing	109	0.9%	
		Total	109	0.9%	

Valid	Invalid	Minimum	Maximum
12191	109	0	1

H5EL6F - S8Q6F TOLD OF HEAR PBMS/DEAF B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6F	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6F. Hearing problems or deafness

			Frequency	% of total	% of valid
Valid	0	no	11,857	96.4%	97.3%

	1	yes	330	2.7%	2.7%
		Total	12,187	99.1%	100%
Missing	.	missing	113	0.9%	
		Total	113	0.9%	

Valid	Invalid	Minimum	Maximum
12187	113	0	1

H5EL6G - S8Q6G TOLD OF DELAYED SPEECH B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6G	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6G. Delayed speech or other problems with speaking or understanding

			Frequency	% of total	% of valid
Valid	0	no	11,659	94.8%	95.7%
	1	yes	522	4.2%	4.3%
		Total	12,181	99.0%	100%
Missing	.	missing	119	1.0%	
		Total	119	1.0%	

Valid	Invalid	Minimum	Maximum
12181	119	0	1

H5EL6H - S8Q6H TOLD OF DEVELOP DELAY B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6H	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6H. A developmental delay or slowness in learning

			Frequency	% of total	% of valid
Valid	0	no	11,637	94.6%	95.5%
	1	yes	550	4.5%	4.5%
		Total	12,187	99.1%	100%
Missing	.	missing	113	0.9%	
		Total	113	0.9%	

Valid	Invalid	Minimum	Maximum

12187	113	0	1

H5EL6I - S8Q6I TOLD OF SICKL CELL ANEM B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6I	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6I. Sickle cell anemia

			Frequency	% of total	% of valid
Valid	0	no	12,143	98.7%	99.7%
	1	yes	41	0.3%	0.3%
		Total	12,184	99.1%	100%
Missing	.	missing	116	0.9%	
		Total	116	0.9%	

Valid	Invalid	Minimum	Maximum
12184	116	0	1

H5EL6J - S8Q6J TOLD OF CHRON HRT COND B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6J	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6J. A chronic heart condition

			Frequency	% of total	% of valid
Valid	0	no	12,097	98.3%	99.3%
	1	yes	82	0.7%	0.7%
		Total	12,179	99.0%	100%
Missing	.	missing	121	1.0%	
		Total	121	1.0%	

Valid	Invalid	Minimum	Maximum
12179	121	0	1

H5EL6K - S8Q6K TOLD OF CHRONIC RESPRY B/F 16-W5

Type	Code
Measurement Unit	numeric

H5EL6K	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6K. Chronic respiratory, lung, or breathing condition other than asthma or seasonal allergies

			Frequency	% of total	% of valid
Valid	0	no	11,957	97.2%	98.2%
	1	yes	220	1.8%	1.8%
		Total	12,177	99.0%	100%
Missing	.	missing	123	1.0%	
		Total	123	1.0%	

Valid	Invalid	Minimum	Maximum
12177	123	0	1

H5EL6L - S8Q6L TOLD CHRON ORTH PBM B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6L	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6L. Chronic orthopedic, bone, or joint problems

			Frequency	% of total	% of valid
Valid	0	no	11,942	97.1%	98.0%
	1	yes	240	2.0%	2.0%
		Total	12,182	99.0%	100%
Missing	.	missing	118	1.0%	
		Total	118	1.0%	

Valid	Invalid	Minimum	Maximum
12182	118	0	1

H5EL6M - S8Q6M TOLD OF CEREBRAL PALSY B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6M	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6M. Cerebral palsy

			Frequency	% of total	% of valid

Valid	0	no	12,153	98.8%	99.9%
	1	yes	16	0.1%	0.1%
		Total	12,169	98.9%	100%
Missing	.	missing	131	1.1%	
		Total	131	1.1%	

Valid	Invalid	Minimum	Maximum
12169	131	0	1

H5EL6N - S8Q6N TOLD OF CYSTIC FIBROSIS B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6N	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6N. Cystic fibrosis

			Frequency	% of total	% of valid
Valid	0	no	12,146	98.7%	99.9%
	1	yes	11	0.1%	0.1%
		Total	12,157	98.8%	100%
Missing	.	missing	143	1.2%	
		Total	143	1.2%	

Valid	Invalid	Minimum	Maximum
12157	143	0	1

H5EL6O - S8Q6O TOLD OF HEMOPHILIA B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6O	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6O. Hemophilia

			Frequency	% of total	% of valid
Valid	0	no	12,157	98.8%	99.9%
	1	yes	9	0.1%	0.1%
		Total	12,166	98.9%	100%
Missing	.	missing	134	1.1%	
		Total	134	1.1%	

Valid	Invalid	Minimum	Maximum
12166	134	0	1

H5EL6P - S8Q6P TOLD OF OBESITY B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6P	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6P. Obesity

			Frequency	% of total	% of valid
Valid	0	no	11,394	92.6%	93.6%
	1	yes	775	6.3%	6.4%
		Total	12,169	98.9%	100%
Missing	.	missing	131	1.1%	
		Total	131	1.1%	

Valid	Invalid	Minimum	Maximum
12169	131	0	1

H5EL6Q - S8Q6Q TOLD OF OTHER COND B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL6Q	When you were growing up, before age 16, did a doctor, nurse, or other health care provider tell you or your parents/adult caregivers that you have or had any of the following? Q6Q. Any other condition for which you were seen by a specialist or at a special clinic, or for which you received special therapies

			Frequency	% of total	% of valid
Valid	0	no	11,378	92.5%	93.6%
	1	yes	784	6.4%	6.4%
		Total	12,162	98.9%	100%
Missing	.	missing	138	1.1%	
		Total	138	1.1%	

Valid	Invalid	Minimum	Maximum
12162	138	0	1

H5EL7 - S8Q7 MISS SCHOOL 1+ MTH B/C HLTH COND-W5

Type	Code

Measurement Unit	numeric
H5EL7	Q7. Because of a health condition, did you ever miss school for one month or more?

			Frequency	% of total	% of valid
Valid	0	no	11,609	94.4%	94.9%
	1	yes	630	5.1%	5.1%
		Total	12,239	99.5%	100%
Missing	.	missing	61	0.5%	
		Total	61	0.5%	

Valid	Invalid	Minimum	Maximum
12239	61	0	1

H5EL8 - S8Q8 FAMILY BETTER/WORSE OFF B/F 16-W5

Type	Code
Measurement Unit	numeric
H5EL8	Q8. When you were growing up, before age 16, was your family better off or worse off financially than the average family was at that time? If your parents lived separately and had different financial situations, answer for the family you lived with for the longest time.

			Frequency	% of total	% of valid
Valid	1	a lot better off	841	6.8%	6.9%
	2	somewhat better off	2,308	18.8%	18.9%
	3	same as average family	5,786	47.0%	47.4%
	4	somewhat worse off	2,625	21.3%	21.5%
	5	a lot worse off	641	5.2%	5.3%
		Total	12,201	99.2%	100%
Missing	.	missing	99	0.8%	
		Total	99	0.8%	

Valid	Invalid	Minimum	Maximum
12201	99	1	5

Return to Table of Contents

Wave V, Section 9: Personality

Title	Wave V, Section 9: Personality
File Name	wave5.xpt
Case Quantity	12300
Variable Count	9

H5PE1 - S9Q1 ALWAYS OPTIM ABOUT FUT-W5

Type	Code
Measurement Unit	Numeric
H5PE1	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q1. I am always optimistic about my future.

			Frequency	% of total	% of valid
Valid	1	strongly agree	3,616	29.4%	30.0%
	2	agree	5,859	47.6%	48.5%
	3	neither agree nor disagree	1,864	15.2%	15.4%
	4	disagree	647	5.3%	5.4%
	5	strongly disagree	84	0.7%	0.7%
		Total	12,070	98.1%	100%
Missing	.	missing	230	1.9%	
		Total	230	1.9%	

Valid	Invalid	Minimum	Maximum
12070	230	1	5

H5PE2 - S9Q2 NOT EXPECT THINGS MY WAY-W5

Type	Code
Measurement Unit	Numeric
H5PE2	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q2. I hardly ever expect things to go my way.

			Frequency	% of total	% of valid
Valid	1	strongly agree	379	3.1%	3.1%
	2	agree	1,782	14.5%	14.8%
	3	neither agree nor disagree	3,753	30.5%	31.1%
	4	disagree	4,861	39.5%	40.3%
	5	strongly disagree	1,289	10.5%	10.7%
		Total	12,064	98.1%	100%

Missing	.	missing	236	1.9%	
		Total	236	1.9%	

Valid	Invalid	Minimum	Maximum
12064	236	1	5

H5PE3 - S9Q3 EXPECT MORE GOOD-W5

Type	Code
Measurement Unit	Numeric
H5PE3	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q3. Overall, I expect more good things to happen to me than bad.

			Frequency	% of total	% of valid
Valid	1	strongly agree	3,278	26.7%	27.2%
	2	agree	5,950	48.4%	49.4%
	3	neither agree nor disagree	2,091	17.0%	17.4%
	4	disagree	624	5.1%	5.2%
	5	strongly disagree	108	0.9%	0.9%
		Total	12,051	98.0%	100%
Missing	.	missing	249	2.0%	
		Total	249	2.0%	

Valid	Invalid	Minimum	Maximum
12051	249	1	5

H5PE4 - S9Q4 AVOID CONFRONT PBM-W5

Type	Code
Measurement Unit	Numeric
H5PE4	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q4. I go out of my way to avoid having to deal with problems in my life.

			Frequency	% of total	% of valid
Valid	1	strongly agree	651	5.3%	5.4%
	2	agree	2,395	19.5%	19.9%
	3	neither agree nor disagree	3,128	25.4%	26.0%
	4	disagree	4,866	39.6%	40.4%
	5	strongly disagree	994	8.1%	8.3%
		Total	12,034	97.8%	100%
Missing	.	missing	266	2.2%	

		Total	266	2.2%	

Valid	Invalid	Minimum	Maximum
12034	266	1	5

H5PE5 - S9Q5 RELY GUT FEEL DECISIONS-W5

Type	Code
Measurement Unit	Numeric
H5PE5	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q5. When making a decision, I go with my 'gut feeling' and do not think much about the consequences of each alternative.

			Frequency	% of total	% of valid
Valid	1	strongly agree	506	4.1%	4.2%
	2	agree	2,067	16.8%	17.2%
	3	neither agree nor disagree	2,440	19.8%	20.3%
	4	disagree	5,461	44.4%	45.3%
	5	strongly disagree	1,575	12.8%	13.1%
		Total	12,049	98.0%	100%
Missing	.	missing	251	2.0%	
		Total	251	2.0%	

Valid	Invalid	Minimum	Maximum
12049	251	1	5

H5PE6 - S9Q6 LIKE TO TAKE RISKS-W5

Type	Code
Measurement Unit	Numeric
H5PE6	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q6. I like to take risks.

			Frequency	% of total	% of valid
Valid	1	strongly agree	423	3.4%	3.5%
	2	agree	2,961	24.1%	24.6%
	3	neither agree nor disagree	3,936	32.0%	32.7%
	4	disagree	3,800	30.9%	31.6%
	5	strongly disagree	921	7.5%	7.6%
		Total	12,041	97.9%	100%
Missing	.	missing	259	2.1%	

		Total	259	2.1%	

Valid	Invalid	Minimum	Maximum
12041	259	1	5

H5PE7 - S9Q7 FINISH WHAT I BEGIN-W5

Type	Code
Measurement Unit	Numeric
H5PE7	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q7. I finish whatever I begin.

			Frequency	% of total	% of valid
Valid	1	strongly agree	2,298	18.7%	19.1%
	2	agree	6,505	52.9%	54.0%
	3	neither agree nor disagree	2,134	17.3%	17.7%
	4	disagree	1,021	8.3%	8.5%
	5	strongly disagree	83	0.7%	0.7%
		Total	12,041	97.9%	100%
Missing	.	missing	259	2.1%	
		Total	259	2.1%	

Valid	Invalid	Minimum	Maximum
12041	259	1	5

H5PE8 - S9Q8 I AM A HARD WORKER-W5

Type	Code
Measurement Unit	Numeric
H5PE8	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q8. I am a hard worker. I keep working when others stop to take a break.

			Frequency	% of total	% of valid
Valid	1	strongly agree	4,453	36.2%	37.0%
	2	agree	5,757	46.8%	47.8%
	3	neither agree nor disagree	1,442	11.7%	12.0%
	4	disagree	350	2.8%	2.9%
	5	strongly disagree	40	0.3%	0.3%
		Total	12,042	97.9%	100%
Missing	.	missing	258	2.1%	
		Total	258	2.1%	

Valid	Invalid	Minimum	Maximum
12042	258	1	5

H5PE9 - S9Q9 I AM DILIGENT-W5

Type	Code
Measurement Unit	Numeric
H5PE9	These items describe people's behaviors. How much do you agree or disagree with each statement about you as you generally are now, not as you wish to be in the future? Q9. I am diligent. I never give up.

			Frequency	% of total	% of valid
Valid	1	strongly agree	3,518	28.6%	29.2%
	2	agree	6,301	51.2%	52.3%
	3	neither agree nor disagree	1,756	14.3%	14.6%
	4	disagree	451	3.7%	3.7%
	5	strongly disagree	21	0.2%	0.2%
		Total	12,047	97.9%	100%
Missing	.	missing	253	2.1%	
		Total	253	2.1%	

Valid	Invalid	Minimum	Maximum
12047	253	1	5

Return to Table of Contents

Wave V, Section 10: Social Support

Title	Wave V, Section 10: Social Support
File Name	wave5.xpt
Case Quantity	12300
Variable Count	23

H5SS0A - S10Q0A PAST 7 DAY SHAKE BLUE-W5

Type	Code
Measurement Unit	Numeric
H5SS0A	The next questions are about your feelings. How often was each of the following things true during the past 7 days? Q0A. During the past 7 days, I felt that I could not shake off the blues, even with help from my family and friends.

			Frequency	% of total	% of valid
Valid	1	never or rarely	9,067	73.7%	74.0%
	2	sometimes	2,304	18.7%	18.8%
	3	a lot of the time	568	4.6%	4.6%
	4	most of the time or all of the time	315	2.6%	2.6%
		Total	12,254	99.6%	100%
Missing	.	missing	46	0.4%	
		Total	46	0.4%	

Valid	Invalid	Minimum	Maximum
12254	46	1	4

H5SS0B - S10Q0B PAST 7 DAY DEPRESSED-W5

Type	Code
Measurement Unit	Numeric
H5SS0B	The next questions are about your feelings. How often was each of the following things true during the past 7 days? Q0B. During the past 7 days, I felt depressed.

			Frequency	% of total	% of valid
Valid	1	never or rarely	8,554	69.5%	69.9%
	2	sometimes	2,868	23.3%	23.4%
	3	a lot of the time	538	4.4%	4.4%
	4	most of the time or all of the time	279	2.3%	2.3%
		Total	12,239	99.5%	100%
Missing	.	missing	61	0.5%	

		Total	61	0.5%	

Valid	Invalid	Minimum	Maximum
12239	61	1	4

H5SS0C - S10Q0C PAST 7 DAY HAPPY-W5

Type	Code
Measurement Unit	Numeric
H5SS0C	The next questions are about your feelings. How often was each of the following things true during the past 7 days? Q0C. During the past 7 days, I was happy.

			Frequency	% of total	% of valid
Valid	1	never or rarely	399	3.2%	3.3%
	2	sometimes	2,633	21.4%	21.6%
	3	a lot of the time	5,154	41.9%	42.2%
	4	most of the time or all of the time	4,023	32.7%	33.0%
		Total	12,209	99.3%	100%
Missing	.	missing	91	0.7%	
		Total	91	0.7%	

Valid	Invalid	Minimum	Maximum
12209	91	1	4

H5SS0D - S10Q0D PAST 7 DAY SAD-W5

Type	Code
Measurement Unit	Numeric
H5SS0D	The next questions are about your feelings. How often was each of the following things true during the past 7 days? Q0D. During the past 7 days, I felt sad.

			Frequency	% of total	% of valid
Valid	1	never or rarely	6,213	50.5%	50.9%
	2	sometimes	5,197	42.3%	42.6%
	3	a lot of the time	580	4.7%	4.8%
	4	most of the time or all of the time	219	1.8%	1.8%
		Total	12,209	99.3%	100%
Missing	.	missing	91	0.7%	
		Total	91	0.7%	

Valid	Invalid	Minimum	Maximum
12209	91	1	4

H5SS0E - S10Q0E PAST 7 DAY NOT WORTH-W5

Type	Code
Measurement Unit	Numeric
H5SS0E	The next questions are about your feelings. How often was each of the following things true during the past 7 days? Q0E. During the past 7 days, I felt that life was not worth living.

			Frequency	% of total	% of valid
Valid	1	never or rarely	11,399	92.7%	93.1%
	2	sometimes	651	5.3%	5.3%
	3	a lot of the time	114	0.9%	0.9%
	4	most of the time or all of the time	82	0.7%	0.7%
		Total	12,246	99.6%	100%
Missing	.	missing	54	0.4%	
		Total	54	0.4%	

Valid	Invalid	Minimum	Maximum
12246	54	1	4

H5SS1 - S10Q1 PAST 12 MO SOCIAL GATHER-W5

Type	Code
Measurement Unit	Numeric
H5SS1	These next questions are about the social support you may receive from others. Q1. In the past 12 months, how often did you get together socially with friends or relatives?

			Frequency	% of total	% of valid
Valid	1	never	185	1.5%	1.5%
	2	less than once a year	277	2.3%	2.3%
	3	about once or twice a year	809	6.6%	6.7%
	4	several times a year	2,513	20.4%	20.8%
	5	about once a month	3,172	25.8%	26.3%
	6	every week	3,709	30.2%	30.7%
	7	several times a week	1,403	11.4%	11.6%
		Total	12,068	98.1%	100%
Missing	.	missing	232	1.9%	
		Total	232	1.9%	

Valid	Invalid	Minimum	Maximum
12068	232	1	7

H5SS2 - S10Q2 PAST 12 MO SOCIAL NEIGH-W5

Type	Code
Measurement Unit	Numeric
H5SS2	Q2. In the past 12 months, how often did you get together with any of your neighbors just to chat or for a social visit?

			Frequency	% of total	% of valid
Valid	1	hardly ever	5,726	46.6%	47.6%
	2	several times a year	2,462	20.0%	20.4%
	3	several times a month	2,308	18.8%	19.2%
	4	several times a week	1,116	9.1%	9.3%
	5	daily or almost every day	428	3.5%	3.6%
		Total	12,040	97.9%	100%
Missing	.	missing	260	2.1%	
		Total	260	2.1%	

Valid	Invalid	Minimum	Maximum
12040	260	1	5

H5SS3A - S10Q3A OPEN UP: SPOUSE, PART-W5

Type	Code
Measurement Unit	Numeric
H5SS3A	For each of the following individuals or groups of people indicate whether or not you can open up to them if you need to talk about your worries. Q3A. Your spouse or partner

			Frequency	% of total	% of valid
Valid	0	no	802	6.5%	6.7%
	1	yes	9,187	74.7%	76.4%
	3	not applicable	2,040	16.6%	17.0%
		Total	12,029	97.8%	100%
Missing	.	missing	271	2.2%	
		Total	271	2.2%	

Valid	Invalid	Minimum	Maximum
12029	271	0	3

H5SS3B - S10Q3B OPEN UP: YOUR CHILDREN-W5

Type	Code

Measurement Unit	Numeric
H5SS3B	For each of the following individuals or groups of people indicate whether or not you can open up to them if you need to talk about your worries. Q3B. Your children

			Frequency	% of total	% of valid
Valid	0	no	2,533	20.6%	21.1%
	1	yes	5,622	45.7%	46.9%
	3	not applicable	3,839	31.2%	32.0%
		Total	11,994	97.5%	100%
Missing	.	missing	306	2.5%	
		Total	306	2.5%	

Valid	Invalid	Minimum	Maximum
11994	306	0	3

H5SS3C - S10Q3C OPEN UP: OTH FAM MEMS-W5

Type	Code
Measurement Unit	Numeric
H5SS3C	For each of the following individuals or groups of people indicate whether or not you can open up to them if you need to talk about your worries. Q3C. Other family members

			Frequency	% of total	% of valid
Valid	0	no	2,115	17.2%	17.6%
	1	yes	9,597	78.0%	79.8%
	3	not applicable	316	2.6%	2.6%
		Total	12,028	97.8%	100%
Missing	.	missing	272	2.2%	
		Total	272	2.2%	

Valid	Invalid	Minimum	Maximum
12028	272	0	3

H5SS3D - S10Q3D OPEN UP: YOUR FRIENDS-W5

Type	Code
Measurement Unit	Numeric
H5SS3D	For each of the following individuals or groups of people indicate whether or not you can open up to them if you need to talk about your worries. Q3D. Your friends

	Frequency	% of total	% of valid

Valid	0	no	1,470	12.0%	12.2%
	1	yes	10,150	82.5%	84.4%
	3	not applicable	403	3.3%	3.4%
		Total	12,023	97.7%	100%
Missing	.	missing	277	2.3%	
		Total	277	2.3%	

Valid	Invalid	Minimum	Maximum
12023	277	0	3

H5SS4A - S10Q4A RELY SPOUSE, PARTNER-W5

Type	Code
Measurement Unit	Numeric
H5SS4A	For each of the following individuals or groups of people indicate whether or not you can rely on them for help if you have a problem. Q4A. Your spouse or partner

			Frequency	% of total	% of valid
Valid	0	no	701	5.7%	5.9%
	1	yes	9,242	75.1%	77.2%
	3	not applicable	2,022	16.4%	16.9%
		Total	11,965	97.3%	100%
Missing	.	missing	335	2.7%	
		Total	335	2.7%	

Valid	Invalid	Minimum	Maximum
11965	335	0	3

H5SS4B - S10Q4B RELY YOUR CHILDREN-W5

Type	Code
Measurement Unit	Numeric
H5SS4B	For each of the following individuals or groups of people indicate whether or not you can rely on them for help if you have a problem. Q4B. Your children

			Frequency	% of total	% of valid
Valid	0	no	2,359	19.2%	19.8%
	1	yes	5,386	43.8%	45.2%
	3	not applicable	4,166	33.9%	35.0%
		Total	11,911	96.8%	100%
Missing	.	missing	389	3.2%	
		Total	389	3.2%	

Valid	Invalid	Minimum	Maximum
11911	389	0	3

H5SS4C - S10Q4C RELY OTH FAMILY MEMS-W5

Type	Code
Measurement Unit	Numeric
H5SS4C	For each of the following individuals or groups of people indicate whether or not you can rely on them for help if you have a problem. Q4C. Other family members

			Frequency	% of total	% of valid
Valid	0	no	1,554	12.6%	13.0%
	1	yes	10,176	82.7%	84.9%
	3	not applicable	251	2.0%	2.1%
		Total	11,981	97.4%	100%
Missing	.	missing	319	2.6%	
		Total	319	2.6%	

Valid	Invalid	Minimum	Maximum
11981	319	0	3

H5SS4D - S10Q4D RELY YOUR FRIENDS-W5

Type	Code
Measurement Unit	Numeric
H5SS4D	For each of the following individuals or groups of people indicate whether or not you can rely on them for help if you have a problem. Q4D. Your friends

			Frequency	% of total	% of valid
Valid	0	no	1,769	14.4%	14.8%
	1	yes	9,737	79.2%	81.4%
	3	not applicable	453	3.7%	3.8%
		Total	11,959	97.2%	100%
Missing	.	missing	341	2.8%	
		Total	341	2.8%	

Valid	Invalid	Minimum	Maximum
11959	341	0	3

H5SS5A - S10Q5A PBM: SPOUSE, PARTNER-W5

Type	Code
Measurement Unit	Numeric
H5SS5A	For each of the following individuals or groups of people indicate whether or not they ever make too many demands or criticize you. Q5A. Your spouse or partner

			Frequency	% of total	% of valid
Valid	0	no	7,049	57.3%	59.0%
	1	yes	2,823	23.0%	23.6%
	3	not applicable	2,079	16.9%	17.4%
		Total	11,951	97.2%	100%
Missing	.	missing	349	2.8%	
		Total	349	2.8%	

Valid	Invalid	Minimum	Maximum
11951	349	0	3

H5SS5B - S10Q5B PBM: YOUR CHILDREN-W5

Type	Code
Measurement Unit	Numeric
H5SS5B	For each of the following individuals or groups of people indicate whether or not they ever make too many demands or criticize you. Q5B. Your children

			Frequency	% of total	% of valid
Valid	0	no	6,711	54.6%	56.3%
	1	yes	1,570	12.8%	13.2%
	3	not applicable	3,638	29.6%	30.5%
		Total	11,919	96.9%	100%
Missing	.	missing	381	3.1%	
		Total	381	3.1%	

Valid	Invalid	Minimum	Maximum
11919	381	0	3

H5SS5C - S10Q5C PBM: OTH FAM MEMS-W5

Type	Code
Measurement Unit	Numeric
H5SS5C	For each of the following individuals or groups of people indicate whether or not they ever make too many demands or criticize you. Q5C. Other family members

			Frequency	% of total	% of valid
Valid	0	no	8,230	66.9%	68.9%
	1	yes	3,389	27.6%	28.4%
	3	not applicable	329	2.7%	2.8%
		Total	11,948	97.1%	100%
Missing	.	missing	352	2.9%	
		Total	352	2.9%	

Valid	Invalid	Minimum	Maximum
11948	352	0	3

H5SS5D - S10Q5D PBM: YOUR FRIENDS-W5

Type	Code
Measurement Unit	Numeric
H5SS5D	For each of the following individuals or groups of people indicate whether or not they ever make too many demands or criticize you. Q5D. Your friends

			Frequency	% of total	% of valid
Valid	0	no	10,106	82.2%	84.6%
	1	yes	1,315	10.7%	11.0%
	3	not applicable	518	4.2%	4.3%
		Total	11,939	97.1%	100%
Missing	.	missing	361	2.9%	
		Total	361	2.9%	

Valid	Invalid	Minimum	Maximum
11939	361	0	3

H5SS6 - S10Q6 NUM CLOSE FRIENDS-W5

Type	Code
Measurement Unit	Numeric
H5SS6	Close friends are people whom you feel at ease with can talk to about private matters and can call on for help. Q6. How many close friends do you have?

			Frequency	% of total	% of valid
Valid	1	none	666	5.4%	5.5%
	2	1 or 2 friends	4,641	37.7%	38.5%
	3	3 to 5 friends	5,039	41.0%	41.8%
	4	6 to 9 friends	1,093	8.9%	9.1%
	5	10 or more friends	602	4.9%	5.0%

		Total	12,041	97.9%	100%
Missing	.	missing	259	2.1%	
		Total	259	2.1%	

Valid	Invalid	Minimum	Maximum
12041	259	1	5

H5SS7 - S10Q7 PAST 12 MO HRS VOL SVS-W5

Type	Code
Measurement Unit	Numeric
H5SS7	Q7. In the past 12 months, about how many hours did you spend on volunteer or community service work?

			Frequency	% of total	% of valid
Valid	1	0 hours	7,232	58.8%	60.6%
	2	1 to 19 hours	3,153	25.6%	26.4%
	3	20 to 39 hours	642	5.2%	5.4%
	4	40 to 79 hours	408	3.3%	3.4%
	5	80 to 159 hours	261	2.1%	2.2%
	6	160 hours or more	245	2.0%	2.1%
		Total	11,941	97.1%	100%
Missing	.	missing	359	2.9%	
		Total	359	2.9%	

Valid	Invalid	Minimum	Maximum
11941	359	1	6

H5SS8 - S10Q8 HOW OFTEN USUALLY VOTE-W5

Type	Code
Measurement Unit	Numeric
H5SS8	Q8. How often do you usually vote in local or statewide elections?

			Frequency	% of total	% of valid
Valid	1	never	2,930	23.8%	24.6%
	2	sometimes	3,177	25.8%	26.6%
	3	often	2,472	20.1%	20.7%
	4	always	3,352	27.3%	28.1%
		Total	11,931	97.0%	100%
Missing	.	missing	369	3.0%	
		Total	369	3.0%	

Valid	Invalid	Minimum	Maximum
11931	369	1	4

H5SS9 - S10Q9 POLITICAL LEANINGS-W5

Type	Code
Measurement Unit	Numeric
H5SS9	Q9. In terms of politics, do you consider yourself very conservative, conservative, middle-of-the-road, liberal, or very liberal?

			Frequency	% of total	% of valid
Valid	1	very conservative	704	5.7%	6.1%
	2	conservative	2,555	20.8%	22.3%
	3	middle-of-the-road	5,328	43.3%	46.4%
	4	liberal	2,160	17.6%	18.8%
	5	very liberal	730	5.9%	6.4%
		Total	11,477	93.3%	100%
Missing	.	missing	823	6.7%	
		Total	823	6.7%	

Valid	Invalid	Minimum	Maximum
11477	823	1	5

Return to Table of Contents

Wave V, Section 11: Parents and Siblings

Title	Wave V, Section 11: Parents and Siblings
File Name	wave5.xpt
Case Quantity	12300
Variable Count	38

H5WP1 - S11Q1 BIO MOM TIME JAIL-W5

Type	Code
Measurement Unit	Numeric
H5WP1	This section asks questions about your parents and people who may have acted like parents to you. Q1. Has your biological mother ever spent time in jail or prison?
Logic	If Q1=1, go to Q2. Else, go to Q4.

			Frequency	% of total	% of valid
Valid	0	no	10,987	89.3%	95.6%
	1	yes	505	4.1%	4.4%
		Total	11,492	93.4%	100%
Missing	.	missing	265	2.2%	
	98	don't know	543	4.4%	
		Total	808	6.6%	

Valid	Invalid	Minimum	Maximum
11492	808	0	1

H5WP2 - S11Q2 KID AGE BIO MOM JAILED-W5

Type	Code
Measurement Unit	Numeric
H5WP2	Q2. How old were you the first time your biological mother went to jail or prison?
Logic	If Q1=1, go to Q3. Else, go to Q4.

			Frequency	% of total	% of valid
Valid	0	less than 1 year old	23	0.2%	4.8%
	1	1 year old	11	0.1%	2.3%
	2	2 years old	7	0.1%	1.5%
	3	3 years old	6	0.05%	1.2%
	4	4 years old	8	0.1%	1.7%
	5	5 years old	19	0.2%	4.0%
	6	6 years old	16	0.1%	3.3%
	7	7 years old	18	0.1%	3.7%
	8	8 years old	29	0.2%	6.0%

	9	9 years old	14	0.1%	2.9%
	10	10 years old	29	0.2%	6.0%
	11	11 years old	20	0.2%	4.2%
	12	12 years old	19	0.2%	4.0%
	13	13 years old	22	0.2%	4.6%
	14	14 years old	12	0.1%	2.5%
	15	15 years old	22	0.2%	4.6%
	16	16 years old	14	0.1%	2.9%
	17	17 years old	9	0.1%	1.9%
	18	18 years old	19	0.2%	4.0%
	19	19 years old	7	0.1%	1.5%
	21	21 years old	6	0.05%	1.2%
	22	22 years old	8	0.1%	1.7%
	23	23 years old	5	0.04%	1.0%
	24	24 years old	6	0.05%	1.2%
	25	25 years old	12	0.1%	2.5%
	26	26 years old	2	0.02%	0.4%
	27	27 years old	6	0.05%	1.2%
	28	28 years old	11	0.1%	2.3%
	29	29 years old	2	0.02%	0.4%
	30	30 years old	11	0.1%	2.3%
	31	31 years old	3	0.02%	0.6%
	32	32 years old	3	0.02%	0.6%
	33	33 years old	3	0.02%	0.6%
	34	34 years old	3	0.02%	0.6%
	35	35 years old	8	0.1%	1.7%
	37	37 years old	3	0.02%	0.6%
	38	38 years old	1	0.008%	0.2%
	39	39 years old	1	0.008%	0.2%
	40	40 years old	1	0.008%	0.2%
	41	41 years old	1	0.008%	0.2%
	990	not yet born	52	0.4%	10.8%
		Total	481	3.9%	100%
Missing	.	missing	289	2.3%	
	997	legitimate skip	11,530	93.7%	
		Total	11,819	96.1%	

Valid	Invalid	Minimum	Maximum
481	11819	0	990

H5WP3 - S11Q3 KID AGE BIO MOM OUT JAIL-W5

Type	Code
Measurement Unit	Numeric
H5WP3	If you were less than 1 year old, enter 0. Q3. How old were you when your biological mother was released from jail or prison most recently?

			Frequency	% of total	% of valid
Valid	0	less than 1 year old	13	0.1%	2.8%
	1	1 year old	5	0.04%	1.1%
	2	2 years old	5	0.04%	1.1%
	3	3 years old	7	0.1%	1.5%
	5	5 years old	10	0.1%	2.1%
	6	6 years old	9	0.1%	1.9%
	7	7 years old	9	0.1%	1.9%
	8	8 years old	20	0.2%	4.3%
	9	9 years old	13	0.1%	2.8%
	10	10 years old	24	0.2%	5.1%
	11	11 years old	13	0.1%	2.8%
	12	12 years old	20	0.2%	4.3%
	13	13 years old	18	0.1%	3.8%
	14	14 years old	16	0.1%	3.4%
	15	15 years old	19	0.2%	4.1%
	16	16 years old	17	0.1%	3.6%
	17	17 years old	14	0.1%	3.0%
	18	18 years old	21	0.2%	4.5%
	19	19 years old	12	0.1%	2.6%
	21	21 years old	9	0.1%	1.9%
	23	23 years old	7	0.1%	1.5%
	24	24 years old	11	0.1%	2.3%
	25	25 years old	16	0.1%	3.4%
	26	26 years old	11	0.1%	2.3%
	27	27 years old	7	0.1%	1.5%
	28	28 years old	9	0.1%	1.9%
	29	29 years old	5	0.04%	1.1%
	30	30 years old	15	0.1%	3.2%
	31	31 years old	3	0.02%	0.6%
	32	32 years old	7	0.1%	1.5%
	33	33 years old	3	0.0%	0.6%
	34	34 years old	9	0.1%	1.9%
	35	35 years old	8	0.1%	1.7%
	37	37 years old	4	0.03%	0.9%
	38	38 years old	3	0.02%	0.6%
	39	39 years old	3	0.02%	0.6%
	40	40 years old	2	0.02%	0.4%
	41	41 years old	2	0.02%	0.4%
	990	not yet born	43	0.3%	9.2%
	991	parent currently in jail or prison	7	0.1%	1.5%
		Total	469	3.8%	100%
Missing	.	missing	301	2.4%	
	997	legitimate skip	11,530	93.7%	
		Total	11,831	96.2%	

Valid	Invalid	Minimum	Maximum
469	11831	0	991

H5WP4 - S11Q4 BIO MOM STILL ALIVE-W5

Type	Code
Measurement Unit	Numeric
H5WP4	Q4. Is your biological mother still alive?
Logic	If Q4=0, go to Q5. Else, go to Q6.

			Frequency	% of total	% of valid
Valid	0	no	1,271	10.3%	10.7%
	1	yes	10,563	85.9%	89.3%
		Total	11,834	96.2%	100%
Missing	.	missing	257	2.1%	
	98	don't know	209	1.7%	
		Total	466	3.8%	

Valid	Invalid	Minimum	Maximum
11834	466	0	1

H5WP5M - S11Q5M BIO MOM DEATH-MON-W5

Type	Code
Measurement Unit	Numeric
H5WP5M	Q5M. In what month did your biological mother die?

			Frequency	% of total	% of valid
Valid	1	January	95	0.8%	8.3%
	2	February	110	0.9%	9.6%
	3	March	103	0.8%	9.0%
	4	April	89	0.7%	7.8%
	5	May	78	0.6%	6.8%
	6	June	87	0.7%	7.6%
	7	July	100	0.8%	8.7%
	8	August	113	0.9%	9.8%
	9	September	74	0.6%	6.4%
	10	October	98	0.8%	8.5%
	11	November	97	0.8%	8.4%
	12	December	104	0.8%	9.1%
		Total	1,148	9.3%	100%
Missing	.	missing	313	2.5%	
	997	legitimate skip	10,772	87.6%	
	998	don't know	67	0.5%	
		Total	11,152	90.7%	

Valid	Invalid	Minimum	Maximum
1148	11152	1	12

H5WP5Y - S11Q5Y BIO MOM DEATH-YEAR-W5

Type	Code
Measurement Unit	Numeric
H5WP5Y	Q5Y. In what year did your biological mother die?

			Frequency	% of total	% of valid
Valid	1977	1977	2	0.02%	0.2%
	1978	1978	2	0.02%	0.2%
	1979	1979	1	0.008%	0.1%
	1980	1980	8	0.1%	0.7%
	1981	1981	4	0.03%	0.3%
	1982	1982	11	0.1%	0.9%
	1983	1983	9	0.1%	0.8%
	1984	1984	7	0.1%	0.6%
	1985	1985	15	0.1%	1.3%
	1986	1986	13	0.1%	1.1%
	1987	1987	4	0.0%	0.3%
	1988	1988	11	0.1%	0.9%
	1989	1989	7	0.1%	0.6%
	1990	1990	12	0.1%	1.0%
	1991	1991	8	0.1%	0.7%
	1992	1992	8	0.1%	0.7%
	1993	1993	14	0.1%	1.2%
	1994	1994	11	0.1%	0.9%
	1995	1995	19	0.2%	1.6%
	1996	1996	17	0.1%	1.4%
	1997	1997	17	0.1%	1.4%
	1998	1998	25	0.2%	2.1%
	1999	1999	24	0.2%	2.0%
	2000	2000	29	0.2%	2.4%
	2001	2001	43	0.3%	3.6%
	2002	2002	30	0.2%	2.5%
	2003	2003	30	0.2%	2.5%
	2004	2004	43	0.3%	3.6%
	2005	2005	36	0.3%	3.0%
	2006	2006	34	0.3%	2.9%
	2007	2007	36	0.3%	3.0%
	2008	2008	45	0.4%	3.8%
	2009	2009	47	0.4%	4.0%
	2010	2010	46	0.4%	3.9%
	2011	2011	50	0.4%	4.2%
	2012	2012	52	0.4%	4.4%
	2013	2013	72	0.6%	6.1%
	2014	2014	95	0.8%	8.0%
	2015	2015	83	0.7%	7.0%
	2016	2016	94	0.8%	7.9%
	2017	2017	63	0.5%	5.3%
	2018	2018	7	0.1%	0.6%

		Total	1,184	9.6%	100%
Missing	.	missing	277	2.3%	
	99997	legitimate skip	10,772	87.6%	
	99998	don't know	67	0.5%	
		Total	11,116	90.4%	

Valid	Invalid	Minimum	Maximum
1184	11116	1977	2018

H5WP6 - S11Q6 MOM FIG BIO OR OTHER-W5

Type	Code
Measurement Unit	Numeric
H5WP6	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. If you have more than one mother figure, choose the one who is most important to you. Q6. Would you say your mother figure was your biological mother or some other woman?
Logic	If Q6=2 or missing, go to Q7. If Q6=1 and Q4=1, go to Q13. Else, go to Q15.

			Frequency	% of total	% of valid
Valid	1	biological mother	10,778	87.6%	89.6%
	2	some other woman	1,094	8.9%	9.1%
	3	was not raised by a mother figure	162	1.3%	1.3%
		Total	12,034	97.8%	100%
Missing	.	missing	266	2.2%	
		Total	266	2.2%	

Valid	Invalid	Minimum	Maximum
12034	266	1	3

H5WP7 - S11Q7 MOM FIG RELATIONSHIP-W5

Type	Code
Measurement Unit	Numeric
H5WP7	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. If you have more than one mother figure, choose the one who is most important to you. Q7. What is this person's relationship to you?

			Frequency	% of total	% of valid
Valid	1	adoptive mother	282	2.3%	25.7%
	2	step-mother who adopted you	5	0.04%	0.5%
	3	step-mother	149	1.2%	13.6%

	4	foster mother	18	0.1%	1.6%
	5	grandmother	463	3.8%	42.2%
	6	aunt	95	0.8%	8.7%
	7	sister	20	0.2%	1.8%
	8	other female relative	18	0.1%	1.6%
	9	other female nonrelative	48	0.4%	4.4%
		Total	1,098	8.9%	100%
Missing	.	missing	275	2.2%	
	97	legitimate skip	10,927	88.8%	
		Total	11,202	91.1%	

Valid	Invalid	Minimum	Maximum
1098	11202	1	9

H5WP8 - S11Q8 MOM FIG TIME JAIL-W5

Type	Code
Measurement Unit	Numeric
H5WP8	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. If you have more than one mother figure, choose the one who is most important to you. Q8. Has your mother figure ever spent time in jail or prison?
Logic	If Q8=1, go to Q9. Else, go to Q11.

			Frequency	% of total	% of valid
Valid	0	no	1,037	8.4%	97.7%
	1	yes	24	0.2%	2.3%
		Total	1,061	8.6%	100%
Missing	.	missing	263	2.1%	
	97	legitimate skip	10,927	88.8%	
	98	don't know	49	0.4%	
		Total	11,239	91.4%	

Valid	Invalid	Minimum	Maximum
1061	11239	0	1

H5WP9 - S11Q9 KID AGE MOM FIG JAILED-W5

Type	Code
Measurement Unit	Numeric
H5WP9	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. If you were less than 1 year old, enter 0. Q9. How old were you the first time your mother figure went to jail or prison?
Logic	If Q8=1, go to Q10. Else, go to Q11.

			Frequency	% of total	% of valid
Valid	10	10 years old	4	0.03%	19.0%
	12	12 years old	1	0.008%	4.8%
	13	13 years old	2	0.02%	9.5%
	14	14 years old	1	0.008%	4.8%
	15	15 years old	1	0.008%	4.8%
	16	16 years old	1	0.008%	4.8%
	20	20 years old	2	0.02%	9.5%
	25	25 years old	1	0.008%	4.8%
	26	26 years old	1	0.02%	4.8%
	990	not yet born	7	0.1%	33.3%
		Total	21	0.2%	100%
Missing	.	missing	266	2.2%	
	997	legitimate skip	12,013	97.7%	
		Total	12,279	99.8%	

Valid	Invalid	Minimum	Maximum
21	12279	10	990

H5WP10 - S11Q10 KID AGE MOM FIG OUT JAIL-W5

Type	Code
Measurement Unit	Numeric
H5WP10	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. If you were less than 1 year old, enter 0. Q10. How old were you when your mother figure was released from jail or prison most recently?

			Frequency	% of total	% of valid
Valid	10	10 years old	4	0.03%	19.0%
	13	13 years old	2	0.02%	9.5%
	15	15 years old	2	0.02%	9.5%
	16	16 years old	1	0.008%	4.8%
	17	17 years old	1	0.008%	4.8%
	20	20 years old	2	0.02%	9.5%
	26	26 years old	1	0.008%	4.8%
	27	27 years old	1	0.008%	4.8%
	990	not yet born	7	0.1%	33.3%
		Total	21	0.2%	100%
Missing	.	missing	266	2.2%	
	997	legitimate skip	12,013	97.7%	
		Total	12,279	99.8%	

Valid	Invalid	Minimum	Maximum
21	12279	10	990

H5WP11 - S11Q11 MOM FIG STILL ALIVE-W5

Type	Code
Measurement Unit	Numeric
H5WP11	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. Q11. Is your mother figure still alive?
Logic	If Q11=0, go to Q12. If Q11=1, go to Q13. Else, go to Q15.

			Frequency	% of total	% of valid
Valid	0	no	411	3.3%	37.4%
	1	yes	689	5.6%	62.6%
		Total	1,100	8.9%	100%
Missing	.	missing	263	2.1%	
	97	legitimate skip	10,927	88.8%	
	98	don't know	10	0.1%	
		Total	11,200	91.1%	

Valid	Invalid	Minimum	Maximum
1100	11200	0	1

H5WP12M - S11Q12M MOM FIG DEATH-MON-W5

Type	Code
Measurement Unit	Numeric
H5WP12M	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. Q12M. In what month did your mother figure die?

			Frequency	% of total	% of valid
Valid	1	January	33	0.3%	9.9%
	2	February	29	0.2%	8.7%
	3	March	24	0.2%	7.2%
	4	April	28	0.2%	8.4%
	5	May	29	0.2%	8.7%
	6	June	29	0.2%	8.7%
	7	July	34	0.3%	10.1%
	8	August	25	0.2%	7.5%
	9	September	20	0.2%	6.0%
	10	October	27	0.2%	8.1%
	11	November	24	0.2%	7.2%
	12	December	33	0.3%	9.9%
		Total	335	2.7%	100%
Missing	.	missing	293	2.4%	
	997	legitimate skip	11,626	94.5%	
	998	don't know	46	0.4%	

		Total	11,965	97.3%	

Valid	Invalid	Minimum	Maximum
335	11965	1	12

H5WP12Y - S11Q12Y MOM FIG DEATH-YEAR-W5

Type	Code
Measurement Unit	Numeric
H5WP12Y	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. Q12Y. In what year did your mother figure die?
Logic	Go to Q15.

			Frequency	% of total	% of valid
Valid	1987	1987	2	0.02%	0.6%
	1988	1988	1	0.008%	0.3%
	1989	1989	2	0.02%	0.6%
	1990	1990	1	0.008%	0.3%
	1991	1991	1	0.008%	0.3%
	1992	1992	1	0.008%	0.3%
	1993	1993	5	0.04%	1.4%
	1994	1994	11	0.1%	3.1%
	1995	1995	5	0.0%	1.4%
	1996	1996	9	0.1%	2.5%
	1997	1997	4	0.0%	1.1%
	1998	1998	16	0.1%	4.5%
	1999	1999	12	0.1%	3.4%
	2000	2000	11	0.1%	3.1%
	2001	2001	10	0.1%	2.8%
	2002	2002	8	0.1%	2.2%
	2003	2003	14	0.1%	3.9%
	2004	2004	15	0.1%	4.2%
	2005	2005	11	0.1%	3.1%
	2006	2006	12	0.1%	3.4%
	2007	2007	14	0.1%	3.9%
	2008	2008	14	0.1%	3.9%
	2009	2009	15	0.1%	4.2%
	2010	2010	10	0.1%	2.8%
	2011	2011	22	0.2%	6.2%
	2012	2012	21	0.2%	5.9%
	2013	2013	16	0.1%	4.5%
	2014	2014	18	0.1%	5.0%
	2015	2015	29	0.2%	8.1%
	2016	2016	26	0.2%	7.3%
	2017	2017	16	0.1%	4.5%
	2018	2018	5	0.04%	1.4%
		Total	357	2.9%	100%

Missing	.	missing	271	2.2%	
	99997	legitimate skip	11,626	94.5%	
	99998	don't know	46	0.4%	
		Total	11,943	97.1%	

Valid	Invalid	Minimum	Maximum
357	11943	1987	2018

H5WP13 - S11Q13 MOM FIG FREQ COMMUN-W5

Type	Code
Measurement Unit	Numeric
H5WP13	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. Q13. How often do you and your mother figure see each other, talk on the telephone, exchange letters, exchange email, text message, or communicate via social media, such as Facebook?
Logic	If (Q4=1 AND Q6=1) OR If Q11=1, ask Q13.

			Frequency	% of total	% of valid
Valid	1	never	222	1.8%	2.1%
	2	once a year or less	127	1.0%	1.2%
	3	a few times a year	449	3.7%	4.3%
	4	once or twice a month	1,461	11.9%	14.0%
	5	once or twice a week	3,538	28.8%	33.9%
	6	almost every day	4,639	37.7%	44.5%
		Total	10,436	84.8%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	1,582	12.9%	
		Total	1,864	15.2%	

Valid	Invalid	Minimum	Maximum
10436	1864	1	6

H5WP14 - S11Q14 HOW CLOSE TO MOM FIG-W5

Type	Code
Measurement Unit	Numeric
H5WP14	We would like to know about the woman you feel raised you. This may be a step-mother, adoptive mother, grandmother, etc. Q14. How close do you feel to your mother figure?

			Frequency	% of total	% of valid
Valid	1	not at all close	344	2.8%	3.3%
	2	not very close	561	4.6%	5.4%
	3	somewhat close	1,892	15.4%	18.1%

	4	quite close	2,629	21.4%	25.2%
	5	very close	5,011	40.7%	48.0%
		Total	10,437	84.9%	100%
Missing	.	missing	281	2.3%	
	97	legitimate skip	1,582	12.9%	
		Total	1,863	15.1%	

Valid	Invalid	Minimum	Maximum
10437	1863	1	5

H5WP15 - S11Q15 BIO DAD TIME JAIL-W5

Type	Code
Measurement Unit	Numeric
H5WP15	Q15. Has your biological father ever spent time in jail or prison?
Logic	If Q15=1, go to Q16. Else, go to Q18.

			Frequency	% of total	% of valid
Valid	0	no	8,833	71.8%	84.4%
	1	yes	1,632	13.3%	15.6%
		Total	10,465	85.1%	100%
Missing	.	missing	259	2.1%	
	98	don't know	1,576	12.8%	
		Total	1,835	14.9%	

Valid	Invalid	Minimum	Maximum
10465	1835	0	1

H5WP16 - S11Q16 KID AGE BIO DAD JAILED-W5

Type	Code
Measurement Unit	Numeric
H5WP16	If you were less than 1 year old, enter 0. Q16. How old were you the first time your biological father went to jail or prison?

			Frequency	% of total	% of valid
Valid	0	less than 1 year old	138	1.1%	9.0%
	1	1 year old	54	0.4%	3.5%
	2	2 years old	55	0.4%	3.6%
	3	3 years old	55	0.4%	3.6%
	4	4 years old	34	0.3%	2.2%
	5	5 years old	109	0.9%	7.1%
	6	6 years old	48	0.4%	3.1%
	7	7 years old	49	0.4%	3.2%

	8	8 years old	55	0.4%	3.6%
	9	9 years old	34	0.3%	2.2%
	10	10 years old	91	0.7%	6.0%
	11	11 years old	22	0.2%	1.4%
	12	12 years old	52	0.4%	3.4%
	13	13 years old	42	0.3%	2.7%
	14	14 years old	23	0.2%	1.5%
	15	15 years old	40	0.3%	2.6%
	16	16 years old	37	0.3%	2.4%
	17	17 years old	35	0.3%	2.3%
	18	18 years old	19	0.2%	1.2%
	19	19 years old	9	0.1%	0.6%
	20	20 years old	22	0.2%	1.4%
	21	21 years old	15	0.1%	1.0%
	22	22 years old	14	0.1%	0.9%
	23	23 years old	16	0.1%	1.0%
	24	24 years old	8	0.1%	0.5%
	25	25 years old	16	0.1%	1.0%
	26	26 years old	7	0.1%	0.5%
	27	27 years old	8	0.1%	0.5%
	28	28 years old	5	0.04%	0.3%
	29	29 years old	3	0.02%	0.2%
	30	30 years old	20	0.2%	1.3%
	31	31 years old	2	0.02%	0.1%
	32	32 years old	2	0.02%	0.1%
	33	33 years old	3	0.02%	0.2%
	34	34 years old	10	0.1%	0.7%
	35	35 years old	7	0.1%	0.5%
	36	36 years old	4	0.03%	0.3%
	37	37 years old	2	0.02%	0.1%
	38	38 years old	4	0.03%	0.3%
	40	40 years old	1	0.008%	0.1%
	990	not yet born	359	2.9%	23.5%
		Total	1,529	12.4%	100%
Missing	.	missing	362	2.9%	
	997	legitimate skip	10,409	84.6%	
		Total	10,771	87.6%	

Valid	Invalid	Minimum	Maximum
1529	10771	0	990

H5WP17 - S11Q17 KID AGE BIO DAD OUT JAIL-W5

Type	Code
Measurement Unit	Numeric
H5WP17	If you were less than 1 year old, enter 0. Q17. How old were you when your biological father was released from jail or prison most recently?

			Frequency	% of total	% of valid
Valid	0	less than 1 year old	53	0.4%	3.6%
	1	1 year old	20	0.2%	1.3%
	2	2 years old	25	0.2%	1.7%
	3	3 years old	43	0.3%	2.9%
	4	4 years old	31	0.3%	2.1%
	5	5 years old	64	0.5%	4.3%
	6	6 years old	32	0.3%	2.2%
	7	7 years old	35	0.3%	2.4%
	8	8 years old	45	0.4%	3.0%
	9	9 years old	26	0.2%	1.7%
	10	10 years old	75	0.6%	5.0%
	11	11 years old	34	0.3%	2.3%
	12	12 years old	52	0.4%	3.5%
	13	13 years old	39	0.3%	2.6%
	14	14 years old	37	0.3%	2.5%
	15	15 years old	47	0.4%	3.2%
	16	16 years old	52	0.4%	3.5%
	17	17 years old	48	0.4%	3.2%
	18	18 years old	41	0.3%	2.8%
	19	19 years old	20	0.2%	1.3%
	20	20 years old	31	0.3%	2.1%
	21	21 years old	19	0.2%	1.3%
	22	22 years old	20	0.2%	1.3%
	23	23 years old	13	0.1%	0.9%
	24	24 years old	14	0.1%	0.9%
	25	25 years old	27	0.2%	1.8%
	26	26 years old	20	0.2%	1.3%
	27	27 years old	18	0.1%	1.2%
	28	28 years old	14	0.1%	0.9%
	29	29 years old	8	0.1%	0.5%
	30	30 years old	43	0.3%	2.9%
	31	31 years old	12	0.1%	0.8%
	32	32 years old	12	0.1%	0.8%
	33	33 years old	13	0.1%	0.9%
	34	34 years old	20	0.2%	1.3%
	35	35 years old	21	0.2%	1.4%
	36	36 years old	11	0.1%	0.7%
	37	37 years old	8	0.1%	0.5%
	38	38 years old	7	0.1%	0.5%
	39	39 years old	3	0.02%	0.2%
	40	40 years old	1	0.008%	0.1%
	41	41 years old	1	0.008%	0.1%
	990	not yet born	288	2.3%	19.4%
	991	parent currently in jail or prison	45	0.4%	3.0%
		Total	1,488	12.1%	100%
Missing	.	missing	403	3.3%	
	997	legitimate skip	10,409	84.6%	
		Total	10,812	87.9%	

Valid	Invalid	Minimum	Maximum
1488	10812	0	991

H5WP18 - S11Q18 BIO DAD STILL ALIVE-W5

Type	Code
Measurement Unit	Numeric
H5WP18	Q18. Is your biological father still alive?
Logic	If Q18=0, go to Q19M. Else, go to Q20.

			Frequency	% of total	% of valid
Valid	0	no	2,494	20.3%	21.9%
	1	yes	8,892	72.3%	78.1%
		Total	11,386	92.6%	100%
Missing	.	missing	265	2.2%	
	98	don't know	649	5.3%	
		Total	914	7.4%	

Valid	Invalid	Minimum	Maximum
11386	914	0	1

H5WP19M - S11Q19M BIO DAD DEATH MON-W5

Type	Code
Measurement Unit	Numeric
H5WP19M	Q19M. In what month did your biological father die?

			Frequency	% of total	% of valid
Valid	1	January	157	1.3%	7.6%
	2	February	150	1.2%	7.2%
	3	March	154	1.3%	7.4%
	4	April	187	1.5%	9.0%
	5	May	181	1.5%	8.7%
	6	June	196	1.6%	9.5%
	7	July	160	1.3%	7.7%
	8	August	200	1.6%	9.7%
	9	September	174	1.4%	8.4%
	10	October	160	1.3%	7.7%
	11	November	173	1.4%	8.3%
	12	December	180	1.5%	8.7%
		Total	2,072	16.8%	100%
Missing	.	missing	393	3.2%	
	997	legitimate skip	9,541	77.6%	
	998	don't know	294	2.4%	
		Total	10,228	83.2%	

Valid	Invalid	Minimum	Maximum
2072	10228	1	12

H5WP19Y - S11Q19Y BIO DAD DEATH YEAR-W5

Type	Code
Measurement Unit	Numeric
H5WP19Y	Q19Y. In what year did your biological father die?

			Frequency	% of total	% of valid
Valid	1976	1976	3	0.02%	0.1%
	1977	1977	3	0.02%	0.1%
	1978	1978	5	0.04%	0.2%
	1979	1979	6	0.05%	0.3%
	1980	1980	13	0.1%	0.6%
	1981	1981	13	0.1%	0.6%
	1982	1982	16	0.1%	0.7%
	1983	1983	18	0.1%	0.8%
	1984	1984	14	0.1%	0.6%
	1985	1985	13	0.1%	0.6%
	1986	1986	28	0.2%	1.3%
	1987	1987	15	0.1%	0.7%
	1988	1988	19	0.2%	0.9%
	1989	1989	32	0.3%	1.5%
	1990	1990	29	0.2%	1.3%
	1991	1991	46	0.4%	2.1%
	1992	1992	33	0.3%	1.5%
	1993	1993	26	0.2%	1.2%
	1994	1994	32	0.3%	1.5%
	1995	1995	43	0.3%	2.0%
	1996	1996	45	0.4%	2.1%
	1997	1997	40	0.3%	1.8%
	1998	1998	40	0.3%	1.8%
	1999	1999	44	0.4%	2.0%
	2000	2000	49	0.4%	2.2%
	2001	2001	64	0.5%	2.9%
	2002	2002	42	0.3%	1.9%
	2003	2003	60	0.5%	2.8%
	2004	2004	67	0.5%	3.1%
	2005	2005	67	0.5%	3.1%
	2006	2006	86	0.7%	3.9%
	2007	2007	71	0.6%	3.3%
	2008	2008	80	0.7%	3.7%
	2009	2009	91	0.7%	4.2%
	2010	2010	86	0.7%	3.9%
	2011	2011	97	0.8%	4.5%
	2012	2012	144	1.2%	6.6%
	2013	2013	108	0.9%	5.0%
	2014	2014	116	0.9%	5.3%

	2015	2015	140	1.1%	6.4%
	2016	2016	123	1.0%	5.6%
	2017	2017	90	0.7%	4.1%
	2018	2018	21	0.2%	1.0%
		Total	2,178	17.7%	100%
Missing	.	missing	287	2.3%	
	99997	legitimate skip	9,541	77.6%	
	99998	don't know	294	2.4%	
		Total	10,122	82.3%	

Valid	Invalid	Minimum	Maximum
2178	10122	1976	2018

H5WP20 - S11Q20 DAD FIG BIO OR OTHER-W5

Type	Code
Measurement Unit	Numeric
H5WP20	We would like to know about the man you feel raised you. This may be a step-father, adoptive father, grandfather, etc. If you have more than one father figure, choose the one who is most important to you. Q20. Would you say your father figure was your biological father or some other man?
Logic	If Q20=2 or is missing, go to Q21. If Q20=1 and Q18=1, go to Q27. Else, go to Q29.

			Frequency	% of total	% of valid
Valid	1	biological father	8,913	72.5%	74.1%
	2	some other man	1,992	16.2%	16.6%
	3	was not raised by a father figure	1,121	9.1%	9.3%
		Total	12,026	97.8%	100%
Missing	.	missing	274	2.2%	
		Total	274	2.2%	

Valid	Invalid	Minimum	Maximum
12026	274	1	3

H5WP21 - S11Q21 DAD FIG RELATIONSHIP-W5

Type	Code
Measurement Unit	Numeric
H5WP21	We would like to know about the man you feel raised you. This may be a step-father, adoptive father, grandfather, etc. If you have more than one father figure, choose the one who is most important to you. Q21. What is this person's relationship to you?

			Frequency	% of total	% of valid
Valid	1	adoptive father	334	2.7%	16.7%
	2	step-father who adopted you	138	1.1%	6.9%
	3	step-father	883	7.2%	44.2%
	4	foster father	12	0.1%	0.6%
	5	grandfather	376	3.1%	18.8%
	6	uncle	112	0.9%	5.6%
	7	brother	19	0.2%	1.0%
	8	other male relative	24	0.2%	1.2%
	9	other male nonrelative	102	0.8%	5.1%
		Total	2,000	16.3%	100%
Missing	.	missing	279	2.3%	
	97	legitimate skip	10,021	81.5%	
		Total	10,300	83.7%	

Valid	Invalid	Minimum	Maximum
2000	10300	1	9

H5WP22 - S11Q22 DAD FIG TIME JAIL-W5

Type	Code
Measurement Unit	Numeric
H5WP22	We would like to know about the man you feel raised you. This may be a step-father, adoptive father, grandfather, etc. If you have more than one father figure, choose the one who is most important to you. Q22. Has your father figure ever spent time in jail or prison?
Logic	If Q22=1, go to Q23. Else, go to Q25.

			Frequency	% of total	% of valid
Valid	0	no	1,606	13.1%	89.5%
	1	yes	188	1.5%	10.5%
		Total	1,794	14.6%	100%
Missing	.	missing	270	2.2%	
	97	legitimate skip	10,021	81.5%	
	98	don't know	215	1.7%	
		Total	10,506	85.4%	

Valid	Invalid	Minimum	Maximum
1794	10506	0	1

H5WP23 - S11Q23 KID AGE DAD FIG JAILED-W5

Type	Code
Measurement Unit	Numeric

H5WP23	We would like to know about the man you feel raised you. This may be a step-father, adoptive father, grandfather, etc. If you have more than one father figure, choose the one who is most important to you. If you were less than 1 year old, enter 0. Q23. How old were you the first time your father figure went to jail or prison?

			Frequency	% of total	% of valid
Valid	0	less than 1 year old	9	0.1%	5.1%
	1	1 year old	2	0.02%	1.1%
	2	2 years old	4	0.03%	2.3%
	3	3 years old	2	0.02%	1.1%
	4	4 years old	4	0.03%	2.3%
	5	5 years old	5	0.04%	2.8%
	6	6 years old	6	0.05%	3.4%
	7	7 years old	4	0.03%	2.3%
	8	8 years old	10	0.1%	5.7%
	9	9 years old	2	0.02%	1.1%
	10	10 years old	12	0.1%	6.8%
	11	11 years old	5	0.04%	2.8%
	12	12 years old	10	0.1%	5.7%
	13	13 years old	7	0.1%	4.0%
	14	14 years old	5	0.0%	2.8%
	15	15 years old	7	0.1%	4.0%
	16	16 years old	6	0.05%	3.4%
	17	17 years old	2	0.02%	1.1%
	18	18 years old	8	0.1%	4.5%
	19	19 years old	1	0.008%	0.6%
	21	21 years old	1	0.008%	0.6%
	22	22 years old	2	0.02%	1.1%
	23	23 years old	2	0.02%	1.1%
	24	24 years old	1	0.008%	0.6%
	25	25 years old	3	0.02%	1.7%
	29	29 years old	1	0.008%	0.6%
	30	30 years old	5	0.04%	2.8%
	32	32 years old	1	0.008%	0.6%
	35	35 years old	2	0.02%	1.1%
	36	36 years old	1	0.008%	0.6%
	38	38 years old	2	0.02%	1.1%
	990	not yet born	38	0.3%	21.6%
		Total	176	1.4%	100%
Missing	.	missing	282	2.3%	
	997	legitimate skip	11,842	96.3%	
		Total	12,124	98.6%	

Valid	Invalid	Minimum	Maximum
176	12124	0	990

H5WP24 - S11Q24 KID AGE DAD FIG OUT JAIL-W5

Type	Code
Measurement Unit	Numeric
H5WP24	If you were less than 1 year old, enter 0. Q24. How old were you when your father figure was released from jail or prison most recently?

			Frequency	% of total	% of valid
Valid	0	less than 1 year old	5	0.04%	2.9%
	1	1 year old	1	0.008%	0.6%
	2	2 years old	5	0.04%	2.9%
	3	3 years old	1	0.008%	0.6%
	4	4 years old	3	0.02%	1.8%
	5	5 years old	4	0.03%	2.4%
	6	6 years old	4	0.03%	2.4%
	7	7 years old	2	0.02%	1.2%
	8	8 years old	9	0.1%	5.3%
	9	9 years old	3	0.02%	1.8%
	10	10 years old	7	0.1%	4.1%
	11	11 years old	4	0.03%	2.4%
	12	12 years old	12	0.1%	7.1%
	13	13 years old	6	0.05%	3.5%
	14	14 years old	7	0.1%	4.1%
	15	15 years old	9	0.1%	5.3%
	16	16 years old	3	0.02%	1.8%
	17	17 years old	4	0.03%	2.4%
	18	18 years old	2	0.02%	1.2%
	19	19 years old	5	0.04%	2.9%
	21	21 years old	1	0.008%	0.6%
	22	22 years old	3	0.02%	1.8%
	23	23 years old	5	0.04%	2.9%
	24	24 years old	2	0.02%	1.2%
	25	25 years old	2	0.02%	1.2%
	26	26 years old	2	0.02%	1.2%
	30	30 years old	6	0.05%	3.5%
	33	33 years old	3	0.02%	1.8%
	34	34 years old	2	0.02%	1.2%
	35	35 years old	4	0.03%	2.4%
	36	36 years old	2	0.02%	1.2%
	37	37 years old	1	0.008%	0.6%
	38	38 years old	2	0.02%	1.2%
	990	not yet born	32	0.3%	18.8%
	991	parent currently in jail or prison	5	0.04%	2.9%
		Total	170	1.4%	100%
Missing	.	missing	288	2.3%	
	997	legitimate skip	11,842	96.3%	
		Total	12,130	98.6%	

Valid	Invalid	Minimum	Maximum
170	12130	0	991

H5WP25 - S11Q25 DAD FIG STILL ALIVE-W5

Type	Code
Measurement Unit	Numeric
H5WP25	Q25. Is your father figure still alive?
Logic	If Q25=0, go to Q26M. If Q25=1, go to Q27. Else, go to Q29.

			Frequency	% of total	% of valid
Valid	0	no	629	5.1%	31.8%
	1	yes	1,347	11.0%	68.2%
		Total	1,976	16.1%	100%
Missing	.	missing	271	2.2%	
	97	legitimate skip	10,021	81.5%	
	98	don't know	32	0.3%	
		Total	10,324	83.9%	

Valid	Invalid	Minimum	Maximum
1976	10324	0	1

H5WP26M - S11Q26M DAD FIG DEATH-MON-W5

Type	Code
Measurement Unit	Numeric
H5WP26M	Q26M. In what month did your father figure die?

			Frequency	% of total	% of valid
Valid	1	January	33	0.3%	6.5%
	2	February	37	0.3%	7.3%
	3	March	36	0.3%	7.1%
	4	April	35	0.3%	6.9%
	5	May	52	0.4%	10.2%
	6	June	51	0.4%	10.0%
	7	July	38	0.3%	7.5%
	8	August	42	0.3%	8.2%
	9	September	31	0.3%	6.1%
	10	October	51	0.4%	10.0%
	11	November	45	0.4%	8.8%
	12	December	59	0.5%	11.6%
		Total	510	4.1%	100%
Missing	.	missing	315	2.6%	
	997	legitimate skip	11,400	92.7%	
	998	don't know	75	0.6%	
		Total	11,790	95.9%	

Valid	Invalid	Minimum	Maximum
510	11790	1	12

H5WP26Y - S11Q26Y DAD FIG DEATH-YEAR-W5

Type	Code
Measurement Unit	Numeric
H5WP26Y	Q26Y. In what year did your father figure die?
Logic	Go to Q29.

			Frequency	% of total	% of valid
Valid	1984	1984	1	0.008%	0.2%
	1985	1985	3	0.02%	0.6%
	1986	1986	1	0.008%	0.2%
	1987	1987	2	0.02%	0.4%
	1988	1988	3	0.02%	0.6%
	1989	1989	5	0.04%	0.9%
	1990	1990	4	0.03%	0.7%
	1991	1991	10	0.1%	1.8%
	1992	1992	8	0.1%	1.5%
	1993	1993	9	0.1%	1.7%
	1994	1994	13	0.1%	2.4%
	1995	1995	13	0.1%	2.4%
	1996	1996	18	0.1%	3.3%
	1997	1997	16	0.1%	2.9%
	1998	1998	14	0.1%	2.6%
	1999	1999	22	0.2%	4.0%
	2000	2000	20	0.2%	3.7%
	2001	2001	15	0.1%	2.8%
	2002	2002	13	0.1%	2.4%
	2003	2003	25	0.2%	4.6%
	2004	2004	21	0.2%	3.9%
	2005	2005	17	0.1%	3.1%
	2006	2006	18	0.1%	3.3%
	2007	2007	16	0.1%	2.9%
	2008	2008	21	0.2%	3.9%
	2009	2009	20	0.2%	3.7%
	2010	2010	31	0.3%	5.7%
	2011	2011	21	0.2%	3.9%
	2012	2012	19	0.2%	3.5%
	2013	2013	24	0.2%	4.4%
	2014	2014	35	0.3%	6.4%
	2015	2015	35	0.3%	6.4%
	2016	2016	26	0.2%	4.8%
	2017	2017	21	0.2%	3.9%
	2018	2018	5	0.04%	0.9%
		Total	545	4.4%	100%

Missing	.	missing	280	2.3%	
	99997	legitimate skip	11,400	92.7%	
	99998	don't know	75	0.6%	
		Total	11,755	95.6%	

Valid	Invalid	Minimum	Maximum
545	11755	1984	2018

H5WP27 - S11Q27 DAD FIG FREQ COMMUN-W5

Type	Code
Measurement Unit	Numeric
H5WP27	Q27. How often do you and your father figure see each other, talk on the telephone, exchange letters, exchange email, text message, or communicate via social media, such as Facebook?

			Frequency	% of total	% of valid
Valid	1	never	349	2.8%	4.1%
	2	once a year or less	235	1.9%	2.7%
	3	a few times a year	791	6.4%	9.2%
	4	once or twice a month	2,028	16.5%	23.6%
	5	once or twice a week	2,994	24.3%	34.8%
	6	almost every day	2,195	17.8%	25.5%
		Total	8,592	69.9%	100%
Missing	.	missing	275	2.2%	
	97	legitimate skip	3,433	27.9%	
		Total	3,708	30.1%	

Valid	Invalid	Minimum	Maximum
8592	3708	1	6

H5WP28 - S11Q28 HOW CLOSE TO DAD FIG-W5

Type	Code
Measurement Unit	Numeric
H5WP28	Q28. How close do you feel to your father figure?

			Frequency	% of total	% of valid
Valid	1	not at all close	494	4.0%	5.7%
	2	not very close	757	6.2%	8.8%
	3	somewhat close	2,089	17.0%	24.3%
	4	quite close	2,322	18.9%	27.0%
	5	very close	2,930	23.8%	34.1%
		Total	8,592	69.9%	100%
Missing	.	missing	275	2.2%	

	97	legitimate skip	3,433	27.9%	
		Total	3,708	30.1%	

Valid	Invalid	Minimum	Maximum
8592	3708	1	5

H5WP29 - S11Q29 PARENT PAID LVG EXP-W5

Type	Code
Measurement Unit	Numeric
H5WP29	Q29. How many times has a parent or parent figure paid your living expenses or given you $50 or more to pay living expenses during the past 12 months?

			Frequency	% of total	% of valid
Valid	1	never	9,112	74.1%	75.8%
	2	1 or 2 times	1,549	12.6%	12.9%
	3	3 or 4 times	527	4.3%	4.4%
	4	5 or more times	827	6.7%	6.9%
		Total	12,015	97.7%	100%
Missing	.	missing	285	2.3%	
		Total	285	2.3%	

Valid	Invalid	Minimum	Maximum
12015	285	1	4

H5WP30 - S11Q30 PAID PARENT LVG EXP-W5

Type	Code
Measurement Unit	Numeric
H5WP30	Q30. How many times have you paid a parent or parent figure's living expenses or given him or her more than $50 to pay living expenses during the past 12 months?

			Frequency	% of total	% of valid
Valid	1	never	8,885	72.2%	74.2%
	2	1 or 2 times	1,610	13.1%	13.4%
	3	3 or 4 times	519	4.2%	4.3%
	4	5 or more times	957	7.8%	8.0%
		Total	11,971	97.3%	100%
Missing	.	missing	329	2.7%	
		Total	329	2.7%	

Valid	Invalid	Minimum	Maximum
11971	329	1	4

H5WP31 - S11Q31 NO SIBS ALIVE/DEAD-W5

Type	Code
Measurement Unit	Numeric
H5WP31	These next questions are about your siblings. Q31. Do you have any siblings, either living or deceased? Include biologically related, adoptive, and step-brothers or sisters?
Logic	If Q31=1, ask Q32. Else, go to Section 12: Religion and Spirituality.

			Frequency	% of total	% of valid
Valid	0	no	709	5.8%	5.9%
	1	yes	11,212	91.2%	94.1%
		Total	11,921	96.9%	100%
Missing	.	missing	282	2.3%	
	98	don't know	97	0.8%	
		Total	379	3.1%	

Valid	Invalid	Minimum	Maximum
11921	379	0	1

H5WP32 - S11Q32 HAVE SIBS, LVG/DEAD-W5

Type	Code
Measurement Unit	Numeric
H5WP32	These next questions are about your siblings. Q32. How many brothers and sisters do you have, both living and deceased?

			Frequency	% of total	% of valid
Valid	0	no siblings	2	0.02%	0.02%
	1	1 sibling	3,183	25.9%	28.4%
	2	2 siblings	3,151	25.6%	28.1%
	3	3 siblings	2,080	16.9%	18.6%
	4	4 siblings	1,137	9.2%	10.2%
	5	5 siblings	646	5.3%	5.8%
	6	6 siblings	374	3.0%	3.3%
	7	7 siblings	228	1.9%	2.0%
	8	8 siblings	146	1.2%	1.3%
	9	9 siblings	87	0.7%	0.8%
	10	10 siblings	69	0.6%	0.6%
	11	11 siblings	30	0.2%	0.3%
	12	12 siblings	22	0.2%	0.2%
	13	13 siblings	12	0.1%	0.1%
	14	14 siblings	6	0.05%	0.1%
	15	15 siblings	9	0.1%	0.1%
	16	16 siblings	5	0.04%	0.04%
	17	17 siblings	5	0.04%	0.04%
	18	18 siblings	1	0.008%	0.009%

	19	19 siblings	2	0.02%	0.02%
	20	20 siblings	1	0.008%	0.009%
	21	21 siblings	1	0.008%	0.009%
	25	25 siblings	1	0.008%	0.009%
	27	27 siblings	1	0.008%	0.009%
	30	30 siblings	2	0.02%	0.02%
		Total	11,201	91.1%	100%
Missing	.	missing	293	2.4%	
	997	legitimate skip	806	6.6%	
		Total	1,099	8.9%	

Valid	Invalid	Minimum	Maximum
11201	1099	0	30

H5WP33 - S11Q33 # DECEASED SIBS-W5

Type	Code
Measurement Unit	Numeric
H5WP33	These next questions are about your siblings. Q33. How many of those siblings have died?
Logic	If Q33 ge 1, go to Q34. Else, go to Section 12: Religion and Spirituality.

			Frequency	% of total	% of valid
Valid	0	0 siblings	9,838	80.0%	88.8%
	1	1 sibling	1,018	8.3%	9.2%
	2	2 siblings	159	1.3%	1.4%
	3	3 siblings	39	0.3%	0.4%
	4	4 siblings	10	0.1%	0.1%
	5	5 siblings	5	0.04%	0.05%
	6	6 siblings	1	0.008%	0.009%
	7	7 siblings	2	0.02%	0.02%
	9	9 siblings	1	0.008%	0.009%
	10	10 siblings	1	0.008%	0.009%
	11	11 siblings	2	0.02%	0.02%
		Total	11,076	90.0%	100%
Missing	.	missing	343	2.8%	
	997	legitimate skip	806	6.6%	
	998	don't know	75	0.6%	
		Total	1,224	10.0%	

Valid	Invalid	Minimum	Maximum
11076	1224	0	11

H5WP34 - S11Q34 SIBS DIED PAST 12 MO-W5

Type	Code

Measurement Unit	Numeric
H5WP34	These next questions are about your siblings. Q34. Have any of those siblings died in the past 12 months?

			Frequency	% of total	% of valid
Valid	0	no	1,156	9.4%	93.4%
	1	yes	82	0.7%	6.6%
		Total	1,238	10.1%	100%
Missing	.	missing	343	2.8%	
	97	legitimate skip	10,719	87.1%	
		Total	11,062	89.9%	

Valid	Invalid	Minimum	Maximum
1238	11062	0	1

Return to Table of Contents

Wave V, Section 12: Religion and Spirituality

Title	Wave V, Section 12: Religion and Spirituality
File Name	wave5.xpt
Case Quantity	12300
Variable Count	4

H5RE1 - S12Q1 WHAT IS YOUR PRESENT RELIGION-W5

Type	Code
Measurement Unit	Numeric
H5RE1	The next questions are about religious beliefs and practices. Q1. What is your present religion?

			Frequency	% of total	% of valid
Valid	1	none/atheist/agnostic	2,570	20.9%	21.4%
	2	Protestant (such as Assembly of God, Baptist, Lutheran, Methodist, Presbyterian, etc.)	3,313	26.9%	27.6%
	3	Catholic	2,174	17.7%	18.1%
	4	other Christian	2,800	22.8%	23.3%
	5	Jewish	92	0.7%	0.8%
	6	Buddhist	78	0.6%	0.7%
	7	Hindu	15	0.1%	0.1%
	8	Muslim	39	0.3%	0.3%
	9	other	915	7.4%	7.6%
		Total	11,996	97.5%	100%
Missing	.	missing	304	2.5%	
		Total	304	2.5%	

Valid	Invalid	Minimum	Maximum
11996	304	1	9

H5RE2 - S12Q2 FREQ ATTEND RELIG SVS-W5

Type	Code
Measurement Unit	Numeric
H5RE2	The next questions are about religious beliefs and practices. Q2. How often have you attended church, synagogue, temple, mosque, or religious services in the past 12 months?

			Frequency	% of total	% of valid
Valid	1	never	4,591	37.3%	38.2%
	2	a few times	3,545	28.8%	29.5%
	3	once a month	700	5.7%	5.8%

	4	2 or 3 times a month	1,107	9.0%	9.2%
	5	once a week	1,367	11.1%	11.4%
	6	more than once a week	709	5.8%	5.9%
		Total	12,019	97.7%	100%
Missing	.	missing	281	2.3%	
		Total	281	2.3%	

Valid	Invalid	Minimum	Maximum
12019	281	1	6

H5RE3 - S12Q3 HOW IMPORT RELIG FAITH-W5

Type	Code
Measurement Unit	Numeric
H5RE3	The next questions are about religious beliefs and practices. Q3. How important (if at all) is your religious faith to you?

			Frequency	% of total	% of valid
Valid	1	not important	2,609	21.2%	21.7%
	2	somewhat important	3,378	27.5%	28.1%
	3	very important	4,283	34.8%	35.7%
	4	more important than anything else	1,742	14.2%	14.5%
		Total	12,012	97.7%	100%
Missing	.	missing	288	2.3%	
		Total	288	2.3%	

Valid	Invalid	Minimum	Maximum
12012	288	1	4

H5RE4 - S12Q4 HOW OFTEN PRIVATE PRAY-W5;

Type	Code
Measurement Unit	Numeric
H5RE4	The next questions are about religious beliefs and practices. Q4. How often do you pray privately, that is, when you are alone in places other than a church, synagogue, temple, mosque, or religious assembly?

			Frequency	% of total	% of valid
Valid	1	never	2,428	19.7%	20.2%
	2	less than once a month	1,330	10.8%	11.1%
	3	once a month	505	4.1%	4.2%
	4	a few times a month	1,201	9.8%	10.0%
	5	once a week	418	3.4%	3.5%
	6	a few times a week	1,793	14.6%	14.9%

	7	once a day	1,940	15.8%	16.2%
	8	more than once a day	2,389	19.4%	19.9%
		Total	12,004	97.6%	100%
Missing	.	missing	296	2.4%	
		Total	296	2.4%	

Valid	Invalid	Minimum	Maximum
12004	296	1	8

Return to Table of Contents

Wave V, Section 13: Feelings and Experiences

Title	Wave V, Section 13: Feelings and Experiences
File Name	wave5.xpt
Case Quantity	12300
Variable Count	30

H5MN1 - S13Q1 LAST MO NO CNTRL IMPORT THINGS-W5

Type	Code
Measurement Unit	Numeric
H5MN1	This section asks questions about how you feel. Q1. In the past 30 days, how often have you felt that you were unable to control the important things in your life?

			Frequency	% of total	% of valid
Valid	1	never	2,600	21.1%	21.6%
	2	almost never	3,615	29.4%	30.1%
	3	sometimes	4,243	34.5%	35.3%
	4	fairly often	1,078	8.8%	9.0%
	5	very often	484	3.9%	4.0%
		Total	12,020	97.7%	100%
Missing	.	missing	280	2.3%	
		Total	280	2.3%	

Valid	Invalid	Minimum	Maximum
12020	280	1	5

H5MN2 - S13Q2 LAST MO CONFID HANDLE PERS PBMS-W5

Type	Code
Measurement Unit	Numeric
H5MN2	Q2. In the past 30 days, how often have you felt confident in your ability to handle your personal problems?

			Frequency	% of total	% of valid
Valid	1	never	238	1.9%	2.0%
	2	almost never	422	3.4%	3.5%
	3	sometimes	2,386	19.4%	19.9%
	4	fairly often	4,363	35.5%	36.3%
	5	very often	4,608	37.5%	38.3%
		Total	12,017	97.7%	100%
Missing	.	missing	283	2.3%	
		Total	283	2.3%	

Valid	Invalid	Minimum	Maximum
12017	283	1	5

H5MN3 - S13Q3 LAST MO FELT THINGS GO YOUR WAY-W5

Type	Code
Measurement Unit	Numeric
H5MN3	Q3. In the past 30 days, how often have you felt that things were going your way?

			Frequency	% of total	% of valid
Valid	1	never	228	1.9%	1.9%
	2	almost never	801	6.5%	6.7%
	3	sometimes	4,212	34.2%	35.1%
	4	fairly often	4,799	39.0%	40.0%
	5	very often	1,948	15.8%	16.2%
		Total	11,988	97.5%	100%
Missing	.	missing	312	2.5%	
		Total	312	2.5%	

Valid	Invalid	Minimum	Maximum
11988	312	1	5

H5MN4 - S13Q4 LAST MO DIFFS OVERWHELM-W5

Type	Code
Measurement Unit	Numeric
H5MN4	Q4. In the past 30 days, how often have you felt that difficulties were piling up so high that you could not overcome them?

			Frequency	% of total	% of valid
Valid	1	never	3,031	24.6%	25.3%
	2	almost never	4,260	34.6%	35.5%
	3	sometimes	3,485	28.3%	29.1%
	4	fairly often	850	6.9%	7.1%
	5	very often	363	3.0%	3.0%
		Total	11,989	97.5%	100%
Missing	.	missing	311	2.5%	
		Total	311	2.5%	

Valid	Invalid	Minimum	Maximum
11989	311	1	5

H5MN5A - S13Q5A TREATED LESS COURTSY RESPECT-W5

Type	Code
Measurement Unit	Numeric
H5MN5A	In your day-to-day life, how often have any of the following things happened to you? Q5A. You are treated with less courtesy or respect than other people.
Logic	If Q5A>1 or Q5B>1 or Q5C>1 or Q5D >1 or Q5E>1 go to Q6A. Else go to Q7.

			Frequency	% of total	% of valid
Valid	1	never	3,344	27.2%	27.9%
	2	rarely	5,318	43.2%	44.3%
	3	sometimes	2,741	22.3%	22.8%
	4	often	594	4.8%	5.0%
		Total	11,997	97.5%	100%
Missing	.	missing	303	2.5%	
		Total	303	2.5%	

Valid	Invalid	Minimum	Maximum
11997	303	1	4

H5MN5B - S13Q5B GET POORER SVS THAN OTHERS-W5

Type	Code
Measurement Unit	Numeric
H5MN5B	In your day-to-day life, how often have any of the following things happened to you? Q5B. You receive poorer service than other people at restaurants or stores.
Logic	If Q5A>1 or Q5B>1 or Q5C>1 or Q5D >1 or Q5E>1 go to Q6A. Else go to Q7.

			Frequency	% of total	% of valid
Valid	1	never	5,470	44.5%	45.6%
	2	rarely	4,867	39.6%	40.6%
	3	sometimes	1,504	12.2%	12.5%
	4	often	151	1.2%	1.3%
		Total	11,992	97.5%	100%
Missing	.	missing	308	2.5%	
		Total	308	2.5%	

Valid	Invalid	Minimum	Maximum
11992	308	1	4

H5MN5C - S13Q5C THINK YOU NOT SMART-W5

Type	Code

Measurement Unit	Numeric
H5MN5C	In your day-to-day life, how often have any of the following things happened to you? Q5C. People act as if they think you are not smart.
Logic	If Q5A>1 or Q5B>1 or Q5C>1 or Q5D >1 or Q5E>1 go to Q6A. Else go to Q7.

			Frequency	% of total	% of valid
Valid	1	never	5,399	43.9%	45.0%
	2	rarely	4,345	35.3%	36.2%
	3	sometimes	1,881	15.3%	15.7%
	4	often	369	3.0%	3.1%
		Total	11,994	97.5%	100%
Missing	.	missing	306	2.5%	
		Total	306	2.5%	

Valid	Invalid	Minimum	Maximum
11994	306	1	4

H5MN5D - S13Q5D ACT AFRAID OF YOU-W5

Type	Code
Measurement Unit	Numeric
H5MN5D	In your day-to-day life, how often have any of the following things happened to you? Q5D. People act as if they are afraid of you.
Logic	If Q5A>1 or Q5B>1 or Q5C>1 or Q5D >1 or Q5E>1 go to Q6A. Else go to Q7.

			Frequency	% of total	% of valid
Valid	1	never	6,775	55.1%	56.5%
	2	rarely	3,292	26.8%	27.5%
	3	sometimes	1,677	13.6%	14.0%
	4	often	245	2.0%	2.0%
		Total	11,989	97.5%	100%
Missing	.	missing	311	2.5%	
		Total	311	2.5%	

Valid	Invalid	Minimum	Maximum
11989	311	1	4

H5MN5E - S13Q5E ARE THREATENED HARRASSED-W5

Type	Code
Measurement Unit	Numeric

H5MN5E	In your day-to-day life, how often have any of the following things happened to you? Q5E. You are threatened or harassed.
Logic	If Q5A>1 or Q5B>1 or Q5C>1 or Q5D >1 or Q5E>1 go to Q6A. Else go to Q7.

			Frequency	% of total	% of valid
Valid	1	never	8,888	72.3%	74.0%
	2	rarely	2,472	20.1%	20.6%
	3	sometimes	545	4.4%	4.5%
	4	often	104	0.8%	0.9%
		Total	12,009	97.6%	100%
Missing	.	missing	291	2.4%	
		Total	291	2.4%	

Valid	Invalid	Minimum	Maximum
12009	291	1	4

H5MN6A - S13Q6A REASON: ANCEST-NAT ORIG-W5

Type	Code
Measurement Unit	Numeric
H5MN6A	What do you think were the reasons why these experiences happened to you? Q6A. Your ancestry or national origin

			Frequency	% of total	% of valid
Valid	0	no	7,981	64.9%	81.9%
	1	yes	1,767	14.4%	18.1%
		Total	9,748	79.3%	100%
Missing	.	missing	625	5.1%	
	97	legitimate skip	1,927	15.7%	
		Total	2,552	20.7%	

Valid	Invalid	Minimum	Maximum
9748	2552	0	1

H5MN6B - S13Q6B REASON: BIOLOGICAL SEX-W5

Type	Code
Measurement Unit	Numeric
H5MN6B	What do you think were the reasons why these experiences happened to you? Q6B. Your Biological sex

			Frequency	% of total	% of valid
Valid	0	no	7,491	60.9%	76.8%
	1	yes	2,265	18.4%	23.2%
		Total	9,756	79.3%	100%
Missing	.	missing	617	5.0%	
	97	legitimate skip	1,927	15.7%	
		Total	2,544	20.7%	

Valid	Invalid	Minimum	Maximum
9756	2544	0	1

H5MN6C - S13Q6C REASON: GENDER IDENT-W5

Type	Code
Measurement Unit	Numeric
H5MN6C	What do you think were the reasons why these experiences happened to you? Q6C. Your gender identity or gender expression

			Frequency	% of total	% of valid
Valid	0	no	8,799	71.5%	90.7%
	1	yes	906	7.4%	9.3%
		Total	9,705	78.9%	100%
Missing	.	missing	668	5.4%	
	97	legitimate skip	1,927	15.7%	
		Total	2,595	21.1%	

Valid	Invalid	Minimum	Maximum
9705	2595	0	1

H5MN6D - S13Q6D REASON: RACE-W5

Type	Code
Measurement Unit	Numeric
H5MN6D	What do you think were the reasons why these experiences happened to you? Q6D. Your race

			Frequency	% of total	% of valid
Valid	0	no	6,996	56.9%	71.7%
	1	yes	2,758	22.4%	28.3%
		Total	9,754	79.3%	100%
Missing	.	missing	619	5.0%	
	97	legitimate skip	1,927	15.7%	

		Total	2,546	20.7%	

Valid	Invalid	Minimum	Maximum
9754	2546	0	1

H5MN6E - S13Q6E REASON: AGE-W5

Type	Code
Measurement Unit	Numeric
H5MN6E	What do you think were the reasons why these experiences happened to you? Q6E. Your age

			Frequency	% of total	% of valid
Valid	0	no	7,986	64.9%	82.0%
	1	yes	1,752	14.2%	18.0%
		Total	9,738	79.2%	100%
Missing	.	missing	635	5.2%	
	97	legitimate skip	1,927	15.7%	
		Total	2,562	20.8%	

Valid	Invalid	Minimum	Maximum
9738	2562	0	1

H5MN6F - S13Q6F REASON: RELIGION-W5

Type	Code
Measurement Unit	Numeric
H5MN6F	What do you think were the reasons why these experiences happened to you? Q6F. Your religion

			Frequency	% of total	% of valid
Valid	0	no	9,222	75.0%	95.0%
	1	yes	481	3.9%	5.0%
		Total	9,703	78.9%	100%
Missing	.	missing	670	5.4%	
	97	legitimate skip	1,927	15.7%	
		Total	2,597	21.1%	

Valid	Invalid	Minimum	Maximum
9703	2597	0	1

H5MN6G - S13Q6G REASON: WEIGHT-W5

Type	Code
Measurement Unit	Numeric
H5MN6G	What do you think were the reasons why these experiences happened to you? Q6G. Your weight

			Frequency	% of total	% of valid
Valid	0	no	8,222	66.8%	84.7%
	1	yes	1,488	12.1%	15.3%
		Total	9,710	78.9%	100%
Missing	.	missing	663	5.4%	
	97	legitimate skip	1,927	15.7%	
		Total	2,590	21.1%	

Valid	Invalid	Minimum	Maximum
9710	2590	0	1

H5MN6H - S13Q6H REASON: PHYS DISABILITY-W5

Type	Code
Measurement Unit	Numeric
H5MN6H	What do you think were the reasons why these experiences happened to you? Q6H. A physical disability

			Frequency	% of total	% of valid
Valid	0	no	9,350	76.0%	96.6%
	1	yes	327	2.7%	3.4%
		Total	9,677	78.7%	100%
Missing	.	missing	696	5.7%	
	97	legitimate skip	1,927	15.7%	
		Total	2,623	21.3%	

Valid	Invalid	Minimum	Maximum
9677	2623	0	1

H5MN6I - S13Q6I REASON: PHYS APPEARANCE-W5

Type	Code
Measurement Unit	Numeric
H5MN6I	What do you think were the reasons why these experiences happened to you? Q6I. An aspect of your physical appearance

			Frequency	% of total	% of valid
Valid	0	no	7,588	61.7%	77.9%
	1	yes	2,152	17.5%	22.1%
		Total	9,740	79.2%	100%
Missing	.	missing	633	5.1%	
	97	legitimate skip	1,927	15.7%	
		Total	2,560	20.8%	

Valid	Invalid	Minimum	Maximum
9740	2560	0	1

H5MN6J - S13Q6J REASON: SEXUAL ORIENT-W5

Type	Code
Measurement Unit	Numeric
H5MN6J	What do you think were the reasons why these experiences happened to you? Q6J. Your sexual orientation

			Frequency	% of total	% of valid
Valid	0	no	9,285	75.5%	95.9%
	1	yes	394	3.2%	4.1%
		Total	9,679	78.7%	100%
Missing	.	missing	694	5.6%	
	97	legitimate skip	1,927	15.7%	
		Total	2,621	21.3%	

Valid	Invalid	Minimum	Maximum
9679	2621	0	1

H5MN6K - S13Q6K REASON: FIN STATUS-W5

Type	Code
Measurement Unit	Numeric
H5MN6K	What do you think were the reasons why these experiences happened to you? Q6K. Your financial status

			Frequency	% of total	% of valid
Valid	0	no	7,931	64.5%	81.4%
	1	yes	1,807	14.7%	18.6%
		Total	9,738	79.2%	100%
Missing	.	missing	635	5.2%	

	97	legitimate skip	1,927	15.7%	
		Total	2,562	20.8%	

Valid	Invalid	Minimum	Maximum
9738	2562	0	1

H5MN6L - S13Q6L REASON: OTHS ATT/PERSONALITY-W5

Type	Code
Measurement Unit	Numeric
H5MN6L	What do you think were the reasons why these experiences happened to you? Q6L. Attitude/personality of others

			Frequency	% of total	% of valid
Valid	0	no	7,080	57.6%	95.5%
	1	yes	334	2.7%	4.5%
		Total	7,414	60.3%	100%
Missing	.	missing	2,959	24.1%	
	97	legitimate skip	1,927	15.7%	
		Total	4,886	39.7%	

Valid	Invalid	Minimum	Maximum
7414	4886	0	1

H5MN6M - S13Q6M REASON: YOUR OCCUPATION-W5

Type	Code
Measurement Unit	Numeric
H5MN6M	What do you think were the reasons why these experiences happened to you? Q6M. Your occupation

			Frequency	% of total	% of valid
Valid	0	no	7,080	57.6%	95.6%
	1	yes	329	2.7%	4.4%
		Total	7,409	60.2%	100%
Missing	.	missing	2,964	24.1%	
	97	legitimate skip	1,927	15.7%	
		Total	4,891	39.8%	

Valid	Invalid	Minimum	Maximum
7409	4891	0	1

H5MN6N - S13Q6N REASON: YOUR ATT/PERSONALITY-W5

Type	Code
Measurement Unit	Numeric
H5MN6N	What do you think were the reasons why these experiences happened to you? Q6N. Your attitude/personality

			Frequency	% of total	% of valid
Valid	0	no	7,080	57.6%	97.2%
	1	yes	201	1.6%	2.8%
		Total	7,281	59.2%	100%
Missing	.	missing	3,092	25.1%	
	97	legitimate skip	1,927	15.7%	
		Total	5,019	40.8%	

Valid	Invalid	Minimum	Maximum
7281	5019	0	1

H5MN6O - S13Q6O SPECIFY OTHER REASON-W5

Type	Code
Measurement Unit	Numeric
H5MN6O	What do you think were the reasons why these experiences happened to you? Q6O. Other

			Frequency	% of total	% of valid
Valid	0	no	7,107	57.8%	95.1%
	1	yes	365	3.0%	4.9%
		Total	7,472	60.7%	100%
Missing	.	missing	2,901	23.6%	
	97	legitimate skip	1,927	15.7%	
		Total	4,828	39.3%	

Valid	Invalid	Minimum	Maximum
7472	4828	0	1

H5MN7 - S13Q7 UNFAIR COP STOP SRCH-W5

Type	Code
Measurement Unit	Numeric
H5MN7	Q7. Have you ever been unfairly stopped, searched, or questioned by the police?

			Frequency	% of total	% of valid
Valid	0	no	9,540	77.6%	79.4%
	1	yes	2,478	20.1%	20.6%
		Total	12,018	97.7%	100%
Missing	.	missing	282	2.3%	
		Total	282	2.3%	

Valid	Invalid	Minimum	Maximum
12018	282	0	1

H5MN8 - S13Q8 SERIOUSLY THINK SUICIDE PAST YR-W5

Type	Code
Measurement Unit	Numeric
H5MN8	These next questions are about suicide. They refer to the past 12 months. Q8. During the past 12 months, have you ever seriously thought about committing suicide?

			Frequency	% of total	% of valid
Valid	0	no	11,236	91.3%	93.5%
	1	yes	784	6.4%	6.5%
		Total	12,020	97.7%	100%
Missing	.	missing	280	2.3%	
		Total	280	2.3%	

Valid	Invalid	Minimum	Maximum
12020	280	0	1

H5MN9 - S13Q9 PAST YEAR TRY SUICIDE-W5

Type	Code
Measurement Unit	Numeric
H5MN9	These next questions are about suicide. They refer to the past 12 months. Q9. During the past 12 months, how many times have you actually attempted suicide?
Logic	If Q9=2-5, go to Q10. Else, go to Q11.

			Frequency	% of total	% of valid
Valid	1	none	11,839	96.3%	98.5%
	2	once	104	0.8%	0.9%
	3	twice	44	0.4%	0.4%
	4	three or four times	20	0.2%	0.2%
	5	five or more times	9	0.1%	0.1%
		Total	12,016	97.7%	100%
Missing	.	missing	284	2.3%	

		Total	284	2.3%	

Valid	Invalid	Minimum	Maximum
12016	284	1	5

H5MN10 - S13Q10 SUICIDE ATTEMPT DOCTOR TREAT-W5

Type	Code
Measurement Unit	Numeric
H5MN10	These next questions are about suicide. They refer to the past 12 months. Q10. Did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

			Frequency	% of total	% of valid
Valid	0	no	133	1.1%	74.7%
	1	yes	45	0.4%	25.3%
		Total	178	1.4%	100%
Missing	.	missing	283	2.3%	
	97	legitimate skip	11,839	96.3%	
		Total	12,122	98.6%	

Valid	Invalid	Minimum	Maximum
178	12122	0	1

H5MN11 - S13Q11 FAM/FRIEND TRY SUICIDE-W5

Type	Code
Measurement Unit	Numeric
H5MN11	These next questions are about suicide. They refer to the past 12 months. Q11. During the past 12 months, have any of your family or friends tried to kill themselves?
Logic	If Q11=1, ask Q12. Else, go to Involvement with the Criminal Justice System.

			Frequency	% of total	% of valid
Valid	0	no	11,132	90.5%	92.7%
	1	yes	875	7.1%	7.3%
		Total	12,007	97.6%	100%
Missing	.	missing	293	2.4%	
		Total	293	2.4%	

Valid	Invalid	Minimum	Maximum
12007	293	0	1

H5MN12 - S13Q12 FAM/FRIEND SUICIDE DEATH-W5

Type	Code
Measurement Unit	Numeric
H5MN12	These next questions are about suicide. They refer to the past 12 months. Q12. Have any of them died as a result?

			Frequency	% of total	% of valid
Valid	0	no	466	3.8%	53.3%
	1	yes	408	3.3%	46.7%
		Total	874	7.1%	100%
Missing	.	missing	294	2.4%	
	97	legitimate skip	11,132	90.5%	
		Total	11,426	92.9%	

Valid	Invalid	Minimum	Maximum
874	11426	0	1

Return to Table of Contents

Wave V, Section 14: Involvement with Criminal Justice System

Title	Wave V, Section 14: Involvement with Criminal Justice System
File Name	wave5.xpt
Case Quantity	12300
Variable Count	54

H5CJ1A - S14Q1A 12 MO DAMAGE PROP/NOT YOUR-W5

Type	Code
Measurement Unit	numeric
H5CJ1A	Indicate whether or not you did any of these things in the past 12 months. Q1A. Deliberately damage property that didn't belong to you

			Frequency	% of total	% of valid
Valid	0	no	11,816	96.1%	98.5%
	1	yes	180	1.5%	1.5%
		Total	11,996	97.5%	100%
Missing	.	missing	304	2.5%	
		Total	304	2.5%	

Valid	Invalid	Minimum	Maximum
11996	304	0	1

H5CJ1B - S14Q1B 12 MO STEAL SOMETHING/>$50-W5

Type	Code
Measurement Unit	numeric
H5CJ1B	Indicate whether or not you did any of these things in the past 12 months. Q1B. Steal something worth more than $50

			Frequency	% of total	% of valid
Valid	0	no	11,892	96.7%	99.1%
	1	yes	112	0.9%	0.9%
		Total	12,004	97.6%	100%
Missing	.	missing	296	2.4%	
		Total	296	2.4%	

Valid	Invalid	Minimum	Maximum
12004	296	0	1

H5CJ1C - S14Q1C 12 MO SELL DRUGS-W5

Type	Code
Measurement Unit	numeric
H5CJ1C	Indicate whether or not you did any of these things in the past 12 months. Q1C. Illegally sell drugs (including prescription drugs)

			Frequency	% of total	% of valid
Valid	0	no	11,804	96.0%	98.4%
	1	yes	186	1.5%	1.6%
		Total	11,990	97.5%	100%
Missing	.	missing	310	2.5%	
		Total	310	2.5%	

Valid	Invalid	Minimum	Maximum
11990	310	0	1

H5CJ1D - S14Q1D 12 MO GET IN PHYS FIGHT-W5

Type	Code
Measurement Unit	numeric
H5CJ1D	Indicate whether or not you did any of these things in the past 12 months. Q1D. Get into a serious physical fight

			Frequency	% of total	% of valid
Valid	0	no	11,759	95.6%	98.0%
	1	yes	246	2.0%	2.0%
		Total	12,005	97.6%	100%
Missing	.	missing	295	2.4%	
		Total	295	2.4%	

Valid	Invalid	Minimum	Maximum
12005	295	0	1

H5CJ1E - S14Q1E 12 MO PULL KNIFE/GUN SOMEONE-W5

Type	Code
Measurement Unit	numeric
H5CJ1E	Indicate whether or not you did any of these things in the past 12 months. Q1E. Pulled a knife or gun on someone

			Frequency	% of total	% of valid
Valid	0	no	11,915	96.9%	99.3%
	1	yes	83	0.7%	0.7%

		Total	11,998	97.5%	100%
Missing	.	missing	302	2.5%	
		Total	302	2.5%	

Valid	Invalid	Minimum	Maximum
11998	302	0	1

H5CJ1F - S14Q1F 12 MO SHOT/STABBED SOMEONE-W5

Type	Code
Measurement Unit	numeric
H5CJ1F	Indicate whether or not you did any of these things in the past 12 months. Q1F. Shoot or stab someone

			Frequency	% of total	% of valid
Valid	0	no	11,977	97.4%	99.9%
	1	yes	14	0.1%	0.1%
		Total	11,991	97.5%	100%
Missing	.	missing	309	2.5%	
		Total	309	2.5%	

Valid	Invalid	Minimum	Maximum
11991	309	0	1

H5CJ2A - S14Q2A 12 MO YOUR PROP STOLEN >$50-W5

Type	Code
Measurement Unit	numeric
H5CJ2A	Indicate whether or not any of these things happened in the past 12 months. Q2A. Someone stole something from you worth more than $50

			Frequency	% of total	% of valid
Valid	0	no	10,788	87.7%	90.4%
	1	yes	1,152	9.4%	9.6%
		Total	11,940	97.1%	100%
Missing	.	missing	360	2.9%	
		Total	360	2.9%	

Valid	Invalid	Minimum	Maximum
11940	360	0	1

H5CJ2B - S14Q2B 12 MO SAW ONE SHOOT/STAB PERS-W5

Type	Code
Measurement Unit	numeric
H5CJ2B	Indicate whether or not any of these things happened in the past 12 months. Q2B. You saw someone shoot or stab another person

			Frequency	% of total	% of valid
Valid	0	no	11,825	96.1%	99.1%
	1	yes	109	0.9%	0.9%
		Total	11,934	97.0%	100%
Missing	.	missing	366	3.0%	
		Total	366	3.0%	

Valid	Invalid	Minimum	Maximum
11934	366	0	1

H5CJ2C - S14Q2C 12 MO PULLED GUN/KNIFE ON YOU-W5

Type	Code
Measurement Unit	numeric
H5CJ2C	Indicate whether or not any of these things happened in the past 12 months. Q2C. Someone pulled a knife or gun on you

			Frequency	% of total	% of valid
Valid	0	no	11,776	95.7%	98.7%
	1	yes	157	1.3%	1.3%
		Total	11,933	97.0%	100%
Missing	.	missing	367	3.0%	
		Total	367	3.0%	

Valid	Invalid	Minimum	Maximum
11933	367	0	1

H5CJ2D - S14Q2D 12 MO SOMEONE SHOT/STAB YOU-W5

Type	Code
Measurement Unit	numeric
H5CJ2D	Indicate whether or not any of these things happened in the past 12 months. Q2D. Someone shot or stabbed you

			Frequency	% of total	% of valid
Valid	0	no	11,890	96.7%	99.8%
	1	yes	27	0.2%	0.2%

		Total	11,917	96.9%	100%
Missing	.	missing	383	3.1%	
		Total	383	3.1%	

Valid	Invalid	Minimum	Maximum
11917	383	0	1

H5CJ2E - S14Q2E 12 MO ONE SLAP/HIT/CHOKE YOU-W5

Type	Code
Measurement Unit	numeric
H5CJ2E	Indicate whether or not any of these things happened in the past 12 months. Q2E. Someone slapped, hit, choked, or kicked you

			Frequency	% of total	% of valid
Valid	0	no	11,396	92.7%	95.5%
	1	yes	538	4.4%	4.5%
		Total	11,934	97.0%	100%
Missing	.	missing	366	3.0%	
		Total	366	3.0%	

Valid	Invalid	Minimum	Maximum
11934	366	0	1

H5CJ2F - S14Q2F 12 MO YOU WERE BEATEN UP-W5

Type	Code
Measurement Unit	numeric
H5CJ2F	Indicate whether or not any of these things happened in the past 12 months. Q2F. You were beaten up

			Frequency	% of total	% of valid
Valid	0	no	11,818	96.1%	99.0%
	1	yes	116	0.9%	1.0%
		Total	11,934	97.0%	100%
Missing	.	missing	366	3.0%	
		Total	366	3.0%	

Valid	Invalid	Minimum	Maximum
11934	366	0	1

H5CJ3 - S14Q3 EVER BEEN ARRESTED BY POLICE-W5

Type	Code
Measurement Unit	numeric
H5CJ3	Q3. Have you ever been arrested?
Logic	If Q3=1 ask Q4A. Else go to Section 15: Relationships.

			Frequency	% of total	% of valid
Valid	0	no	8,477	68.9%	70.7%
	1	yes	3,519	28.6%	29.3%
		Total	11,996	97.5%	100%
Missing	.	missing	304	2.5%	
		Total	304	2.5%	

Valid	Invalid	Minimum	Maximum
11996	304	0	1

H5CJ4A - S14Q4A TYPE ARREST CHARGE-DUI/DWI-W5

Type	Code
Measurement Unit	numeric
H5CJ4A	Q4A. Have you ever been charged with driving under the influence (DUI, DWI)?
Logic	If Q4A=1 ask Q4AC. Else go to Q4B.

			Frequency	% of total	% of valid
Valid	0	no	2,359	19.2%	67.4%
	1	yes	1,142	9.3%	32.6%
		Total	3,501	28.5%	100%
Missing	.	missing	21	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,799	71.5%	

Valid	Invalid	Minimum	Maximum
3501	8799	0	1

H5CJ4AC - S14Q4AC TIMES CHARGED-DUI/DWI-W5

Type	Numeric (Double)
Description	Includes soft check if Q4AC not 1 to 10. Value 5: 5 or more times.
H5CJ4AC	Q4AC. How many times have you been charged with driving under the influence (DUI, DWI)?
Logic	If Q4AC>0 ask Q4AG. Else go to Q4B.

			Frequency	% of total	% of valid
Missing	.	missing	12	0.1%	
	97	legitimate skip	11,155	90.7%	
		Total	11,167	90.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1133	11167	1	5	1.45	0.76

H5CJ4AG - S14Q4AG TIMES CONVICT/PLED-DUI/DWI-W5

Type	Numeric (Double)
Description	Includes soft check if Q4AG not 0 to Q4AC. Value 5: 5 or more times.
H5CJ4AG	Q4AG. How many times have you been convicted or plead guilty to driving under the influence (DUI, DWI)?

			Frequency	% of total	% of valid
Missing	.	missing	20	0.2%	
	97	legitimate skip	11,155	90.7%	
		Total	11,175	90.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1125	11175	0	5	1.18	0.83

H5CJ4B - S14Q4B TYPE ARREST CHARGE-OTH ETOH-W5

Type	Code
Measurement Unit	numeric
H5CJ4B	Q4B. Have you ever been charged with any other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)?
Logic	If Q4B=1 ask Q4BC. Else go to Q4C.

			Frequency	% of total	% of valid
Valid	0	no	2,822	22.9%	80.7%
	1	yes	675	5.5%	19.3%
		Total	3,497	28.4%	100%
Missing	.	missing	25	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,803	71.6%	

Valid	Invalid	Minimum	Maximum
3497	8803	0	1

H5CJ4BC - S14Q4BC TIMES CHARGED-OTH ETOH-W5

Type	Numeric (Double)
Description	Includes soft check if Q4BC not 1 to 10. Value 12: 12 or more times.
H5CJ4BC	Q4BC. How many times have you been charged with any other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)?
Logic	If Q4BC>0 ask Q4BG. Else go to Q4C.

			Frequency	% of total	% of valid
Missing	.	missing	22	0.2%	
	997	legitimate skip	11,622	94.5%	
		Total	11,644	94.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
656	11644	1	12	1.7	1.57

H5CJ4BG - S14Q4BG TIMES CONVICT/PLED-OTH ETOH-W5

Type	Numeric (Double)
Description	Includes soft check if Q4BG not 0 to Q4BC. Value 10: 10 or more times.
H5CJ4BG	Q4BG. How many times have you been convicted or plead guilty of any other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)?

			Frequency	% of total	% of valid
Missing	.	missing	27	0.2%	
	997	legitimate skip	11,622	94.5%	
		Total	11,649	94.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
651	11649	0	10	1.17	1.53

H5CJ4C - S14Q4C TYPE ARREST CHARGE-MARIJ-W5

Type	Code
Measurement Unit	numeric
H5CJ4C	Q4C. Have you ever been charged with marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)?
Logic	If Q4C=1 ask Q4CC. Else go to Q4D.

			Frequency	% of total	% of valid
Valid	0	no	2,854	23.2%	81.5%
	1	yes	646	5.3%	18.5%

		Total	3,500	28.5%	100%
Missing	.	missing	22	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,800	71.5%	

Valid	Invalid	Minimum	Maximum
3500	8800	0	1

H5CJ4CC - S14Q4CC TIMES CHARGED-MARIJ-W5

Type	Numeric (Double)
Description	Includes soft check if Q4CC not 1 to 10. Value 8: 8 or more times.
H5CJ4CC	Q4CC. How many times have you been charged with marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)?
Logic	If Q4CC>0 ask Q4CG. Else go to Q4D.

			Frequency	% of total	% of valid
Missing	.	missing	18	0.1%	
	97	legitimate skip	11,651	94.7%	
		Total	11,669	94.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
631	11669	1	8	1.55	1.09

H5CJ4CG - S14Q4CG TIMES CONVICT/PLED-MARIJ-W5

Type	Numeric (Double)
Description	Includes soft check if Q4CG not 0 to Q4CC. Value 6: 6 or more times.
H5CJ4CG	Q4CG. How many times have you been convicted or plead guilty of marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)?

			Frequency	% of total	% of valid
Missing	.	missing	22	0.2%	
	97	legitimate skip	11,651	94.7%	
		Total	11,673	94.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
627	11673	0	6	1.06	1.05

H5CJ4D - S14Q4D TYPE ARREST CHARGE-OTH DRUG-W5

Type	Code
Measurement Unit	numeric

H5CJ4D	Q4D. Have you ever been charged with other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)?
Logic	If Q4D = 1, ask Q4DC; else, skip to Q4E.

			Frequency	% of total	% of valid
Valid	0	no	3,171	25.8%	90.8%
	1	yes	322	2.6%	9.2%
		Total	3,493	28.4%	100%
Missing	.	missing	29	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,807	71.6%	

Valid	Invalid	Minimum	Maximum
3493	8807	0	1

H5CJ4DC - S14Q4DC TIMES CHARGED-OTH DRUG-W5

Type	Numeric (Double)
Description	Includes soft check if Q4DC not 1 to 10. Value 8: 8 or more times.
H5CJ4DC	Q4DC. How many times have you been charged with other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)?
Logic	If Q4DC > 0, ask Q4DG; else, skip to Q4E.

			Frequency	% of total	% of valid
Missing	.	missing	17	0.1%	
	97	legitimate skip	11,975	97.4%	
		Total	11,992	97.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
308	11992	1	8	1.67	1.32

H5CJ4DG - S14Q4DG TIMES CONVICT/PLED-OTH DRUG-W5

Type	Numeric (Double)
Description	Includes soft check if Q4DG not 0 to Q4DC. Value 7: 7 or more times.
H5CJ4DG	Q4DG. How many times have you been convicted or plead guilty of other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)?

			Frequency	% of total	% of valid
Missing	.	missing	20	0.2%	
	97	legitimate skip	11,975	97.4%	
		Total	11,995	97.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
305	11995	0	7	1.12	1.17

H5CJ4E - S14Q4E TYPE ARREST CHARGE-ROBBERY-W5

Type	Code
Measurement Unit	numeric
H5CJ4E	Q4E. Have you ever been charged with robbery (taking or attempting to take something using a weapon or physical force)?
Logic	If Q4E=1 ask Q4EC. Else go to Q4F.

			Frequency	% of total	% of valid
Valid	0	no	3,414	27.8%	97.8%
	1	yes	78	0.6%	2.2%
		Total	3,492	28.4%	100%
Missing	.	missing	30	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,808	71.6%	

Valid	Invalid	Minimum	Maximum
3492	8808	0	1

H5CJ4EC - S14Q4EC TIMES CHARGED-ROBBERY-W5

Type	Numeric (Double)
Description	Includes soft check if Q4EC not 1 to 10. Value 2: 2 or more times.
H5CJ4EC	Q4EC. How many times have you been charged with robbery (taking or attempting to take something using a weapon or physical force)?
Logic	If Q4EC>0 ask Q4EG. Else go to Q4F.

			Frequency	% of total	% of valid
Missing	.	missing	9	0.1%	
	97	legitimate skip	12,219	99.3%	
		Total	12,228	99.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
72	12228	1	2	1.14	0.35

H5CJ4EG - S14Q4EG TIMES CONVICT/PLED-ROBBERY-W5

Type	Numeric (Double)
Description	Includes soft check if Q4EG not 0 to Q4EC. Value 2: 2 or more times.
H5CJ4EG	Q4EG. How many times have you been convicted or plead guilty to robbery (taking or attempting to take something using a weapon or physical force)?

			Frequency	% of total	% of valid
Missing	.	missing	9	0.1%	
	97	legitimate skip	12,219	99.3%	
		Total	12,228	99.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
72	12228	0	2	0.82	0.54

H5CJ4F - S14Q4F TYPE ARREST CHARGE-THEFT-W5

Type	Code
Measurement Unit	numeric
H5CJ4F	Q4F. Have you ever been charged with theft (taking something without using force, such as larceny, burglary, or shoplifting)?
Logic	If Q4F=1 ask Q4FC. Else go to Q4G.

			Frequency	% of total	% of valid
Valid	0	no	2,892	23.5%	83.0%
	1	yes	593	4.8%	17.0%
		Total	3,485	28.3%	100%
Missing	.	missing	37	0.3%	
	97	legitimate skip	8,778	71.4%	
		Total	8,815	71.7%	

Valid	Invalid	Minimum	Maximum
3485	8815	0	1

H5CJ4FC - S14Q4FC TIMES CHARGED-THEFT-W5

Type	Numeric (Double)
Description	Includes soft check if Q4FC not 1 to 10. Value 7: 7 or more times.
H5CJ4FC	Q4FC. How many times have you been charged with theft (taking something without using force, such as larceny, burglary, or shoplifting)?
Logic	If Q4FC>0 ask Q4FG. Else go to Q4G.

			Frequency	% of total	% of valid
Missing	.	missing	10	0.1%	
	97	legitimate skip	11,704	95.2%	
		Total	11,714	95.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
586	11714	1	7	1.45	1.11

H5CJ4FG - S14Q4FG TIMES CONVICT/PLED-THEFT-W5

Type	Numeric (Double)
Description	Includes soft check if Q4FG not 0 to Q4FC. Value 7: 7 or more times.
H5CJ4FG	Q4FG. How many times have you been convicted or plead guilty to theft (taking something without using force, such as larceny, burglary, or shoplifting)?

			Frequency	% of total	% of valid
Missing	.	missing	11	0.1%	
	97	legitimate skip	11,704	95.2%	
		Total	11,715	95.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
585	11715	0	7	1.05	1.12

H5CJ4G - S14Q4G TYPE ARREST CHARGE-RAPE-W5

Type	Code
Measurement Unit	numeric
H5CJ4G	Q4G. Have you ever been charged with forcible rape (does not include statutory rape)?
Logic	If Q4G=1 ask Q4GC. Else go to Q4H.

			Frequency	% of total	% of valid
Valid	0	no	3,489	28.4%	99.8%
	1	yes	8	0.1%	0.2%
		Total	3,497	28.4%	100%
Missing	.	missing	25	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,803	71.6%	

Valid	Invalid	Minimum	Maximum
3497	8803	0	1

H5CJ4GC - S14Q4GC TIMES CHARGED-RAPE-W5

Type	Numeric (Double)
Description	Includes soft check if Q4GC not 1 to 10.
H5CJ4GC	Q4GC. How many times have you been charged with forcible rape (does not include statutory rape)?
Logic	If Q4GC>0 ask Q4GG. Else go to Q4H.

	Frequency	% of total	% of valid

Missing	.	missing	4	0.03%	
	97	legitimate skip	12,289	99.9%	
		Total	12,293	99.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
7	12293	1	1	1	0

H5CJ4GG - S14Q4GG TIMES CONVICT/PLED-RAPE-W5

Type	Numeric (Double)
Description	Includes soft check if Q4GG not 0 to Q4GC.
H5CJ4GG	Q4GG. How many times have you been convicted or plead guilty to forcible rape (does not include statutory rape)?

			Frequency	% of total	% of valid
Missing	.	missing	4	0.03%	
	97	legitimate skip	12,289	99.9%	
		Total	12,293	99.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
7	12293	0	1	0.57	0.53

H5CJ4H - S14Q4H TYPE ARREST CHARGE-AGR ASSLT-W5

Type	Code
Measurement Unit	numeric
H5CJ4H	Q4H. Have you ever been charged with aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)?
Logic	If Q4H=1 ask Q4HC. Else go to Q4I.

			Frequency	% of total	% of valid
Valid	0	no	3,388	27.5%	97.0%
	1	yes	105	0.9%	3.0%
		Total	3,493	28.4%	100%
Missing	.	missing	29	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,807	71.6%	

Valid	Invalid	Minimum	Maximum
3493	8807	0	1

H5CJ4HC - S14Q4HC TIMES CHARGED-AGR ASSLT--W5

Type	Numeric (Double)
Description	Includes soft check if Q4HC not 1 to 10. Value 5: 5 or more times.
H5CJ4HC	Q4HC. How many times have you been charged with aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)?
Logic	If Q4HC>0 ask Q4HG. Else go to Q4I.

			Frequency	% of total	% of valid
Missing	.	missing	6	0.05%	
	97	legitimate skip	12,192	99.1%	
		Total	12,198	99.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
102	12198	1	5	1.34	0.84

H5CJ4HG - S14Q4HG TIMES CONVICT/PLED-AGR ASSLT--W5

Type	Numeric (Double)
Description	Includes soft check if Q4HG not 0 to Q4HC. Value 3: 3 or more times.
H5CJ4HG	Q4HG. How many times have you been convicted or plead guilty to aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)?

			Frequency	% of total	% of valid
Missing	.	missing	7	0.1%	
	97	legitimate skip	12,192	99.1%	
		Total	12,199	99.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
101	12199	0	3	0.85	0.78

H5CJ4I - S14Q4I TYPE ARREST CHARGE-SIMP ASSLT-W5

Type	Code
Measurement Unit	numeric
H5CJ4I	Q4I. Have you ever been charged with simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)?
Logic	If Q4I=1 ask Q4IC. Else go to Q4J.

			Frequency	% of total	% of valid
Valid	0	no	3,111	25.3%	89.2%
	1	yes	378	3.1%	10.8%

		Total	3,489	28.4%	100%
Missing	.	missing	33	0.3%	
	97	legitimate skip	8,778	71.4%	
		Total	8,811	71.6%	

Valid	Invalid	Minimum	Maximum
3489	8811	0	1

H5CJ4IC - S14Q4IC TIMES CHARGED-SIMP ASSLT-W5

Type	Numeric (Double)
Description	Includes soft check if Q4IC not 1 to 10. Value 7: 7 or more times.
H5CJ4IC	Q4IC. How many times have you been charged with simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)?
Logic	If Q4IC>0 ask Q4IG. Else go to Q4J.

			Frequency	% of total	% of valid
Missing	.	missing	11	0.1%	
	97	legitimate skip	11,919	96.9%	
		Total	11,930	97.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
370	11930	1	7	1.42	1

H5CJ4IG - S14Q4IG TIMES CONVICT/PLED-SIMP ASSLT-W5

Type	Numeric (Double)
Description	Includes soft check if Q4IG not 0 to Q4IC. Value 5: 5 or more times.
H5CJ4IG	Q4IG. How many times have you been convicted or plead guilty to simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)?

			Frequency	% of total	% of valid
Missing	.	missing	17	0.1%	
	97	legitimate skip	11,919	96.9%	
		Total	11,936	97.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
364	11936	0	5	0.77	0.91

H5CJ4J - S14Q4J TYPE ARREST CHARGE-FRAUD-W5

Type	Code

Measurement Unit	numeric
H5CJ4J	Q4J. Have you ever been charged with fraud, forgery, or embezzlement?
Logic	If Q4J=1 ask Q4JC. Else skip to Q4K.

			Frequency	% of total	% of valid
Valid	0	no	3,375	27.4%	96.5%
	1	yes	121	1.0%	3.5%
		Total	3,496	28.4%	100%
Missing	.	missing	26	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,804	71.6%	

Valid	Invalid	Minimum	Maximum
3496	8804	0	1

H5CJ4JC - S14Q4JC TIMES CHARGED-FRAUD-W5

Type	Numeric (Double)
Description	Includes soft check if Q4JC not 1 to 10. Value 3: 3 or more times.
H5CJ4JC	Q4JC. How many times have you been charged with fraud, forgery, or embezzlement?
Logic	If Q4JC>0 ask Q4JG. Else go to Q4K.

			Frequency	% of total	% of valid
Missing	.	missing	4	0.03%	
	97	legitimate skip	12,176	99.0%	
		Total	12,180	99.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
120	12180	1	3	1.21	0.53

H5CJ4JG - S14Q4JG TIMES CONVICT/PLED-FRAUD-W5

Type	Numeric (Double)
Description	Includes soft check if Q4JG not 0 to Q4JC. Value 3: 3 or more times.
H5CJ4JG	Q4JG. How many times have you been convicted or plead guilty to fraud, forgery, or embezzlement?

			Frequency	% of total	% of valid
Missing	.	missing	5	0.04%	
	97	legitimate skip	12,176	99.0%	
		Total	12,181	99.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
119	12181	0	3	0.97	0.72

H5CJ4K - S14Q4K TYPE ARREST CHARGE-CIV DISOBEY-W5

Type	Code
Measurement Unit	numeric
H5CJ4K	Q4K. Have you ever been charged with civil disobedience?
Logic	If Q4K=1 ask Q4KC. Else go to Q4L.

			Frequency	% of total	% of valid
Valid	0	no	3,410	27.7%	97.8%
	1	yes	75	0.6%	2.2%
		Total	3,485	28.3%	100%
Missing	.	missing	37	0.3%	
	97	legitimate skip	8,778	71.4%	
		Total	8,815	71.7%	

Valid	Invalid	Minimum	Maximum
3485	8815	0	1

H5CJ4KC - S14Q4KC TIMES CHARGED-CIV DISOBEY-W5

Type	Numeric (Double)
Description	Includes soft check if Q4KC not 1 to 10. Value 4: 4 or more times.
H5CJ4KC	Q4KC. How many times have you been charged with civil disobedience?
Logic	If Q4KC>0 ask Q4KG. Else go to Q4L.

			Frequency	% of total	% of valid
Missing	.	missing	5	0.04%	
	97	legitimate skip	12,222	99.4%	
		Total	12,227	99.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
73	12227	1	4	1.48	0.91

H5CJ4KG - S14Q4KG TIMES CONVICT/PLED-CIV DISOBEY-W5

Type	Numeric (Double)
Description	Includes soft check if Q4KG not 0 to Q4KC. Value 3: 3 or more times.
H5CJ4KG	Q4KG. How many times have you been convicted or plead guilty to civil disobedience?

	Frequency	% of total	% of valid

Missing	.	missing	8	0.1%	
	97	legitimate skip	12,222	99.4%	
		Total	12,230	99.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
70	12230	0	3	0.76	0.91

H5CJ4L - S14Q4L TYPE ARREST CHARGE-OTH OFFNS-W5

Type	Code
Measurement Unit	numeric
H5CJ4L	Q4L. Have you ever been charged with other offenses?
Logic	If Q4L=1 ask Q4LC. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	2,843	23.1%	81.6%
	1	yes	639	5.2%	18.4%
		Total	3,482	28.3%	100%
Missing	.	missing	40	0.3%	
	97	legitimate skip	8,778	71.4%	
		Total	8,818	71.7%	

Valid	Invalid	Minimum	Maximum
3482	8818	0	1

H5CJ4LC - S14Q4LC TIMES CHARGED-OTH OFFNS-W5

Type	Numeric (Double)
Description	Includes soft check if Q4LC not 1 to 10. Value 15: 15 or more times.
H5CJ4LC	Q4LC. How many times have you been charged with other offenses?
Logic	If Q4LC>0 ask Q4LG. Else go to Q5.

			Frequency	% of total	% of valid
Missing	.	missing	13	0.1%	
	997	legitimate skip	11,658	94.8%	
		Total	11,671	94.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
629	11671	1	15	1.85	1.91

H5CJ4LG - S14Q4LG TIMES CONVICT/PLED-OTH OFFNS-W5

Type	Numeric (Double)
Description	Includes soft check if Q4LG not 0 to Q4LC. Value 10: 10 or more times.

H5CJ4LG	Q4LG. How many times have you been convicted or plead guilty to other offenses?

			Frequency	% of total	% of valid
Missing	.	missing	16	0.1%	
	997	legitimate skip	11,658	94.8%	
		Total	11,674	94.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
626	11674	0	10	1.24	1.73

H5CJ5 - S14Q5 EVER INCARCERATED-W5

Type	Code
Measurement Unit	numeric
H5CJ5	Q5. Have you ever served time in a jail, prison, juvenile detention center, or other correctional facility?
Logic	If Q5=1 ask Q6. Else go to Section 15: Relationships.

			Frequency	% of total	% of valid
Valid	0	no	2,034	16.5%	58.1%
	1	yes	1,469	11.9%	41.9%
		Total	3,503	28.5%	100%
Missing	.	missing	19	0.2%	
	97	legitimate skip	8,778	71.4%	
		Total	8,797	71.5%	

Valid	Invalid	Minimum	Maximum
3503	8797	0	1

H5CJ6 - S14Q6 NUM OF TIMES INCARCERATED-W5

Type	Code
Measurement Unit	numeric
H5CJ6	Q6. How many times have you been sent to a jail, prison, juvenile detention center, or other correctional facility?

			Frequency	% of total	% of valid
Valid	1	once	730	5.9%	49.8%
	2	more than once	736	6.0%	50.2%
		Total	1,466	11.9%	100%
Missing	.	missing	6	0.05%	
	97	legitimate skip	10,828	88.0%	
		Total	10,834	88.1%	

Valid	Invalid	Minimum	Maximum
1466	10834	1	2

H5CJ7 - S14Q7 AGE LST INCARCERATED-W5

Type	Numeric (Double)
Description	Includes soft check if Q7 not 7 to Age. Value 12: 12 years old and younger.
H5CJ7	Q7. How old were you the last time you were sent to jail, prison, juvenile detention center, or other correctional facility?

			Frequency	% of total	% of valid
Missing	.	missing	17	0.1%	
	997	legitimate skip	10,828	88.0%	
		Total	10,845	88.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1455	10845	12	41	27.09	6.83

H5CJ8Y - S14Q8Y TOTAL YEARS INCARCERATED-W5

Type	Numeric (Double)
Description	Includes soft check if Q8Y not <= Age.
H5CJ8Y	About how much total time have you served in jail, prison, juvenile detention center, or other correctional facility? Q8Y. Years served

			Frequency	% of total	% of valid
Missing	.	missing	486	4.0%	
	997	legitimate skip	10,828	88.0%	
	998	don't know	91	0.7%	
		Total	11,405	92.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
895	11405	0	18	0.97	2.21

H5CJ8M - S14Q8M TOTAL MOS INCARCERATED-W5

Type	Code
Measurement Unit	numeric
Description	Includes soft check if Q8M not 0 to 11. If you served less than 1 month, enter 0.
H5CJ8M	About how much total time have you served in jail, prison, juvenile detention center, or other correctional facility? Q8M. Months served

			Frequency	% of total	% of valid
Valid	0	less than 1 month	696	5.7%	59.4%
	1	1 month	122	1.0%	10.4%
	2	2 months	68	0.6%	5.8%
	3	3 months	68	0.6%	5.8%
	4	4 months	31	0.3%	2.6%
	5	5 months	19	0.2%	1.6%
	6	6 months	96	0.8%	8.2%
	7	7 months	10	0.1%	0.9%
	8	8 months	29	0.2%	2.5%
	9	9 months	15	0.1%	1.3%
	10	10 months	13	0.1%	1.1%
	11	11 months	5	0.04%	0.4%
		Total	1,172	9.5%	100%
Missing	.	missing	209	1.7%	
	997	legitimate skip	10,828	88.0%	
	998	don't know	91	0.7%	
		Total	11,128	90.5%	

Valid	Invalid	Minimum	Maximum
1172	11128	0	11

Return to Table of Contents

Wave V, Section 15: Relationships

Title	Wave V, Section 15: Relationships
File Name	wave5.xpt
Case Quantity	12300
Variable Count	58

H5TR1 - S15Q1 # PARTNER EVER MARRIED-W5

Type	Numeric (Double)
H5TR1	Q1. How many different persons have you ever married? Be sure to include your current spouse if you are married now. If you have never been married, enter 0.

			Frequency	% of total	% of valid
Missing	.	missing	418	3.4%	
		Total	418	3.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11882	418	0	99	0.88	1.16

H5TR2 - S15Q2 # OTHR PARTNER EVR LIVED WITH-W5

Type	Numeric (Double)
H5TR2	Q2. Not counting persons you married, how many other romantic or sexual partners have you ever lived with for one month or more? By "lived with" we mean that neither of you kept a separate residence while you were living together.

			Frequency	% of total	% of valid
Missing	.	missing	499	4.1%	
		Total	499	4.1%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11801	499	0	99	1.06	1.71

H5TR3 - S15Q3 # CURRENT ROMATIC/SEXUAL RELTN-W5

Type	Numeric (Double)
H5TR3	Q3. With how many persons are you currently having a romantic or sexual relationship? Please include spouses or romantic partners you are not living with as well as those you are living with.

	Frequency	% of total	% of valid

Missing	.	missing	418	3.4%	
		Total	418	3.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11882	418	0	99	0.95	1.53

H5TR4 - S15Q4 R CURRENT MARRY-W5

Type	Code
Measurement Unit	numeric
H5TR4	Q4. Are you currently married?
Logic	If Q4=1 ask Q4M. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	4,804	39.1%	40.0%
	1	yes	7,203	58.6%	60.0%
		Total	12,007	97.6%	100%
Missing	.	missing	293	2.4%	
		Total	293	2.4%	

Valid	Invalid	Minimum	Maximum
12007	293	0	1

H5TR4M - S15Q4M # MTHS W/ CURRENT SPOUSE-W5

Type	Numeric (Double)
H5TR4M	Q4M. How long [in MONTHS] have you been involved with your current spouse?
Logic	Go to Q11.

			Frequency	% of total	% of valid
Missing	.	missing	2,818	22.9%	
	997	legitimate skip	4,824	39.2%	
		Total	7,642	62.1%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
4658	7642	0	11	4.89	3.44

H5TR4Y - S15Q4Y # YRS W/ CURRENT SPOUSE-W5

Type	Numeric (Double)
H5TR4Y	Q4Y. How long [in YEARS] have you been involved with your current spouse?
Logic	Go to Q11.

			Frequency	% of total	% of valid
Missing	.	missing	304	2.5%	
	997	legitimate skip	4,824	39.2%	
		Total	5,128	41.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
7172	5128	0	28	12.47	5.49

H5TR5 - S15Q5 R CURRENT LIVE WITH PTNR-W5

Type	Code
Measurement Unit	numeric
H5TR5	Q5. Are you currently living with a romantic or sexual partner?
Logic	If Q5=1 ask Q5M. Else go to Q6.

			Frequency	% of total	% of valid
Valid	0	no	3,178	25.8%	65.6%
	1	yes	1,666	13.5%	34.4%
		Total	4,844	39.4%	100%
Missing	.	missing	267	2.2%	
	97	legitimate skip	7,189	58.4%	
		Total	7,456	60.6%	

Valid	Invalid	Minimum	Maximum
4844	7456	0	1

H5TR5M - S15Q5M # MTHS W/ CURRENT COHAB PTNR-W5

Type	Numeric (Double)
H5TR5M	Q5M. How long [in MONTHS] have you been involved with your current sexual or romantic partner? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest.
Logic	Go to Q11.

			Frequency	% of total	% of valid
Missing	.	missing	831	6.8%	
	997	legitimate skip	10,363	84.3%	
		Total	11,194	91.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1106	11194	0	12	5.01	3.32

H5TR5Y - S15Q5Y # YRS W/ CURRENT COHAB PTNR-W5

Type	Numeric (Double)
H5TR5Y	Q5Y. How long [in YEARS] have you been involved with your current sexual or romantic partner? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest.
Logic	Go to Q11.

			Frequency	% of total	% of valid
Missing	.	missing	354	2.9%	
	997	legitimate skip	10,363	84.3%	
		Total	10,717	87.1%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1583	10717	0	32	6.98	5.51

H5TR6 - S15Q6 CURRENT DATING PTNR-W5

Type	Code
Measurement Unit	numeric
H5TR6	Q6. Are you currently dating or in a relationship with a romantic or sexual partner?
Logic	If Q6=1 ask Q6M. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	1,833	14.9%	57.5%
	1	yes	1,356	11.0%	42.5%
		Total	3,189	25.9%	100%
Missing	.	missing	267	2.2%	
	97	legitimate skip	8,844	71.9%	
		Total	9,111	74.1%	

Valid	Invalid	Minimum	Maximum
3189	9111	0	1

H5TR6M - S15Q6M # MTHS W/ CURRENT DATING PTNR-W5

Type	Numeric (Double)
H5TR6M	Q6M. How long [in MONTHS] have you been in this relationship? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest.
Logic	Go to Q11.

	Frequency	% of total	% of valid

Missing	.	missing	641	5.2%	
	997	legitimate skip	10,674	86.8%	
		Total	11,315	92.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
985	11315	0	11	4.5	3.11

H5TR6Y - S15Q6Y # YRS W/ CURRENT DATING PTNR-W5

Type	Numeric (Double)
H5TR6Y	Q6Y. How long [in YEARS] have you been in this relationship? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest.
Logic	Go to Q11.

			Frequency	% of total	% of valid
Missing	.	missing	563	4.6%	
	997	legitimate skip	10,674	86.8%	
		Total	11,237	91.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1063	11237	0	26	4.14	4.66

H5TR7 - S15Q7 EVER IN RELAT ROMANTIC/SEX PTNR-W5

Type	Code
Measurement Unit	numeric
H5TR7	Q7. Have you ever been in a relationship with a romantic or sexual partner?
Logic	If Q7=1 ask Q7M. Else go to section 16: Pregnancy, Live Births, Children and Parenting.

			Frequency	% of total	% of valid
Valid	0	no	316	2.6%	16.9%
	1	yes	1,550	12.6%	83.1%
		Total	1,866	15.2%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	10,150	82.5%	
		Total	10,434	84.8%	

Valid	Invalid	Minimum	Maximum
1866	10434	0	1

H5TR7M - S15Q7M # MTHS W/ MOST RECENT PTNR-W5

Type	Numeric (Double)
H5TR7M	Q7M. Think about your most recent romantic or sexual partner How long [in MONTHS] were you in this relationship?
Logic	Go to Q8M.

			Frequency	% of total	% of valid
Missing	.	missing	801	6.5%	
	997	legitimate skip	10,484	85.2%	
		Total	11,285	91.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1015	11285	0	12	3.91	3

H5TR7Y - S15Q7Y # YRS W/ MOST RECENT PTNR-W5

Type	Numeric (Double)
H5TR7Y	Q7Y. Think about your most recent romantic or sexual partner. How long [in YEARS] were you in this relationship?
Logic	Go to Q8Y.

			Frequency	% of total	% of valid
Missing	.	missing	599	4.9%	
	997	legitimate skip	10,484	85.2%	
		Total	11,083	90.1%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1217	11083	0	95	4.61	5.48

H5TR8M - S15Q8M MOST RECENT RELAT END MTH-W5

Type	Code
Measurement Unit	numeric
H5TR8M	When did this relationship end? Q8M. Month of end of relationship

			Frequency	% of total	% of valid
Valid	1	January	95	0.8%	7.3%
	2	February	113	0.9%	8.7%
	3	March	86	0.7%	6.6%
	4	April	90	0.7%	6.9%
	5	May	143	1.2%	10.9%
	6	June	147	1.2%	11.3%
	7	July	120	1.0%	9.2%

	8	August	135	1.1%	10.3%
	9	September	75	0.6%	5.7%
	10	October	120	1.0%	9.2%
	11	November	88	0.7%	6.7%
	12	December	94	0.8%	7.2%
		Total	1,306	10.6%	100%
Missing	.	missing	509	4.1%	
	997	legitimate skip	10,485	85.2%	
		Total	10,994	89.4%	

Valid	Invalid	Minimum	Maximum
1306	10994	1	12

H5TR8Y - S15Q8Y MOST RECENT RELAT END YR-W5

Type	Code
Measurement Unit	numeric
H5TR8Y	When did this relationship end? Q8Y. Year of end of relationship

			Frequency	% of total	% of valid
Valid	1992	1992	2	0.02%	0.1%
	1996	1996	5	0.04%	0.4%
	1997	1997	3	0.02%	0.2%
	1998	1998	3	0.02%	0.2%
	1999	1999	5	0.04%	0.4%
	2000	2000	25	0.2%	1.8%
	2001	2001	14	0.1%	1.0%
	2002	2002	7	0.1%	0.5%
	2003	2003	16	0.1%	1.1%
	2004	2004	15	0.1%	1.1%
	2005	2005	22	0.2%	1.6%
	2006	2006	17	0.1%	1.2%
	2007	2007	16	0.1%	1.1%
	2008	2008	31	0.3%	2.2%
	2009	2009	31	0.3%	2.2%
	2010	2010	35	0.3%	2.5%
	2011	2011	49	0.4%	3.5%
	2012	2012	66	0.5%	4.7%
	2013	2013	98	0.8%	7.0%
	2014	2014	123	1.0%	8.8%
	2015	2015	187	1.5%	13.4%
	2016	2016	304	2.5%	21.8%
	2017	2017	265	2.2%	19.0%
	2018	2018	57	0.5%	4.1%
		Total	1,396	11.3%	100%
Missing	.	missing	419	3.4%	

	99997	legitimate skip	10,485	85.2%	
		Total	10,904	88.7%	

Valid	Invalid	Minimum	Maximum
1396	10904	1992	2018

H5TR9 - S15Q9 RELAT TYPE W/ MOST RECENT PTNR-W5

Type	Code
Measurement Unit	numeric
H5TR9	Q9. In this relationship, were you___?

			Frequency	% of total	% of valid
Valid	1	married	143	1.2%	9.3%
	2	living together	395	3.2%	25.7%
	3	dating and/or having sex	996	8.1%	64.9%
		Total	1,534	12.5%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	10,482	85.2%	
		Total	10,766	87.5%	

Valid	Invalid	Minimum	Maximum
1534	10766	1	3

H5TR10 - S15Q10 HOW MOST RECENT RELAT END-W5

Type	Code
Measurement Unit	numeric
H5TR10	Q10. How did this relationship end?

			Frequency	% of total	% of valid
Valid	1	divorce	109	0.9%	7.3%
	2	annulment	6	0.05%	0.4%
	3	spouse or partner died	28	0.2%	1.9%
	4	you moved out	221	1.8%	14.9%
	5	your spouse or partner moved out	246	2.0%	16.6%
	6	grew apart and broke up	666	5.4%	44.8%
	7	poor ending (eg, drug, abuse, jail)	13	0.1%	0.9%
	8	cheated	37	0.3%	2.5%
	9	distance	48	0.4%	3.2%
	10	separated	6	0.05%	0.4%
	11	other	105	0.9%	7.1%
		Total	1,485	12.1%	100%

Missing	.	missing	311	2.5%	
	997	legitimate skip	10,504	85.4%	
		Total	10,815	87.9%	

Valid	Invalid	Minimum	Maximum
1485	10815	1	11

H5TR11 - S15Q11 GENDER OF PARTNER-W5

Type	Code
Measurement Unit	numeric
H5TR11	Q11. How would you describe this partner's gender?

			Frequency	% of total	% of valid
Valid	1	male	6,624	53.9%	57.0%
	2	female	4,998	40.6%	43.0%
		Total	11,622	94.5%	100%
Missing	.	missing	3	0.02%	
	92	missing/suppressed	314	2.6%	
	97	legitimate skip	361	2.9%	
		Total	678	5.5%	

Valid	Invalid	Minimum	Maximum
11622	678	1	2

H5TR12 - S15Q12 PARTNERS CURRENT AGE-W5

Type	Numeric (Double)
H5TR12	Q12. About how old is this partner now?

			Frequency	% of total	% of valid
Missing	.	missing	265	2.2%	
	997	legitimate skip	442	3.6%	
		Total	707	5.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
11593	707	0	87	37.97	5.67

H5TR13A - S15Q13_1 PTNR RACE-WHITE-W5

Type	Code
Measurement Unit	numeric

H5TR13A	How would you describe this partner's race or ethnicity? Mark one or more boxes. Q13A. White
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	4,384	35.6%	37.4%
	1	marked	7,339	59.7%	62.6%
		Total	11,723	95.3%	100%
Missing	.	missing	260	2.1%	
	97	legitimate skip	317	2.6%	
		Total	577	4.7%	

Valid	Invalid	Minimum	Maximum
11723	577	0	1

H5TR13B - S15Q13_2 PTNR RACE-BLACK-W5

Type	Code
Measurement Unit	numeric
H5TR13B	How would you describe this partner's race or ethnicity? Mark one or more boxes. Q13B. Black, African American
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	9,368	76.2%	79.9%
	1	marked	2,355	19.1%	20.1%
		Total	11,723	95.3%	100%
Missing	.	missing	260	2.1%	
	97	legitimate skip	317	2.6%	
		Total	577	4.7%	

Valid	Invalid	Minimum	Maximum
11723	577	0	1

H5TR13C - S15Q13_3 PTNR RACE-HISPANIC-W5

Type	Code
Measurement Unit	numeric
H5TR13C	How would you describe this partner's race or ethnicity? Mark one or more boxes. Q13C. Hispanic
Logic	If Q13C=1 go to Q13H1-4.

			Frequency	% of total	% of valid
Valid	0	not marked	10,158	82.6%	86.7%
	1	marked	1,565	12.7%	13.3%
		Total	11,723	95.3%	100%
Missing	.	missing	260	2.1%	
	97	legitimate skip	317	2.6%	
		Total	577	4.7%	

Valid	Invalid	Minimum	Maximum
11723	577	0	1

H5TR13D - S15Q13_4 PTNR RACE-ASIAN-W5

Type	Code
Measurement Unit	numeric
H5TR13D	How would you describe this partner's race or ethnicity? Mark one or more boxes. Q13D. Asian
Logic	If Q13D=1 go to Q13S1-7.

			Frequency	% of total	% of valid
Valid	0	not marked	11,127	90.5%	94.9%
	1	marked	596	4.8%	5.1%
		Total	11,723	95.3%	100%
Missing	.	missing	260	2.1%	
	97	legitimate skip	317	2.6%	
		Total	577	4.7%	

Valid	Invalid	Minimum	Maximum
11723	577	0	1

H5TR13E - S15Q13_5 PTNR RACE-PACIFIC_ISLANDER-W5

Type	Code
Measurement Unit	numeric
H5TR13E	How would you describe this partner's race or ethnicity? Mark one or more boxes. Q13E. Pacific Islander
Logic	If Q13E=1 go to Q13P1-4.

			Frequency	% of total	% of valid
Valid	0	not marked	11,569	94.1%	98.7%
	1	marked	154	1.3%	1.3%
		Total	11,723	95.3%	100%

Missing	.	missing	260	2.1%	
	97	legitimate skip	317	2.6%	
		Total	577	4.7%	

Valid	Invalid	Minimum	Maximum
11723	577	0	1

H5TR13F - S15Q13_6 PTNR RACE-AMER IND/ALASK NTV-W5

Type	Code
Measurement Unit	numeric
H5TR13F	How would you describe this partner's race or ethnicity? Mark one or more boxes. Q13F. American Indian or Alaska Native
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	11,545	93.9%	98.5%
	1	marked	178	1.4%	1.5%
		Total	11,723	95.3%	100%
Missing	.	missing	260	2.1%	
	97	legitimate skip	317	2.6%	
		Total	577	4.7%	

Valid	Invalid	Minimum	Maximum
11723	577	0	1

H5TR13G - S15Q13_7 PTNR RACE-OTHER-W5

Type	Code
Measurement Unit	numeric
H5TR13G	How would you describe this partner's race or ethnicity? Mark one or more boxes. Q13G. Some other race or origin
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	11,508	93.6%	98.2%
	1	marked	215	1.7%	1.8%
		Total	11,723	95.3%	100%
Missing	.	missing	260	2.1%	
	97	legitimate skip	317	2.6%	
		Total	577	4.7%	

Valid	Invalid	Minimum	Maximum
11723	577	0	1

H5TR13H1 - S15Q13_H1 PTNR HISP-MEXICAN-W5

Type	Code
Measurement Unit	numeric
H5TR13H1	Which of the following best describes this partner's Hispanic race or ethnic origin? Mark one or more boxes. Q13H1. Mexican, Mexican American, Chicano
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	959	7.8%	52.0%
	1	marked	885	7.2%	48.0%
		Total	1,844	15.0%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	10,195	82.9%	
		Total	10,456	85.0%	

Valid	Invalid	Minimum	Maximum
1844	10456	0	1

H5TR13H2 - S15Q13_H2 PTNR HISP-PUERTO RICN-W5

Type	Code
Measurement Unit	numeric
H5TR13H2	Which of the following best describes this partner's Hispanic race or ethnic origin? Mark one or more boxes. Q13H2. Puerto Rican
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	1,654	13.4%	89.7%
	1	marked	190	1.5%	10.3%
		Total	1,844	15.0%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	10,195	82.9%	
		Total	10,456	85.0%	

Valid	Invalid	Minimum	Maximum
1844	10456	0	1

H5TR13H3 - S15Q13_H3 PTNR HISP-CUBAN-W5

Type	Code
Measurement Unit	numeric
H5TR13H3	Which of the following best describes this partner's Hispanic race or ethnic origin? Mark one or more boxes. Q13H3. Cuban
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	1,680	13.7%	91.1%
	1	marked	164	1.3%	8.9%
		Total	1,844	15.0%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	10,195	82.9%	
		Total	10,456	85.0%	

Valid	Invalid	Minimum	Maximum
1844	10456	0	1

H5TR13H4 - S15Q13_H4 PTNR HISP-OTHER-W5

Type	Code
Measurement Unit	numeric
H5TR13H4	Which of the following best describes this partner's Hispanic race or ethnic origin? Mark one or more boxes. Q13H4. Other Hispanic, Latino, or Spanish origin
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	1,570	12.8%	85.1%
	1	marked	274	2.2%	14.9%
		Total	1,844	15.0%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	10,195	82.9%	
		Total	10,456	85.0%	

Valid	Invalid	Minimum	Maximum
1844	10456	0	1

H5TR13P1 - S15Q13_P1 PTNR PACIFIC-NTV HAWAIIAN-W5

Type	Code
Measurement Unit	numeric

H5TR13P1	Which of the following best describes this partner's Pacific Islander race or ethnic origin? Mark one or more boxes. Q13P1. Native Hawaiian
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	440	3.6%	90.9%
	1	marked	44	0.4%	9.1%
		Total	484	3.9%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,555	93.9%	
		Total	11,816	96.1%	

Valid	Invalid	Minimum	Maximum
484	11816	0	1

H5TR13P2 - S15Q13_P2 PTNR PACIFIC-SAMOAN-W5

Type	Code
Measurement Unit	numeric
H5TR13P2	Which of the following best describes this partner's Pacific Islander race or ethnic origin? Mark one or more boxes. Q13P2. Samoan
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	452	3.7%	93.4%
	1	marked	32	0.3%	6.6%
		Total	484	3.9%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,555	93.9%	
		Total	11,816	96.1%	

Valid	Invalid	Minimum	Maximum
484	11816	0	1

H5TR13P3 - S15Q13_P3 PTNR PACIFIC-GUAM/CHAMR-W5

Type	Code
Measurement Unit	numeric
H5TR13P3	Which of the following best describes this partner's Pacific Islander race or ethnic origin? Mark one or more boxes. Q13P3. Guamanian or Chamorro
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	473	3.8%	97.7%
	1	marked	11	0.1%	2.3%
		Total	484	3.9%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,555	93.9%	
		Total	11,816	96.1%	

Valid	Invalid	Minimum	Maximum
484	11816	0	1

H5TR13P4 - S15Q13_P4 PTNR PACIFIC-OTHER-W5

Type	Code
Measurement Unit	numeric
H5TR13P4	Which of the following best describes this partner's Pacific Islander race or ethnic origin? Mark one or more boxes. Q13P4. Other Pacific Islander
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	479	3.9%	99.0%
	1	marked	5	0.0%	1.0%
		Total	484	3.9%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,555	93.9%	
		Total	11,816	96.1%	

Valid	Invalid	Minimum	Maximum
484	11816	0	1

H5TR13S1 - S15Q13_S1 PTNR ASIAN-INDIAN-W5

Type	Code
Measurement Unit	numeric
H5TR13S1	Which of the following best describes this partner's Asian race or ethnic origin? Mark one or more boxes. Q13S1. Indian
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	863	7.0%	96.3%
	1	marked	33	0.3%	3.7%
		Total	896	7.3%	100%

Missing	.	missing	261	2.1%	
	97	legitimate skip	11,143	90.6%	
		Total	11,404	92.7%	

Valid	Invalid	Minimum	Maximum
896	11404	0	1

H5TR13S2 - S15Q13_S2 PTNR ASIAN-CHINESE-W5

Type	Code
Measurement Unit	numeric
H5TR13S2	Which of the following best describes this partner's Asian race or ethnic origin? Mark one or more boxes. Q13S2. Chinese
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	767	6.2%	85.6%
	1	marked	129	1.0%	14.4%
		Total	896	7.3%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,143	90.6%	
		Total	11,404	92.7%	

Valid	Invalid	Minimum	Maximum
896	11404	0	1

H5TR13S3 - S15Q13_S3 PTNR ASIAN-FILIPINO-W5

Type	Code
Measurement Unit	numeric
H5TR13S3	Which of the following best describes this partner's Asian race or ethnic origin? Mark one or more boxes. Q13S3. Filipino
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	678	5.5%	75.7%
	1	marked	218	1.8%	24.3%
		Total	896	7.3%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,143	90.6%	
		Total	11,404	92.7%	

Valid	Invalid	Minimum	Maximum
896	11404	0	1

H5TR13S4 - S15Q13_S4 PTNR ASIAN-JAPAN-W5

Type	Code
Measurement Unit	numeric
H5TR13S4	Which of the following best describes this partner's Asian race or ethnic origin? Mark one or more boxes. Q13S4. Japanese
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	820	6.7%	91.5%
	1	marked	76	0.6%	8.5%
		Total	896	7.3%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,143	90.6%	
		Total	11,404	92.7%	

Valid	Invalid	Minimum	Maximum
896	11404	0	1

H5TR13S5 - S15Q13_S5 PTNR ASIAN-KOREA-W5

Type	Code
Measurement Unit	numeric
H5TR13S5	Which of the following best describes this partner's Asian race or ethnic origin? Mark one or more boxes. Q13S5. Korean
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	832	6.8%	92.9%
	1	marked	64	0.5%	7.1%
		Total	896	7.3%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,143	90.6%	
		Total	11,404	92.7%	

Valid	Invalid	Minimum	Maximum
896	11404	0	1

H5TR13S6 - S15Q13_S6 PTNR ASIAN-VIETNAMESE-W5

Type	Code
Measurement Unit	numeric
H5TR13S6	Which of the following best describes this partner's Asian race or ethnic origin? Mark one or more boxes. Q13S6. Vietnamese
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	844	6.9%	94.2%
	1	marked	52	0.4%	5.8%
		Total	896	7.3%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,143	90.6%	
		Total	11,404	92.7%	

Valid	Invalid	Minimum	Maximum
896	11404	0	1

H5TR13S7 - S15Q13_S7 PTNR ASIAN-OTHER-W5

Type	Code
Measurement Unit	numeric
H5TR13S7	Which of the following best describes this partner's Asian race or ethnic origin? Mark one or more boxes. Q13S7. Other Asian
Logic	If Q4=1 or Q5=1 or Q6=1 ask Q14. Else go to Q19.

			Frequency	% of total	% of valid
Valid	0	not marked	860	7.0%	96.0%
	1	marked	36	0.3%	4.0%
		Total	896	7.3%	100%
Missing	.	missing	261	2.1%	
	97	legitimate skip	11,143	90.6%	
		Total	11,404	92.7%	

Valid	Invalid	Minimum	Maximum
896	11404	0	1

H5TR14 - S15Q14 R SATISFIED W/ SEX LIFE-W5

Type	Code
Measurement Unit	numeric

H5TR14	How much do you agree or disagree with the following statement about your relationship with your current partner? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest. Q14. I am satisfied with our sex life.

			Frequency	% of total	% of valid
Valid	1	strongly agree	3,298	26.8%	32.6%
	2	agree	3,798	30.9%	37.6%
	3	neither agree nor disagree	1,428	11.6%	14.1%
	4	disagree	1,161	9.4%	11.5%
	5	strongly disagree	428	3.5%	4.2%
		Total	10,113	82.2%	100%
Missing	.	missing	347	2.8%	
	97	legitimate skip	1,840	15.0%	
		Total	2,187	17.8%	

Valid	Invalid	Minimum	Maximum
10113	2187	1	5

H5TR15 - S15Q15 R HOW HAPPY IN RELATIONSHIP-W5

Type	Code
Measurement Unit	numeric
H5TR15	Q15. In general, how happy are you in your relationship?

			Frequency	% of total	% of valid
Valid	1	very happy	5,829	47.4%	57.4%
	2	fairly happy	3,571	29.0%	35.2%
	3	not too happy	750	6.1%	7.4%
		Total	10,150	82.5%	100%
Missing	.	missing	310	2.5%	
	97	legitimate skip	1,840	15.0%	
		Total	2,150	17.5%	

Valid	Invalid	Minimum	Maximum
10150	2150	1	3

H5TR16 - S15Q16 SEX W/ PTNR # TIMES PER MTH-W5

Type	Numeric (Double)
H5TR16	Q16. On average, how often do you have sexual relations with your partner? (times per month) By "sexual relations" we mean vaginal intercourse, oral sex, anal sex, or other types of sexual activity.

			Frequency	% of total	% of valid
Missing	.	missing	267	2.2%	
	997	legitimate skip	2,166	17.6%	
		Total	2,433	19.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
9867	2433	0	99	7.45	7.64

H5TR17 - S15Q17 FREQ R/PTNR CONTRACEPTIVE USE-W5

Type	Code
Measurement Unit	numeric
H5TR17	Q17. On average, how often do you or your partner use a contraceptive method of birth control or disease prevention?

			Frequency	% of total	% of valid
Valid	1	none of the time	6,022	49.0%	59.8%
	2	some of the time	453	3.7%	4.5%
	3	about half of the time	88	0.7%	0.9%
	4	most of the time	421	3.4%	4.2%
	5	all of the time	3,085	25.1%	30.6%
		Total	10,069	81.9%	100%
Missing	.	missing	391	3.2%	
	97	legitimate skip	1,840	15.0%	
		Total	2,231	18.1%	

Valid	Invalid	Minimum	Maximum
10069	2231	1	5

H5TR18 - S15Q18 CURRENT PLAN FOR CHILD W/PTNR-W5

Type	Code
Measurement Unit	numeric
H5TR18	Q18. How would you describe your current plans for having a child with your partner?

			Frequency	% of total	% of valid
Valid	1	I do not want to have a baby in the future	6,329	51.5%	64.1%
	2	I am not sure if I want to have a baby in the future	1,227	10.0%	12.4%
	3	I do not want to have a baby now, but would like to in the future with my current partner	973	7.9%	9.9%

	4	I do not want to have a baby with my current partner, but might want one in a future relationship or without a partner	207	1.7%	2.1%
	5	I am actively trying to get pregnant or get my current partner pregnant	781	6.3%	7.9%
	6	I am pregnant or my current partner is pregnant	350	2.8%	3.5%
		Total	9,867	80.2%	100%
Missing	.	missing	591	4.8%	
	97	legitimate skip	1,842	15.0%	
		Total	2,433	19.8%	

Valid	Invalid	Minimum	Maximum
9867	2433	1	6

H5TR19 - S15Q19 PTNR HAS CONCURRENT PARTNERS-W5

Type	Code
Measurement Unit	numeric
H5TR19	Q19. As far as you know, during this relationship, has/did your partner ever had/have any other sexual partners?

			Frequency	% of total	% of valid
Valid	0	no	9,356	76.1%	80.6%
	1	yes	2,247	18.3%	19.4%
		Total	11,603	94.3%	100%
Missing	.	missing	264	2.1%	
	97	legitimate skip	433	3.5%	
		Total	697	5.7%	

Valid	Invalid	Minimum	Maximum
11603	697	0	1

H5TR20 - S15Q20 R HAS CONCURRENT PARTNERS-W5

Type	Code
Measurement Unit	numeric
H5TR20	Q20. During the time you and your partner have had a sexual relationship, has/did you ever had/have any other sexual partners?

			Frequency	% of total	% of valid
Valid	0	no	9,629	78.3%	83.0%
	1	yes	1,968	16.0%	17.0%

		Total	11,597	94.3%	100%
Missing	.	missing	265	2.2%	
	97	legitimate skip	438	3.6%	
		Total	703	5.7%	

Valid	Invalid	Minimum	Maximum
11597	703	0	1

H5TR21 - S15Q21 FREQ PTNR PUSH/SHOVE/THROW R-W5

Type	Code
Measurement Unit	numeric
H5TR21	No matter how well a couple gets along, there are times when they disagree or fight. Couples have many ways of settling their differences. Please indicate how often each of the following things has occurred in your relationship. If the length of this relationship is less than 12 months, think of the entire length of the relationship. Q21. In the last year of this relationship, how often did your partner push or shove you, or throw something at you that could hurt?

			Frequency	% of total	% of valid
Valid	1	never	10,035	81.6%	86.1%
	2	this did not happen in the last year, but it did happen before then	535	4.3%	4.6%
	3	once	409	3.3%	3.5%
	4	twice	308	2.5%	2.6%
	5	3 to 5 times	259	2.1%	2.2%
	6	6 to 10 times	57	0.5%	0.5%
	7	11 to 20 times	21	0.2%	0.2%
	8	more than 20 times	34	0.3%	0.3%
		Total	11,658	94.8%	100%
Missing	.	missing	263	2.1%	
	97	legitimate skip	379	3.1%	
		Total	642	5.2%	

Valid	Invalid	Minimum	Maximum
11658	642	1	8

H5TR22 - S15Q22 FREQ PTNR SLAP/HIT/KICK R-W5

Type	Code
Measurement Unit	numeric
H5TR22	Q22. In the last year of this relationship, how often did your partner slap, hit or kick you?

			Frequency	% of total	% of valid
Valid	1	never	10,629	86.4%	91.2%
	2	this did not happen in the last year, but it did happen before then	363	3.0%	3.1%
	3	once	279	2.3%	2.4%
	4	twice	157	1.3%	1.3%
	5	3 to 5 times	158	1.3%	1.4%
	6	6 to 10 times	27	0.2%	0.2%
	7	11 to 20 times	20	0.2%	0.2%
	8	more than 20 times	19	0.2%	0.2%
		Total	11,652	94.7%	100%
Missing	.	missing	263	2.1%	
	97	legitimate skip	385	3.1%	
		Total	648	5.3%	

Valid	Invalid	Minimum	Maximum
11652	648	1	8

H5TR23 - S15Q23 FREQ R INJURED BY PARTNER-W5

Type	Code
Measurement Unit	numeric
H5TR23	Q23. In the last year of this relationship, how often did you have an injury, such as a sprain, bruise, or cut because of a fight with your partner?

			Frequency	% of total	% of valid
Valid	1	never	11,052	89.9%	95.1%
	2	this did not happen in the last year, but it did happen before then	206	1.7%	1.8%
	3	once	190	1.5%	1.6%
	4	twice	92	0.7%	0.8%
	5	3 to 5 times	56	0.5%	0.5%
	6	6 to 10 times	11	0.1%	0.1%
	7	11 to 20 times	3	0.02%	0.03%
	8	more than 20 times	7	0.1%	0.1%
		Total	11,617	94.4%	100%
Missing	.	missing	263	2.1%	
	97	legitimate skip	420	3.4%	
		Total	683	5.6%	

Valid	Invalid	Minimum	Maximum
11617	683	1	8

H5TR24 - S15Q24 FREQ PTNR FORCED SEX ON R-W5

Type	Code
Measurement Unit	numeric
H5TR24	Q24. In the last year of this relationship, how often did your partner insist on or make you have sexual relations with him/her when you did not want to?

			Frequency	% of total	% of valid
Valid	1	never	11,085	90.1%	95.4%
	2	this did not happen in the last year, but it did happen before then	135	1.1%	1.2%
	3	once	88	0.7%	0.8%
	4	twice	93	0.8%	0.8%
	5	3 to 5 times	124	1.0%	1.1%
	6	6 to 10 times	50	0.4%	0.4%
	7	11 to 20 times	25	0.2%	0.2%
	8	more than 20 times	24	0.2%	0.2%
		Total	11,624	94.5%	100%
Missing	.	missing	264	2.1%	
	97	legitimate skip	412	3.3%	
		Total	676	5.5%	

Valid	Invalid	Minimum	Maximum
11624	676	1	8

H5TR25 - S15Q25 FREQ R PUSH/SHOVE/THROW PTNR-W5

Type	Code
Measurement Unit	numeric
H5TR25	Q25. In the last year of this relationship, how often did you push or shove, or throw something at your partner that could hurt?

			Frequency	% of total	% of valid
Valid	1	never	10,673	86.8%	91.9%
	2	this did not happen in the last year, but it did happen before then	325	2.6%	2.8%
	3	once	296	2.4%	2.5%
	4	twice	173	1.4%	1.5%
	5	3 to 5 times	109	0.9%	0.9%
	6	6 to 10 times	24	0.2%	0.2%
	7	11 to 20 times	8	0.1%	0.1%
	8	more than 20 times	8	0.1%	0.1%
		Total	11,616	94.4%	100%
Missing	.	missing	263	2.1%	

	97	legitimate skip	421	3.4%	
		Total	684	5.6%	

Valid	Invalid	Minimum	Maximum
11616	684	1	8

H5TR26 - S15Q26 FREQ R SLAP/HIT/KICK PTNR-W5

Type	Code
Measurement Unit	numeric
H5TR26	Q26. In the last year of this relationship, how often did you slap, hit or kick your partner?

			Frequency	% of total	% of valid
Valid	1	never	10,940	88.9%	94.2%
	2	this did not happen in the last year, but it did happen before then	263	2.1%	2.3%
	3	once	214	1.7%	1.8%
	4	twice	88	0.7%	0.8%
	5	3 to 5 times	67	0.5%	0.6%
	6	6 to 10 times	22	0.2%	0.2%
	7	11 to 20 times	8	0.1%	0.1%
	8	more than 20 times	8	0.1%	0.1%
		Total	11,610	94.4%	100%
Missing	.	missing	263	2.1%	
	97	legitimate skip	427	3.5%	
		Total	690	5.6%	

Valid	Invalid	Minimum	Maximum
11610	690	1	8

H5TR27 - S15Q27 FREQ PTNR INJURED BY R-W5

Type	Code
Measurement Unit	numeric
H5TR27	Q27. In the last year of this relationship, how often did your partner have an injury, such as a sprain, bruise, or cut because of a fight with you?

			Frequency	% of total	% of valid
Valid	1	never	11,330	92.1%	97.4%
	2	this did not happen in the last year, but it did happen before then	107	0.9%	0.9%
	3	once	118	1.0%	1.0%
	4	twice	38	0.3%	0.3%

	5	3 to 5 times	27	0.2%	0.2%
	6	6 to 10 times	6	0.05%	0.1%
	7	11 to 20 times	6	0.05%	0.1%
	8	more than 20 times	3	0.02%	0.03%
		Total	11,635	94.6%	100%
Missing	.	missing	263	2.1%	
	97	legitimate skip	402	3.3%	
		Total	665	5.4%	

Valid	Invalid	Minimum	Maximum
11635	665	1	8

H5TR28 - S15Q28 FREQ R FORCED SEX ON PTNR-W5

Type	Code
Measurement Unit	numeric
H5TR28	Q28. In the last year of this relationship, how often did you insist on or make your partner have sexual relations with you when they did not want to?

			Frequency	% of total	% of valid
Valid	1	never	11,357	92.3%	97.6%
	2	this did not happen in the last year, but it did happen before then	56	0.5%	0.5%
	3	once	68	0.6%	0.6%
	4	twice	39	0.3%	0.3%
	5	3 to 5 times	63	0.5%	0.5%
	6	6 to 10 times	21	0.2%	0.2%
	7	11 to 20 times	9	0.1%	0.1%
	8	more than 20 times	19	0.2%	0.2%
		Total	11,632	94.6%	100%
Missing	.	missing	263	2.1%	
	97	legitimate skip	405	3.3%	
		Total	668	5.4%	

Valid	Invalid	Minimum	Maximum
11632	668	1	8

Return to Table of Contents

Wave V, Section 16: Pregnancy, Live Births, Children and Parenting

Title	Wave V, Section 16: Pregnancy, Live Births, Children and Parenting
File Name	wave5.xpt
Case Quantity	12300
Variable Count	290

H5PG1 - S16Q1 R/PTNR EVR TROUBLE GET PREG-W5

Type	Code
Measurement Unit	numeric
H5PG1	Now, think about your relationships with intimate partners. Q1. During any of the romantic relationships you have ever had, have you or your partner ever had trouble getting pregnant or trouble avoiding a miscarriage?

			Frequency	% of total	% of valid
Valid	1	yes	2,181	17.7%	18.2%
	2	no	6,753	54.9%	56.5%
	3	never tried to get pregnant	3,025	24.6%	25.3%
		Total	11,959	97.2%	100%
Missing	.	missing	341	2.8%	
		Total	341	2.8%	

Valid	Invalid	Minimum	Maximum
11959	341	1	3

H5PG2 - S16Q2 R/PTNR EVER PREGNANT-W5

Type	Code
Measurement Unit	numeric
H5PG2	Q2. Have you or any current or past partner ever been pregnant with your biological child?
Logic	If Q2=1, ask Q3. Else if Q2=2, go to Q5. Else go to Q32.

			Frequency	% of total	% of valid
Valid	1	I have been pregnant with my biological child	5,455	44.3%	45.7%
	2	a partner has been pregnant with my biological child	3,492	28.4%	29.3%
	3	neither a partner nor I have been pregnant with my biological child	2,988	24.3%	25.0%

		Total	11,935	97.0%	100%
Missing	.	missing	365	3.0%	
		Total	365	3.0%	

Valid	Invalid	Minimum	Maximum
11935	365	1	3

H5PG3A - S16Q3A R ILL IN PREG-HYPERTNSN-W5

Type	Code
Measurement Unit	numeric
H5PG3A	Have you ever had any of these illnesses or complications during a pregnancy? Q3A. High blood pressure or hypertension
Logic	If Q3A=1 or Q3B=1 or Q3C=1 or Q3D=1 or Q3E=1 ask Q4. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	4,487	36.5%	82.3%
	1	yes	965	7.8%	17.7%
		Total	5,452	44.3%	100%
Missing	.	missing	313	2.5%	
	97	legitimate skip	6,535	53.1%	
		Total	6,848	55.7%	

Valid	Invalid	Minimum	Maximum
5452	6848	0	1

H5PG3B - S16Q3B R ILL IN PREG-PRCLMPSIA/TXMIA-W5

Type	Code
Measurement Unit	numeric
H5PG3B	Have you ever had any of these illnesses or complications during a pregnancy? Q3B. Preeclampsia or toxemia
Logic	If Q3A=1 or Q3B=1 or Q3C=1 or Q3D=1 or Q3E=1 ask Q4. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	4,898	39.8%	90.1%
	1	yes	541	4.4%	9.9%
		Total	5,439	44.2%	100%
Missing	.	missing	325	2.6%	
	97	legitimate skip	6,536	53.1%	
		Total	6,861	55.8%	

Valid	Invalid	Minimum	Maximum
5439	6861	0	1

H5PG3C - S16Q3C R ILL IN PREG-PROT IN URINE-W5

Type	Code
Measurement Unit	numeric
H5PG3C	Have you ever had any of these illnesses or complications during a pregnancy? Q3C. Protein in the urine
Logic	If Q3A=1 or Q3B=1 or Q3C=1 or Q3D=1 or Q3E=1 ask Q4. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	4,910	39.9%	90.5%
	1	yes	517	4.2%	9.5%
		Total	5,427	44.1%	100%
Missing	.	missing	336	2.7%	
	97	legitimate skip	6,537	53.1%	
		Total	6,873	55.9%	

Valid	Invalid	Minimum	Maximum
5427	6873	0	1

H5PG3D - S16Q3D R ILL IN PREG-SEIZURE-W5

Type	Code
Measurement Unit	numeric
H5PG3D	Have you ever had any of these illnesses or complications during a pregnancy? Q3D. Seizures, convulsions, or eclampsia
Logic	If Q3A=1 or Q3B=1 or Q3C=1 or Q3D=1 or Q3E=1 ask Q4. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	5,345	43.5%	98.7%
	1	yes	71	0.6%	1.3%
		Total	5,416	44.0%	100%
Missing	.	missing	347	2.8%	
	97	legitimate skip	6,537	53.1%	
		Total	6,884	56.0%	

Valid	Invalid	Minimum	Maximum
5416	6884	0	1

H5PG3E - S16Q3E R ILL IN PREG-DIABETES-W5

Type	Code
Measurement Unit	numeric
H5PG3E	Have you ever had any of these illnesses or complications during a pregnancy? Q3E. Diabetes
Logic	If Q3A=1 or Q3B=1 or Q3C=1 or Q3D=1 or Q3E=1 ask Q4. Else go to Q5.

			Frequency	% of total	% of valid
Valid	0	no	4,862	39.5%	89.5%
	1	yes	569	4.6%	10.5%
		Total	5,431	44.2%	100%
Missing	.	missing	333	2.7%	
	97	legitimate skip	6,536	53.1%	
		Total	6,869	55.8%	

Valid	Invalid	Minimum	Maximum
5431	6869	0	1

H5PG4 - S16Q4 # PREGNCIES IN ILLNESS-W5

Type	Numeric (Double)
H5PG4	Q4. During how many pregnancies did you have any of these illnesses or complications?

			Frequency	% of total	% of valid
Missing	.	missing	302	2.5%	
	997	legitimate skip	10,428	84.8%	
		Total	10,730	87.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1570	10730	0	11	1.53	0.94

H5PG5 - S16Q5 R CURRENT PREGNANT-W5

Type	Code
Measurement Unit	numeric
H5PG5	Q5. Are you or your partner currently pregnant?
Logic	If Q5=1, ask Q6M. Else, go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	8,606	70.0%	96.6%
	1	yes	300	2.4%	3.4%

		Total	8,906	72.4%	100%
Missing	.	missing	288	2.3%	
	97	legitimate skip	3,033	24.7%	
	98	don't know	73	0.6%	
		Total	3,394	27.6%	

Valid	Invalid	Minimum	Maximum
8906	3394	0	1

H5PG6M - S16Q6_M CURRENT PREGNANCY DUE-MTH-W5

Type	Code
Measurement Unit	numeric
H5PG6M	What is the expected due date? Q6M. Month of due date

			Frequency	% of total	% of valid
Valid	1	January	23	0.2%	8.0%
	2	February	25	0.2%	8.7%
	3	March	17	0.1%	5.9%
	4	April	19	0.2%	6.6%
	5	May	14	0.1%	4.8%
	6	June	6	0.05%	2.1%
	7	July	18	0.1%	6.2%
	8	August	22	0.2%	7.6%
	9	September	33	0.3%	11.4%
	10	October	37	0.3%	12.8%
	11	November	36	0.3%	12.5%
	12	December	39	0.3%	13.5%
		Total	289	2.3%	100%
Missing	.	missing	306	2.5%	
	997	legitimate skip	11,705	95.2%	
		Total	12,011	97.7%	

Valid	Invalid	Minimum	Maximum
289	12011	1	12

H5PG6Y - S16Q6_Y CURRENT PREGNANCY DUE-YEAR-W5

Type	Code
Measurement Unit	numeric
H5PG6Y	What is the expected due date? Q6Y. Year of due date

	Frequency	% of total	% of valid

Valid	2016	2016	74	0.6%	25.4%
	2017	2017	126	1.0%	43.3%
	2018	2018	85	0.7%	29.2%
	2019	2019	6	0.05%	2.1%
		Total	291	2.4%	100%
Missing	.	missing	304	2.5%	
	99997	legitimate skip	11,705	95.2%	
		Total	12,009	97.6%	

Valid	Invalid	Minimum	Maximum
291	12009	2016	2019

H5PG7 - S16Q7 # LIVE BIRTH FRM PREGNANCY-W5

Type	Numeric (Double)
H5PG7	The next few questions are about pregnancies that ended in a live birth. We only want to know about your biological children with any partner. Q7. How many biological children have you had?
Logic	If Q7>0, ask Q8.1. Else, go to Q30.

			Frequency	% of total	% of valid
Missing	.	missing	235	1.9%	
	995	question not asked	387	3.1%	
	997	legitimate skip	2,950	24.0%	
		Total	3,572	29.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
8728	3572	0	12	2.04	1.19

H5PG81 - S16Q81 SINGLE/TWIN/OTHR BTH-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG81	Please answer the following question for your first child. Q8.1. For the birth of your first child, was this birth a single birth, twins, or triplets or more?

			Frequency	% of total	% of valid
Valid	1	single birth	8,131	66.1%	98.2%
	2	twins	147	1.2%	1.8%
	3	triplets or more	4	0.03%	0.05%
		Total	8,282	67.3%	100%
Missing	.	missing	299	2.4%	
	97	legitimate skip	3,719	30.2%	
		Total	4,018	32.7%	

Valid	Invalid	Minimum	Maximum
8282	4018	1	3

H5PG91 - S16Q91 C-SECTION/VAGINAL-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG91	Q9.1. Was this baby born by Cesarean section or vaginal delivery?

			Frequency	% of total	% of valid
Valid	1	Cesarean section	2,389	19.4%	28.9%
	2	vaginal delivery	5,874	47.8%	71.1%
		Total	8,263	67.2%	100%
Missing	.	missing	318	2.6%	
	97	legitimate skip	3,719	30.2%	
		Total	4,037	32.8%	

Valid	Invalid	Minimum	Maximum
8263	4037	1	2

H5PG10M1 - S16Q10M1 BIRTHDAY-MONTH-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG10M1	On what month, day, and year was this baby born? Q10M.1. Month of birth

			Frequency	% of total	% of valid
Valid	1	January	635	5.2%	8.1%
	2	February	587	4.8%	7.5%
	3	March	679	5.5%	8.7%
	4	April	617	5.0%	7.9%
	5	May	679	5.5%	8.7%
	6	June	630	5.1%	8.1%
	7	July	659	5.4%	8.4%
	8	August	693	5.6%	8.9%
	9	September	697	5.7%	8.9%
	10	October	668	5.4%	8.6%
	11	November	633	5.1%	8.1%
	12	December	631	5.1%	8.1%
		Total	7,808	63.5%	100%
Missing	.	missing	768	6.2%	
	997	legitimate skip	3,724	30.3%	
		Total	4,492	36.5%	

Valid	Invalid	Minimum	Maximum
7808	4492	1	12

H5PG10Y1 - S16Q10Y1 BIRTHDAY-YEAR-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG10Y1	On what month, day, and year was this baby born? Q10Y.1. Year of birth

			Frequency	% of total	% of valid
Valid	1981	1981	1	0.008%	0.01%
	1990	1990	2	0.02%	0.03%
	1991	1991	2	0.02%	0.03%
	1992	1992	6	0.05%	0.1%
	1993	1993	26	0.2%	0.3%
	1994	1994	73	0.6%	0.9%
	1995	1995	152	1.2%	1.9%
	1996	1996	220	1.8%	2.8%
	1997	1997	312	2.5%	4.0%
	1998	1998	408	3.3%	5.2%
	1999	1999	456	3.7%	5.8%
	2000	2000	418	3.4%	5.4%
	2001	2001	437	3.6%	5.6%
	2002	2002	393	3.2%	5.0%
	2003	2003	399	3.2%	5.1%
	2004	2004	420	3.4%	5.4%
	2005	2005	423	3.4%	5.4%
	2006	2006	431	3.5%	5.5%
	2007	2007	408	3.3%	5.2%
	2008	2008	435	3.5%	5.6%
	2009	2009	405	3.3%	5.2%
	2010	2010	374	3.0%	4.8%
	2011	2011	353	2.9%	4.5%
	2012	2012	348	2.8%	4.5%
	2013	2013	269	2.2%	3.4%
	2014	2014	211	1.7%	2.7%
	2015	2015	203	1.7%	2.6%
	2016	2016	150	1.2%	1.9%
	2017	2017	62	0.5%	0.8%
	2018	2018	12	0.1%	0.2%
		Total	7,809	63.5%	100%
Missing	.	missing	767	6.2%	
	99997	legitimate skip	3,724	30.3%	
		Total	4,491	36.5%	

Valid	Invalid	Minimum	Maximum
7809	4491	1981	2018

H5PG111 - S16Q111 BORN IN US-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG111	Q11.1. Was this baby born in the U.S.?

			Frequency	% of total	% of valid
Valid	0	no	64	0.5%	0.8%
	1	yes	8,202	66.7%	99.2%
		Total	8,266	67.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	3,717	30.2%	
		Total	4,034	32.8%	

Valid	Invalid	Minimum	Maximum
8266	4034	0	1

H5PG121 - S16Q121 BABY BOY OR GIRL-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG121	Q12.1. Was this baby a boy or a girl?

			Frequency	% of total	% of valid
Valid	1	boy	4,164	33.9%	50.4%
	2	girl	4,094	33.3%	49.6%
		Total	8,258	67.1%	100%
Missing	.	missing	324	2.6%	
	97	legitimate skip	3,718	30.2%	
		Total	4,042	32.9%	

Valid	Invalid	Minimum	Maximum
8258	4042	1	2

H5PG13L1 - S16Q13L1 BABY BIRTH WEIGHT-LBS-KID1-W5

Type	Numeric (Double)
H5PG13L1	How much did this baby weigh at birth? Q13L.1. Pounds at birth
Logic	If Q13L.1=5 and Q13O.1 is missing or if Q13L.1 and Q13O.1 are missing or don't know ask Q14.1. Else go to Q15.1.

			Frequency	% of total	% of valid
Missing	.	missing	477	3.9%	
	997	legitimate skip	3,718	30.2%	
	998	don't know	1,019	8.3%	
		Total	5,214	42.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
7086	5214	0	35	6.76	1.45

H5PG13O1 - S16Q13O1 BABY BIRTH WEIGHT-OZS-KID1-W5

Type	Numeric (Double)
H5PG13O1	How much did this baby weigh at birth? Q13O.1. Ounces at birth
Logic	If Q13L.1=5 and Q13O.1 is missing or if Q13L.1 and Q13O.1 are missing or don't know ask Q14.1. Else go to Q15.1.

			Frequency	% of total	% of valid
Missing	.	missing	909	7.4%	
	997	legitimate skip	3,718	30.2%	
	998	don't know	1,027	8.3%	
		Total	5,654	46.0%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
6646	5654	0	30	7.59	4.22

H5PG141 - S16Q141 BABY BIRTH WGT<5.5 LBS-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG141	Q14.1. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?

			Frequency	% of total	% of valid
Valid	0	no	1,128	9.2%	91.8%
	1	yes	101	0.8%	8.2%
		Total	1,229	10.0%	100%
Missing	.	missing	304	2.5%	
	97	legitimate skip	10,767	87.5%	
		Total	11,071	90.0%	

Valid	Invalid	Minimum	Maximum
1229	11071	0	1

H5PG151 - S16Q151 PRETERM BIRTH-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG151	Q15.1. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?

			Frequency	% of total	% of valid
Valid	0	no	7,102	57.7%	87.0%
	1	yes	1,063	8.6%	13.0%
		Total	8,165	66.4%	100%
Missing	.	missing	332	2.7%	
	97	legitimate skip	3,717	30.2%	
	98	don't know	86	0.7%	
		Total	4,135	33.6%	

Valid	Invalid	Minimum	Maximum
8165	4135	0	1

H5PG161 - S16Q161 BABY STAY HOSP/NICU-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG161	Q16.1. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?

			Frequency	% of total	% of valid
Valid	1	yes	901	7.3%	10.9%
	2	no	7,252	59.0%	88.0%
	3	baby was not in a hospital	90	0.7%	1.1%
		Total	8,243	67.0%	100%
Missing	.	missing	340	2.8%	
	97	legitimate skip	3,717	30.2%	
		Total	4,057	33.0%	

Valid	Invalid	Minimum	Maximum
8243	4057	1	3

H5PG171 - S16Q171 BABY WENT HOME W/ R-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG171	Q17.1. Did this baby eventually go home with you?
Logic	If Q17.1=0, ask Q18.1. Else, go to Q19.1.

			Frequency	% of total	% of valid
Valid	0	no	129	1.0%	1.6%
	1	yes	8,114	66.0%	98.4%
		Total	8,243	67.0%	100%
Missing	.	missing	340	2.8%	
	97	legitimate skip	3,717	30.2%	
		Total	4,057	33.0%	

Valid	Invalid	Minimum	Maximum
8243	4057	0	1

H5PG181 - S16Q181 WHY BABY NOT GO HOME-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG181	Q18.1. Why did this baby not go home with you?

			Frequency	% of total	% of valid
Valid	1	baby was put up for adoption	16	0.1%	12.8%
	2	baby died before he/she went home	43	0.3%	34.4%
	3	baby went to live with other parent	55	0.4%	44.0%
	4	baby went to live with another relative	3	0.02%	2.4%
	5	baby is still in the hospital	8	0.1%	6.4%
		Total	125	1.0%	100%
Missing	.	missing	336	2.7%	
	97	legitimate skip	11,839	96.3%	
		Total	12,175	99.0%	

Valid	Invalid	Minimum	Maximum
125	12175	1	5

H5PG191 - S16Q191 R WANT A BABY B/F PREG-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG191	Q19.1. Thinking back to the time just before this pregnancy, did you want to have a baby then?

			Frequency	% of total	% of valid
Valid	0	no	2,374	19.3%	28.8%
	1	yes	5,861	47.7%	71.2%

		Total	8,235	67.0%	100%
Missing	.	missing	346	2.8%	
	97	legitimate skip	3,719	30.2%	
		Total	4,065	33.0%	

Valid	Invalid	Minimum	Maximum
8235	4065	0	1

H5PG201 - S16Q201 BIRTH CONTROL B/F PREG-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG201	Q20.1. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?

			Frequency	% of total	% of valid
Valid	0	no	6,451	52.4%	78.3%
	1	yes	1,789	14.5%	21.7%
		Total	8,240	67.0%	100%
Missing	.	missing	343	2.8%	
	97	legitimate skip	3,717	30.2%	
		Total	4,060	33.0%	

Valid	Invalid	Minimum	Maximum
8240	4060	0	1

H5PG211 - S16Q211 PREG PTNR REL AT BIRTH-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG211	Q21.1. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?

			Frequency	% of total	% of valid
Valid	1	we were married	4,390	35.7%	53.1%
	2	we were not married, but living together	1,771	14.4%	21.4%
	3	we were not living together, but romantically involved	1,386	11.3%	16.8%
	4	we were involved in an on-again, off-again relationship	361	2.9%	4.4%
	5	we were just friends	209	1.7%	2.5%
	6	we hardly ever saw or talked to each other	68	0.6%	0.8%

	7	we did not see or talk to each other	82	0.7%	1.0%
		Total	8,267	67.2%	100%
Missing	.	missing	315	2.6%	
	97	legitimate skip	3,718	30.2%	
		Total	4,033	32.8%	

Valid	Invalid	Minimum	Maximum
8267	4033	1	7

H5PG221 - S16Q221 PREG PTNR MOST RECENT-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG221	Q22.1. Is this pregnancy partner your current or your most recent partner?

			Frequency	% of total	% of valid
Valid	0	no	3,190	25.9%	38.6%
	1	yes	5,070	41.2%	61.4%
		Total	8,260	67.2%	100%
Missing	.	missing	323	2.6%	
	97	legitimate skip	3,717	30.2%	
		Total	4,040	32.8%	

Valid	Invalid	Minimum	Maximum
8260	4040	0	1

H5PG231 - S16Q231 # CIGARETTE DUR PREG-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG231	Q23.1. During this pregnancy, on average, how many cigarettes did the birth mother smoke?

			Frequency	% of total	% of valid
Valid	1	none	7,336	59.6%	88.8%
	2	a few cigarettes, but not every week	283	2.3%	3.4%
	3	a few cigarettes a week, but not every day	186	1.5%	2.3%
	4	10 or fewer a day	286	2.3%	3.5%
	5	11 to 20 a day	141	1.1%	1.7%
	6	21 to 30 a day	22	0.2%	0.3%
	7	31 or more a day	11	0.1%	0.1%
		Total	8,265	67.2%	100%

Missing	.	missing	318	2.6%	
	97	legitimate skip	3,717	30.2%	
		Total	4,035	32.8%	

Valid	Invalid	Minimum	Maximum
8265	4035	1	7

H5PG241 - S16Q241 PRENATAL VISIT DUR PREG-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG241	Q24.1. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?
Logic	If Q24.1=1, ask Q25.1. Else go to Q26.1.

			Frequency	% of total	% of valid
Valid	0	no	240	2.0%	2.9%
	1	yes	8,003	65.1%	97.1%
		Total	8,243	67.0%	100%
Missing	.	missing	340	2.8%	
	97	legitimate skip	3,717	30.2%	
		Total	4,057	33.0%	

Valid	Invalid	Minimum	Maximum
8243	4057	0	1

H5PG251 - S16Q251 WKS 1ST PRENATAL VISIT-KID1-W5

Type	Numeric (Double)
H5PG251	Q25.1. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?
Logic	If Q18.1=2, go to Q27M.1. Else ask Q26.1.

			Frequency	% of total	% of valid
Missing	.	missing	874	7.1%	
	997	legitimate skip	4,012	32.6%	
		Total	4,886	39.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
7414	4886	0	42	7.5	4.46

H5PG261 - S16Q261 STILL LIVING-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG261	Q26.1. Is this child still living?
Logic	If Q26.1=0, ask Q27M.1. Else if Q26.1=1, go to Q28.1. Else if Q26.1 is don't know and Q7>1 then go to Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	41	0.3%	0.5%
	1	yes	8,171	66.4%	99.5%
		Total	8,212	66.8%	100%
Missing	.	missing	358	2.9%	
	97	legitimate skip	3,717	30.2%	
	98	don't know	13	0.1%	
		Total	4,088	33.2%	

Valid	Invalid	Minimum	Maximum
8212	4088	0	1

H5PG27M1 - S16Q27M1 MONTH DIED-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG27M1	In what month and year did this child die? Q27M.1. Month of death
Logic	Go to Q29A.1.

			Frequency	% of total	% of valid
Valid	1	January	6	0.05%	9.1%
	2	February	2	0.02%	3.0%
	3	March	7	0.1%	10.6%
	4	April	4	0.03%	6.1%
	5	May	5	0.04%	7.6%
	6	June	4	0.03%	6.1%
	7	July	5	0.04%	7.6%
	8	August	9	0.1%	13.6%
	9	September	5	0.04%	7.6%
	10	October	5	0.04%	7.6%
	11	November	11	0.1%	16.7%
	12	December	3	0.02%	4.5%
		Total	66	0.5%	100%
Missing	.	missing	298	2.4%	
	997	legitimate skip	11,936	97.0%	
		Total	12,234	99.5%	

Valid	Invalid	Minimum	Maximum
66	12234	1	12

H5PG27Y1 - S16Q27Y1 YEAR DIED-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG27Y1	In what month and year did this child die? Q27Y.1. Year of death
Logic	Go to Q29A.1.

			Frequency	% of total	% of valid
Valid	1994	1994	1	0.008%	1.5%
	1995	1995	2	0.02%	2.9%
	1996	1996	2	0.02%	2.9%
	1998	1998	1	0.008%	1.5%
	1999	1999	4	0.03%	5.9%
	2000	2000	5	0.04%	7.4%
	2001	2001	3	0.02%	4.4%
	2002	2002	1	0.008%	1.5%
	2003	2003	3	0.02%	4.4%
	2004	2004	6	0.05%	8.8%
	2005	2005	5	0.04%	7.4%
	2006	2006	2	0.02%	2.9%
	2007	2007	7	0.1%	10.3%
	2008	2008	2	0.02%	2.9%
	2009	2009	3	0.02%	4.4%
	2010	2010	7	0.1%	10.3%
	2011	2011	3	0.02%	4.4%
	2012	2012	2	0.02%	2.9%
	2013	2013	2	0.02%	2.9%
	2015	2015	1	0.008%	1.5%
	2016	2016	4	0.03%	5.9%
	2017	2017	1	0.008%	1.5%
	2018	2018	1	0.008%	1.5%
		Total	68	0.6%	100%
Missing	.	missing	298	2.4%	
	99997	legitimate skip	11,934	97.0%	
		Total	12,232	99.4%	

Valid	Invalid	Minimum	Maximum
68	12232	1994	2018

H5PG281 - S16Q281 HOW GOOD HEALTH-KID1-W5

Type	Code
Measurement Unit	numeric

H5PG281	Q28.1. In general, how good is this child's health?

			Frequency	% of total	% of valid
Valid	1	excellent	5,396	43.9%	66.2%
	2	very good	2,151	17.5%	26.4%
	3	good	519	4.2%	6.4%
	4	fair	80	0.7%	1.0%
	5	poor	5	0.04%	0.1%
		Total	8,151	66.3%	100%
Missing	.	missing	332	2.7%	
	97	legitimate skip	3,817	31.0%	
		Total	4,149	33.7%	

Valid	Invalid	Minimum	Maximum
8151	4149	1	5

H5PG29A1 - S16Q29A1 HEAR PROB/DEAF-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29A1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29A.1. Hearing problems or deafness
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,110	65.9%	98.2%
	1	yes	146	1.2%	1.8%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29B1 - S16Q29B1 HAS SPEECH PROB-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29B1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29B.1. Delayed speech or other problems with speaking or understanding

Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	7,799	63.4%	94.5%
	1	yes	457	3.7%	5.5%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29C1 - S16Q29C1 HAS SIGHT PROB-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29C1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29C.1. A problem with sight even when wearing glasses
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	7,929	64.5%	96.0%
	1	yes	327	2.7%	4.0%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29D1 - S16Q29D1 LEARN DELAY/SLOW-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29D1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29D.1. A developmental delay or slowness in learning
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	7,951	64.6%	96.3%
	1	yes	305	2.5%	3.7%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29E1 - S16Q29E1 ALLRGY/HAY FEVER-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29E1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29E.1. Allergies or hay fever, not including allergic reactions to medications
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,978	56.7%	84.5%
	1	yes	1,278	10.4%	15.5%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29F1 - S16Q29F1 HAS ASTHMA-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29F1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29F.1. Asthma
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	7,328	59.6%	88.8%

	1	yes	928	7.5%	11.2%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29G1 - S16Q29G1 OTHR RESP CON-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29G1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29G.1. Any other chronic respiratory, lung, or breathing condition
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,172	66.4%	99.0%
	1	yes	84	0.7%	1.0%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29H1 - S16Q29H1 CHRONC HEART CON-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29H1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29H.1. A chronic heart condition
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,194	66.6%	99.2%
	1	yes	62	0.5%	0.8%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	

	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29I1 - S16Q29I1 SICKLE CL ANEMIA-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29I1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29I.1. Sickle cell anemia
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,232	66.9%	99.7%
	1	yes	24	0.2%	0.3%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29J1 - S16Q29J1 CONVULS/SEIZURE-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29J1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29J.1. Epilepsy, convulsions or seizures without fever
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,179	66.5%	99.1%
	1	yes	77	0.6%	0.9%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29K1 - S16Q29K1 BONE/JOINT PROB-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29K1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29K.1. Chronic orthopedic, bone, or joint problems
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,225	66.9%	99.6%
	1	yes	31	0.3%	0.4%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29L1 - S16Q29L1 CEREBRAL PALSY-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29L1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29L.1. Cerebral palsy
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,228	66.9%	99.7%
	1	yes	28	0.2%	0.3%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29M1 - S16Q29M1 CYSTIC FIBROSIS-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29M1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29M.1. Cystic fibrosis
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,246	67.0%	99.9%
	1	yes	10	0.1%	0.1%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29N1 - S16Q29N1 HAS CANCER-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29N1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29N.1. Cancer
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,241	67.0%	99.8%
	1	yes	15	0.1%	0.2%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29O1 - S16Q29O1 HAS HEMOPHILIA-KID1-W5

Type	Code

Measurement Unit	numeric
H5PG29O1	Please answer the following question for your 1st child. Has a doctor ever told you that this has or had any of these conditions? Mark one or more boxes. Q29O.1. Hemophilia
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,250	67.1%	99.9%
	1	yes	6	0.05%	0.1%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29P1 - S16Q29P1 HAS HIV/AIDS-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29P1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29P.1. HIV or AIDS
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,256	67.1%	100.0%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	0

H5PG29Q1 - S16Q29Q1 HAS OBESITY-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29Q1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29Q.1. Obesity

Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,113	66.0%	98.3%
	1	yes	143	1.2%	1.7%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29R1 - S16Q29R1 HAS DIABETES-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29R1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29R.1. Diabetes
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	8,219	66.8%	99.6%
	1	yes	37	0.3%	0.4%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29S1 - S16Q29S1 HAS ADHD-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29S1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29S.1. ADHD
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	7,684	62.5%	93.1%
	1	yes	572	4.7%	6.9%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29T1 - S16Q29T1 OTHER CONDITIONS-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29T1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29T.1. Any other condition for which your child has been seen by a specialist or at a special clinic, or for which your child gets special therapies.
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	7,658	62.3%	92.8%
	1	yes	598	4.9%	7.2%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG29U1 - S16Q29U1 HAS NONE ABOVE-KID1-W5

Type	Code
Measurement Unit	numeric
H5PG29U1	Please answer the following question for your 1st child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29U.1. None of the above
Logic	If Q7>1 ask Q8.2. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	3,366	27.4%	40.8%

	1	yes	4,890	39.8%	59.2%
		Total	8,256	67.1%	100%
Missing	.	missing	327	2.7%	
	97	legitimate skip	3,717	30.2%	
		Total	4,044	32.9%	

Valid	Invalid	Minimum	Maximum
8256	4044	0	1

H5PG82 - S16Q82 SINGLE/TWIN/OTHR BTH-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG82	Please answer the following question for your 2nd child. Q8.2. For the birth of your 2nd child, was this birth a single birth, twins, or triplets or more?

			Frequency	% of total	% of valid
Valid	1	single birth	5,828	47.4%	96.1%
	2	twins	231	1.9%	3.8%
	3	triplets or more	6	0.05%	0.1%
		Total	6,065	49.3%	100%
Missing	.	missing	305	2.5%	
	97	legitimate skip	5,930	48.2%	
		Total	6,235	50.7%	

Valid	Invalid	Minimum	Maximum
6065	6235	1	3

H5PG92 - S16Q92 C-SECTION/VAGINAL-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG92	Q9.2. Was this baby born by Cesarean section or vaginal delivery?

			Frequency	% of total	% of valid
Valid	1	Cesarean section	1,912	15.5%	31.6%
	2	vaginal delivery	4,139	33.7%	68.4%
		Total	6,051	49.2%	100%
Missing	.	missing	316	2.6%	
	97	legitimate skip	5,933	48.2%	
		Total	6,249	50.8%	

Valid	Invalid	Minimum	Maximum

6051	6249	1	2

H5PG10M2 - S16Q10M2 BIRTHDAY-MONTH-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG10M2	On what month, day, and year was this baby born? Q10M.2. Month of birth

			Frequency	% of total	% of valid
Valid	1	January	467	3.8%	8.2%
	2	February	397	3.2%	7.0%
	3	March	496	4.0%	8.7%
	4	April	457	3.7%	8.0%
	5	May	491	4.0%	8.6%
	6	June	486	4.0%	8.5%
	7	July	486	4.0%	8.5%
	8	August	483	3.9%	8.5%
	9	September	512	4.2%	9.0%
	10	October	515	4.2%	9.0%
	11	November	461	3.7%	8.1%
	12	December	447	3.6%	7.8%
		Total	5,698	46.3%	100%
Missing	.	missing	661	5.4%	
	997	legitimate skip	5,941	48.3%	
		Total	6,602	53.7%	

Valid	Invalid	Minimum	Maximum
5698	6602	1	12

H5PG10Y2 - S16Q10Y2 BIRTHDAY-YEAR-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG10Y2	On what month, day, and year was this baby born? Q10Y.2. Year of birth

			Frequency	% of total	% of valid
Valid	1993	1993	1	0.008%	0.02%
	1994	1994	3	0.02%	0.1%
	1995	1995	14	0.1%	0.2%
	1996	1996	26	0.2%	0.5%
	1997	1997	64	0.5%	1.1%
	1998	1998	90	0.7%	1.6%
	1999	1999	137	1.1%	2.4%
	2000	2000	206	1.7%	3.6%
	2001	2001	278	2.3%	4.9%

	2002	2002	248	2.0%	4.4%
	2003	2003	299	2.4%	5.2%
	2004	2004	288	2.3%	5.1%
	2005	2005	339	2.8%	5.9%
	2006	2006	377	3.1%	6.6%
	2007	2007	349	2.8%	6.1%
	2008	2008	367	3.0%	6.4%
	2009	2009	367	3.0%	6.4%
	2010	2010	362	2.9%	6.4%
	2011	2011	367	3.0%	6.4%
	2012	2012	336	2.7%	5.9%
	2013	2013	304	2.5%	5.3%
	2014	2014	321	2.6%	5.6%
	2015	2015	288	2.3%	5.1%
	2016	2016	189	1.5%	3.3%
	2017	2017	70	0.6%	1.2%
	2018	2018	10	0.1%	0.2%
		Total	5,700	46.3%	100%
Missing	.	missing	659	5.4%	
	99997	legitimate skip	5,941	48.3%	
		Total	6,600	53.7%	

Valid	Invalid	Minimum	Maximum
5700	6600	1993	2018

H5PG112 - S16Q112 BORN IN US-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG112	Q11.2. Was this baby born in the U.S.?

			Frequency	% of total	% of valid
Valid	0	no	36	0.3%	0.6%
	1	yes	6,019	48.9%	99.4%
		Total	6,055	49.2%	100%
Missing	.	missing	316	2.6%	
	97	legitimate skip	5,929	48.2%	
		Total	6,245	50.8%	

Valid	Invalid	Minimum	Maximum
6055	6245	0	1

H5PG122 - S16Q122 BABY BOY OR GIRL-KID2-W5

Type	Code
Measurement Unit	numeric

H5PG122	Q12.2. Was this baby a boy or a girl?

			Frequency	% of total	% of valid
Valid	1	boy	3,024	24.6%	50.0%
	2	girl	3,027	24.6%	50.0%
		Total	6,051	49.2%	100%
Missing	.	missing	320	2.6%	
	97	legitimate skip	5,929	48.2%	
		Total	6,249	50.8%	

Valid	Invalid	Minimum	Maximum
6051	6249	1	2

H5PG13L2 - S16Q13L2 BABY BIRTH WEIGHT-LBS-KID2-W5

Type	Numeric (Double)
H5PG13L2	How much did this baby weigh at birth? Q13I.2. Pounds at birth
Logic	If Q13L.2=5 and Q13O.2 is missing or if Q13L.2 and Q13O.2 are missing or don't know ask Q14.2. Else go to Q15.2.

			Frequency	% of total	% of valid
Missing	.	missing	445	3.6%	
	997	legitimate skip	5,930	48.2%	
	998	don't know	863	7.0%	
		Total	7,238	58.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
5062	7238	0	16	6.91	1.41

H5PG13O2 - S16Q13O2 BABY BIRTH WEIGHT-OZS-KID2-W5

Type	Numeric (Double)
H5PG13O2	How much did this baby weigh at birth? Q13O.2. Ounces at birth
Logic	If Q13L.2=5 and Q13O.2 is missing or if Q13L.2 and Q13O.2 are missing or don't know ask Q14.2. Else go to Q15.2.

			Frequency	% of total	% of valid
Missing	.	missing	813	6.6%	
	997	legitimate skip	5,930	48.2%	
	998	don't know	870	7.1%	
		Total	7,613	61.9%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
4687	7613	0	20	7.22	4.26

H5PG142 - S16Q142 BABY BIRTH WGT<5.5 LBS-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG142	Q14.2. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?

			Frequency	% of total	% of valid
Valid	0	no	916	7.4%	90.2%
	1	yes	100	0.8%	9.8%
		Total	1,016	8.3%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	10,983	89.3%	
		Total	11,284	91.7%	

Valid	Invalid	Minimum	Maximum
1016	11284	0	1

H5PG152 - S16Q152 PRETERM BIRTH-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG152	Q15.2. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?

			Frequency	% of total	% of valid
Valid	0	no	5,264	42.8%	87.7%
	1	yes	735	6.0%	12.3%
		Total	5,999	48.8%	100%
Missing	.	missing	323	2.6%	
	97	legitimate skip	5,929	48.2%	
	98	don't know	49	0.4%	
		Total	6,301	51.2%	

Valid	Invalid	Minimum	Maximum
5999	6301	0	1

H5PG162 - S16Q162 BABY STAY HOSP/NICU-KID2-W5

Type	Code
Measurement Unit	numeric

H5PG162	Q16.2. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?

			Frequency	% of total	% of valid
Valid	1	yes	529	4.3%	8.8%
	2	no	5,430	44.1%	90.0%
	3	baby was not in a hospital	74	0.6%	1.2%
		Total	6,033	49.0%	100%
Missing	.	missing	339	2.8%	
	97	legitimate skip	5,928	48.2%	
		Total	6,267	51.0%	

Valid	Invalid	Minimum	Maximum
6033	6267	1	3

H5PG172 - S16Q172 BABY WENT HOME W/ R-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG172	Q17.2. Did this baby eventually go home with you?
Logic	If Q17.2=0, ask Q18.2. Else, go to Q19.2.

			Frequency	% of total	% of valid
Valid	0	no	63	0.5%	1.0%
	1	yes	5,988	48.7%	99.0%
		Total	6,051	49.2%	100%
Missing	.	missing	321	2.6%	
	97	legitimate skip	5,928	48.2%	
		Total	6,249	50.8%	

Valid	Invalid	Minimum	Maximum
6051	6249	0	1

H5PG182 - S16Q182 WHY BABY NOT GO HOME-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG182	Q18.2. Why did this baby not go home with you?

			Frequency	% of total	% of valid
Valid	1	baby was put up for adoption	5	0.0%	8.3%
	2	baby died before he/she went home	26	0.2%	43.3%

	3	baby went to live with other parent	17	0.1%	28.3%
	4	baby went to live with another relative	4	0.03%	6.7%
	5	baby is still in the hospital	8	0.1%	13.3%
		Total	60	0.5%	100%
Missing	.	missing	321	2.6%	
	97	legitimate skip	11,919	96.9%	
		Total	12,240	99.5%	

Valid	Invalid	Minimum	Maximum
60	12240	1	5

H5PG192 - S16Q192 R WANT A BABY B/F PREG-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG192	Q19.2. Thinking back to the time just before this pregnancy, did you want to have a baby then?

			Frequency	% of total	% of valid
Valid	0	no	1,209	9.8%	20.0%
	1	yes	4,827	39.2%	80.0%
		Total	6,036	49.1%	100%
Missing	.	missing	328	2.7%	
	97	legitimate skip	5,936	48.3%	
		Total	6,264	50.9%	

Valid	Invalid	Minimum	Maximum
6036	6264	0	1

H5PG202 - S16Q202 BIRTH CONTROL B/F PREG-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG202	Q20.2. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?

			Frequency	% of total	% of valid
Valid	0	no	5,004	40.7%	82.9%
	1	yes	1,030	8.4%	17.1%
		Total	6,034	49.1%	100%
Missing	.	missing	338	2.7%	
	97	legitimate skip	5,928	48.2%	

		Total	6,266	50.9%	

Valid	Invalid	Minimum	Maximum
6034	6266	0	1

H5PG212 - S16Q212 PREG PTNR REL AT BIRTH-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG212	Q21.2. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?

			Frequency	% of total	% of valid
Valid	1	we were married	4,249	34.5%	70.1%
	2	we were not married, but living together	1,163	9.5%	19.2%
	3	we were not living together, but romantically involved	364	3.0%	6.0%
	4	we were involved in an on-again, off-again relationship	152	1.2%	2.5%
	5	we were just friends	73	0.6%	1.2%
	6	we hardly ever saw or talked to each other	24	0.2%	0.4%
	7	we did not see or talk to each other	34	0.3%	0.6%
		Total	6,059	49.3%	100%
Missing	.	missing	312	2.5%	
	97	legitimate skip	5,929	48.2%	
		Total	6,241	50.7%	

Valid	Invalid	Minimum	Maximum
6059	6241	1	7

H5PG222 - S16Q222 PREG PTNR MOST RECENT-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG222	Q22.2. Is this pregnancy partner your current or your most recent partner?

			Frequency	% of total	% of valid
Valid	0	no	1,732	14.1%	28.6%
	1	yes	4,328	35.2%	71.4%
		Total	6,060	49.3%	100%
Missing	.	missing	312	2.5%	
	97	legitimate skip	5,928	48.2%	

		Total	6,240	50.7%	

Valid	Invalid	Minimum	Maximum
6060	6240	0	1

H5PG232 - S16Q232 # CIGARETTE DUR PREG-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG232	Q23.2. During this pregnancy, on average, how many cigarettes did the birth mother smoke?

			Frequency	% of total	% of valid
Valid	1	none	5,397	43.9%	89.0%
	2	a few cigarettes, but not every week	184	1.5%	3.0%
	3	a few cigarettes a week, but not every day	140	1.1%	2.3%
	4	10 or fewer a day	212	1.7%	3.5%
	5	11 to 20 a day	105	0.9%	1.7%
	6	21 to 30 a day	16	0.1%	0.3%
	7	31 or more a day	12	0.1%	0.2%
		Total	6,066	49.3%	100%
Missing	.	missing	305	2.5%	
	97	legitimate skip	5,929	48.2%	
		Total	6,234	50.7%	

Valid	Invalid	Minimum	Maximum
6066	6234	1	7

H5PG242 - S16Q242 PRENATAL VISIT DUR PREG-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG242	Q24.2. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?
Logic	If Q24.2=1, ask Q25.2. Else go to Q26.2.

			Frequency	% of total	% of valid
Valid	0	no	149	1.2%	2.5%
	1	yes	5,905	48.0%	97.5%
		Total	6,054	49.2%	100%
Missing	.	missing	318	2.6%	
	97	legitimate skip	5,928	48.2%	

		Total	6,246	50.8%	

Valid	Invalid	Minimum	Maximum
6054	6246	0	1

H5PG252 - S16Q252 WKS 1ST PRENATAL VISIT-KID2-W5

Type	Numeric (Double)
H5PG252	Q25.2. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?
Logic	If Q18.2=2, go to Q27M.2. Else ask Q26.2.

			Frequency	% of total	% of valid
Missing	.	missing	686	5.6%	
	997	legitimate skip	6,112	49.7%	
		Total	6,798	55.3%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
5502	6798	0	43	7.23	4.13

H5PG262 - S16Q262 STILL LIVING-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG262	Q26.2. Is this child still living?
Logic	If Q26.2=0, ask Q27M.2. Else if Q26.2=1, go to Q28.2. Else if Q26.2 is don't know and Q7>2 then go to Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	22	0.2%	0.4%
	1	yes	6,004	48.8%	99.6%
		Total	6,026	49.0%	100%
Missing	.	missing	335	2.7%	
	97	legitimate skip	5,928	48.2%	
	98	don't know	11	0.1%	
		Total	6,274	51.0%	

Valid	Invalid	Minimum	Maximum
6026	6274	0	1

H5PG27M2 - S16Q27M2 MONTH DIED-KID2-W5

Type	Code
Measurement Unit	numeric

H5PG27M2	In what month and year did this child die? Q27M.2 Month of death
Logic	Go to Q29A.2.

			Frequency	% of total	% of valid
Valid	1	January	1	0.008%	2.4%
	2	February	1	0.008%	2.4%
	3	March	6	0.05%	14.6%
	4	April	5	0.04%	12.2%
	5	May	7	0.1%	17.1%
	6	June	7	0.1%	17.1%
	7	July	1	0.008%	2.4%
	8	August	3	0.02%	7.3%
	9	September	3	0.02%	7.3%
	11	November	5	0.04%	12.2%
	12	December	2	0.02%	4.9%
		Total	41	0.3%	100%
Missing	.	missing	290	2.4%	
	997	legitimate skip	11,969	97.3%	
		Total	12,259	99.7%	

Valid	Invalid	Minimum	Maximum
41	12259	1	12

H5PG27Y2 - S16Q27Y2 YEAR DIED-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG27Y2	In what month and year did this child die? Q27Y.2. Year of death
Logic	Go to Q29A.2.

			Frequency	% of total	% of valid
Valid	1997	1997	1	0.008%	2.4%
	1998	1998	1	0.008%	2.4%
	1999	1999	1	0.008%	2.4%
	2000	2000	1	0.008%	2.4%
	2001	2001	4	0.03%	9.5%
	2002	2002	2	0.02%	4.8%
	2003	2003	3	0.02%	7.1%
	2004	2004	3	0.02%	7.1%
	2005	2005	3	0.02%	7.1%
	2006	2006	1	0.008%	2.4%
	2007	2007	4	0.03%	9.5%
	2009	2009	1	0.008%	2.4%
	2010	2010	4	0.03%	9.5%
	2011	2011	3	0.02%	7.1%

	2013	2013	1	0.008%	2.4%
	2014	2014	3	0.02%	7.1%
	2015	2015	1	0.008%	2.4%
	2016	2016	4	0.03%	9.5%
	2017	2017	1	0.008%	2.4%
		Total	42	0.3%	100%
Missing	.	missing	290	2.4%	
	99997	legitimate skip	11,968	97.3%	
		Total	12,258	99.7%	

Valid	Invalid	Minimum	Maximum
42	12258	1997	2017

H5PG282 - S16Q282 HOW GOOD HEALTH-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG282	Q28.2. In general, how good is this child's health?

			Frequency	% of total	% of valid
Valid	1	excellent	3,997	32.5%	66.7%
	2	very good	1,575	12.8%	26.3%
	3	good	358	2.9%	6.0%
	4	fair	55	0.4%	0.9%
	5	poor	7	0.1%	0.1%
		Total	5,992	48.7%	100%
Missing	.	missing	321	2.6%	
	97	legitimate skip	5,987	48.7%	
		Total	6,308	51.3%	

Valid	Invalid	Minimum	Maximum
5992	6308	1	5

H5PG29A2 - S16Q29A2 HEAR PROB/DEAF-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29A2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29A.2. Hearing problems or deafness
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,962	48.5%	98.4%

	1	yes	95	0.8%	1.6%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29B2 - S16Q29B2 HAS SPEECH PROB-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29B2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29B.2. Delayed speech or other problems with speaking or understanding
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,710	46.4%	94.3%
	1	yes	347	2.8%	5.7%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29C2 - S16Q29C2 HAS SIGHT PROB-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29C2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29C.2. A problem with sight even when wearing glasses
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,884	47.8%	97.1%
	1	yes	173	1.4%	2.9%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	

	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29D2 - S16Q29D2 LEARN DELAY/SLOW-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29D2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29D.2. A developmental delay or slowness in learning
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,862	47.7%	96.8%
	1	yes	195	1.6%	3.2%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29E2 - S16Q29E2 ALLRGY/HAY FEVER-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29E2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29E.2. Allergies or hay fever, not including allergic reactions to medications
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,323	43.3%	87.9%
	1	yes	734	6.0%	12.1%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29F2 - S16Q29F2 HAS ASTHMA-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29F2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29F.2. Asthma
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,546	45.1%	91.6%
	1	yes	511	4.2%	8.4%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29G2 - S16Q29G2 OTHR RESP CON-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29G2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29G.2. Any other chronic respiratory, lung, or breathing condition
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,997	48.8%	99.0%
	1	yes	60	0.5%	1.0%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum

6057	6243	0	1

H5PG29H2 - S16Q29H2 CHRONC HEART CON-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29H2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29H.2. A chronic heart condition
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,025	49.0%	99.5%
	1	yes	32	0.3%	0.5%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29I2 - S16Q29I2 SICKLE CL ANEMIA-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29I2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29I.2. Sickle cell anemia
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,052	49.2%	99.9%
	1	yes	5	0.04%	0.1%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29J2 - S16Q29J2 CONVULS/SEIZURE-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29J2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29J.2. Epilepsy, convulsions or seizures without fever
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,020	48.9%	99.4%
	1	yes	37	0.3%	0.6%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29K2 - S16Q29K2 BONE/JOINT PROB-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29K2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29K.2. Chronic orthopedic, bone, or joint problems
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,031	49.0%	99.6%
	1	yes	26	0.2%	0.4%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29L2 - S16Q29L2 CEREBRAL PALSY-KID2-W5

Type	Code

Measurement Unit	numeric
H5PG29L2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29L.2. Cerebral palsy
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,045	49.1%	99.8%
	1	yes	12	0.1%	0.2%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29M2 - S16Q29M2 CYSTIC FIBROSIS-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29M2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29M.2. Cystic fibrosis
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,052	49.2%	99.9%
	1	yes	5	0.04%	0.1%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29N2 - S16Q29N2 HAS CANCER-KID2-W5

Type	Code
Measurement Unit	numeric

H5PG29N2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29N.2. Cancer
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,051	49.2%	99.9%
	1	yes	6	0.05%	0.1%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29O2 - S16Q29O2 HAS HEMOPHILIA-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29O2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29O.2. Hemophilia
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,053	49.2%	99.9%
	1	yes	4	0.03%	0.1%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29P2 - S16Q29P2 HAS HIV/AIDS-KID2-W5

Type	Code
Measurement Unit	numeric

H5PG29P2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29P.2. HIV or AIDS
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,057	49.2%	100.0%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	0

H5PG29Q2 - S16Q29Q2 HAS OBESITY-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29Q2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29Q.2. Obesity
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,003	48.8%	99.1%
	1	yes	54	0.4%	0.9%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29R2 - S16Q29R2 HAS DIABETES-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29R2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29R.2. Diabetes

Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6,036	49.1%	99.7%
	1	yes	21	0.2%	0.3%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29S2 - S16Q29S2 HAS ADHD-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29S2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29S.2. ADHD
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,708	46.4%	94.2%
	1	yes	349	2.8%	5.8%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29T2 - S16Q29T2 OTHER CONDITIONS-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29T2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29T.2. Any other condition for which your child has been seen by a specialist or at a special clinic, or for which your child gets special therapies.
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5,694	46.3%	94.0%
	1	yes	363	3.0%	6.0%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG29U2 - S16Q29U2 HAS NONE ABOVE-KID2-W5

Type	Code
Measurement Unit	numeric
H5PG29U2	Please answer the following question for your 2nd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29U.2. None of the above
Logic	If Q7>2 ask Q8.3. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,236	18.2%	36.9%
	1	yes	3,821	31.1%	63.1%
		Total	6,057	49.2%	100%
Missing	.	missing	317	2.6%	
	97	legitimate skip	5,926	48.2%	
		Total	6,243	50.8%	

Valid	Invalid	Minimum	Maximum
6057	6243	0	1

H5PG83 - S16Q83 SINGLE/TWIN/OTHR BTH-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG83	Please answer the following question for your 3rd child. Q8.3. For the birth of your third child, was this birth a single birth, twins, or triplets or more?

			Frequency	% of total	% of valid
Valid	1	single birth	2,420	19.7%	94.6%
	2	twins	130	1.1%	5.1%
	3	triplets or more	7	0.1%	0.3%
		Total	2,557	20.8%	100%

Missing	.	missing	297	2.4%	
	97	legitimate skip	9,446	76.8%	
		Total	9,743	79.2%	

Valid	Invalid	Minimum	Maximum
2557	9743	1	3

H5PG93 - S16Q93 C-SECTION/VAGINAL-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG93	Q9.3. Was this baby born by Cesarean section or vaginal delivery?

			Frequency	% of total	% of valid
Valid	1	Cesarean section	814	6.6%	31.9%
	2	vaginal delivery	1,738	14.1%	68.1%
		Total	2,552	20.7%	100%
Missing	.	missing	300	2.4%	
	97	legitimate skip	9,448	76.8%	
		Total	9,748	79.3%	

Valid	Invalid	Minimum	Maximum
2552	9748	1	2

H5PG10M3 - S16Q10M3 BIRTHDAY-MONTH-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG10M3	On what month, day, and year was this baby born? Q10M.3 Month of birth

			Frequency	% of total	% of valid
Valid	1	January	174	1.4%	7.3%
	2	February	177	1.4%	7.4%
	3	March	188	1.5%	7.8%
	4	April	187	1.5%	7.8%
	5	May	200	1.6%	8.3%
	6	June	223	1.8%	9.3%
	7	July	203	1.7%	8.5%
	8	August	227	1.8%	9.5%
	9	September	214	1.7%	8.9%
	10	October	220	1.8%	9.2%
	11	November	184	1.5%	7.7%
	12	December	203	1.7%	8.5%
		Total	2,400	19.5%	100%

Missing	.	missing	444	3.6%	
	997	legitimate skip	9,456	76.9%	
		Total	9,900	80.5%	

Valid	Invalid	Minimum	Maximum
2400	9900	1	12

H5PG10Y3 - S16Q10Y3 BIRTHDAY-YEAR-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG10Y3	On what month, day, and year was this baby born? Q10Y.3. Year of birth

			Frequency	% of total	% of valid
Valid	1994	1994	2	0.02%	0.1%
	1995	1995	1	0.008%	0.04%
	1996	1996	1	0.008%	0.04%
	1997	1997	11	0.1%	0.5%
	1998	1998	9	0.1%	0.4%
	1999	1999	36	0.3%	1.5%
	2000	2000	47	0.4%	2.0%
	2001	2001	66	0.5%	2.7%
	2002	2002	89	0.7%	3.7%
	2003	2003	95	0.8%	4.0%
	2004	2004	115	0.9%	4.8%
	2005	2005	119	1.0%	5.0%
	2006	2006	150	1.2%	6.2%
	2007	2007	177	1.4%	7.4%
	2008	2008	173	1.4%	7.2%
	2009	2009	180	1.5%	7.5%
	2010	2010	160	1.3%	6.7%
	2011	2011	146	1.2%	6.1%
	2012	2012	182	1.5%	7.6%
	2013	2013	178	1.4%	7.4%
	2014	2014	146	1.2%	6.1%
	2015	2015	152	1.2%	6.3%
	2016	2016	99	0.8%	4.1%
	2017	2017	59	0.5%	2.5%
	2018	2018	8	0.1%	0.3%
		Total	2,401	19.5%	100%
Missing	.	missing	443	3.6%	
	99997	legitimate skip	9,456	76.9%	
		Total	9,899	80.5%	

Valid	Invalid	Minimum	Maximum
2401	9899	1994	2018

H5PG113 - S16Q113 BORN IN US-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG113	Q11.3. Was this baby born in the U.S.?

			Frequency	% of total	% of valid
Valid	0	no	19	0.2%	0.7%
	1	yes	2,532	20.6%	99.3%
		Total	2,551	20.7%	100%
Missing	.	missing	303	2.5%	
	97	legitimate skip	9,446	76.8%	
		Total	9,749	79.3%	

Valid	Invalid	Minimum	Maximum
2551	9749	0	1

H5PG123 - S16Q123 BABY BOY OR GIRL-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG123	Q12.3. Was this baby a boy or a girl?

			Frequency	% of total	% of valid
Valid	1	boy	1,294	10.5%	50.8%
	2	girl	1,254	10.2%	49.2%
		Total	2,548	20.7%	100%
Missing	.	missing	306	2.5%	
	97	legitimate skip	9,446	76.8%	
		Total	9,752	79.3%	

Valid	Invalid	Minimum	Maximum
2548	9752	1	2

H5PG13L3 - S16Q13L3 BABY BIRTH WEIGHT-LBS-KID3-W5

Type	Numeric (Double)
H5PG13L3	How much did this baby weigh at birth? Q13L.3. Pounds at birth
Logic	If Q13L.3=5 and Q13O.3 is missing or if Q13L.3 and Q13O.3 are missing or don't know ask Q14.3. Else go to Q15.3.

			Frequency	% of total	% of valid
Missing	.	missing	364	3.0%	

	997	legitimate skip	9,446	76.8%	
	998	don't know	426	3.5%	
		Total	10,236	83.2%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2064	10236	0	12	6.85	1.46

H5PG13O3 - S16Q13O3 BABY BIRTH WEIGHT-OZS-KID3-W5

Type	Numeric (Double)
H5PG13O3	How much did this baby weigh at birth? Q13O.3. Ounces at birth
Logic	If Q13L.3=5 and Q13O.3 is missing or if Q13L.3 and Q13O.3 are missing or don't know ask Q14.3. Else go to Q15.3.

			Frequency	% of total	% of valid
Missing	.	missing	508	4.1%	
	997	legitimate skip	9,446	76.8%	
	998	don't know	431	3.5%	
		Total	10,385	84.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
1915	10385	0	16	7.14	4.3

H5PG143 - S16Q143 BABY BIRTH WGT<5.5 LBS-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG143	Q14.3. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?

			Frequency	% of total	% of valid
Valid	0	no	450	3.7%	90.2%
	1	yes	49	0.4%	9.8%
		Total	499	4.1%	100%
Missing	.	missing	292	2.4%	
	97	legitimate skip	11,509	93.6%	
		Total	11,801	95.9%	

Valid	Invalid	Minimum	Maximum
499	11801	0	1

H5PG153 - S16Q153 PRETERM BIRTH-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG153	Q15.3. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?

			Frequency	% of total	% of valid
Valid	0	no	2,148	17.5%	85.7%
	1	yes	359	2.9%	14.3%
		Total	2,507	20.4%	100%
Missing	.	missing	312	2.5%	
	97	legitimate skip	9,445	76.8%	
	98	don't know	36	0.3%	
		Total	9,793	79.6%	

Valid	Invalid	Minimum	Maximum
2507	9793	0	1

H5PG163 - S16Q163 BABY STAY HOSP/NICU-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG163	Q16.3. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?

			Frequency	% of total	% of valid
Valid	1	yes	279	2.3%	11.0%
	2	no	2,220	18.0%	87.3%
	3	baby was not in a hospital	44	0.4%	1.7%
		Total	2,543	20.7%	100%
Missing	.	missing	312	2.5%	
	97	legitimate skip	9,445	76.8%	
		Total	9,757	79.3%	

Valid	Invalid	Minimum	Maximum
2543	9757	1	3

H5PG173 - S16Q173 BABY WENT HOME W/ R-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG173	Q17.3. Did this baby eventually go home with you?
Logic	If Q17.3=0, ask Q18.3. Else, go to Q19.3.

			Frequency	% of total	% of valid
Valid	0	no	40	0.3%	1.6%
	1	yes	2,505	20.4%	98.4%
		Total	2,545	20.7%	100%
Missing	.	missing	310	2.5%	
	97	legitimate skip	9,445	76.8%	
		Total	9,755	79.3%	

Valid	Invalid	Minimum	Maximum
2545	9755	0	1

H5PG183 - S16Q183 WHY BABY NOT GO HOME-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG183	Q18.3. Why did this baby not go home with you?

			Frequency	% of total	% of valid
Valid	1	baby was put up for adoption	3	0.02%	7.7%
	2	baby died before he/she went home	15	0.1%	38.5%
	3	baby went to live with other parent	9	0.1%	23.1%
	4	baby went to live with another relative	3	0.02%	7.7%
	5	baby is still in the hospital	9	0.1%	23.1%
		Total	39	0.3%	100%
Missing	.	missing	309	2.5%	
	97	legitimate skip	11,952	97.2%	
		Total	12,261	99.7%	

Valid	Invalid	Minimum	Maximum
39	12261	1	5

H5PG193 - S16Q193 R WANT A BABY B/F PREG-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG193	Q19.3. Thinking back to the time just before this pregnancy, did you want to have a baby then?

			Frequency	% of total	% of valid
Valid	0	no	700	5.7%	27.5%
	1	yes	1,846	15.0%	72.5%

		Total	2,546	20.7%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,453	76.9%	
		Total	9,754	79.3%	

Valid	Invalid	Minimum	Maximum
2546	9754	0	1

H5PG203 - S16Q203 BIRTH CONTROL B/F PREG-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG203	Q20.3. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?

			Frequency	% of total	% of valid
Valid	0	no	2,023	16.4%	79.5%
	1	yes	521	4.2%	20.5%
		Total	2,544	20.7%	100%
Missing	.	missing	311	2.5%	
	97	legitimate skip	9,445	76.8%	
		Total	9,756	79.3%	

Valid	Invalid	Minimum	Maximum
2544	9756	0	1

H5PG213 - S16Q213 PREG PTNR REL AT BIRTH-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG213	Q21.3. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?

			Frequency	% of total	% of valid
Valid	1	we were married	1,722	14.0%	67.3%
	2	we were not married, but living together	545	4.4%	21.3%
	3	we were not living together, but romantically involved	151	1.2%	5.9%
	4	we were involved in an on-again, off-again relationship	75	0.6%	2.9%
	5	we were just friends	44	0.4%	1.7%
	6	we hardly ever saw or talked to each other	11	0.1%	0.4%

	7	we did not see or talk to each other	10	0.1%	0.4%
		Total	2,558	20.8%	100%
Missing	.	missing	297	2.4%	
	97	legitimate skip	9,445	76.8%	
		Total	9,742	79.2%	

Valid	Invalid	Minimum	Maximum
2558	9742	1	7

H5PG223 - S16Q223 PREG PTNR MOST RECENT-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG223	Q22.3. Is this pregnancy partner your current or your most recent partner?

			Frequency	% of total	% of valid
Valid	0	no	683	5.6%	26.8%
	1	yes	1,870	15.2%	73.2%
		Total	2,553	20.8%	100%
Missing	.	missing	302	2.5%	
	97	legitimate skip	9,445	76.8%	
		Total	9,747	79.2%	

Valid	Invalid	Minimum	Maximum
2553	9747	0	1

H5PG233 - S16Q233 # CIGARETTE DUR PREG-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG233	Q23.3. During this pregnancy, on average, how many cigarettes did the birth mother smoke?

			Frequency	% of total	% of valid
Valid	1	none	2,243	18.2%	87.6%
	2	a few cigarettes, but not every week	82	0.7%	3.2%
	3	a few cigarettes a week, but not every day	65	0.5%	2.5%
	4	10 or fewer a day	96	0.8%	3.7%
	5	11 to 20 a day	61	0.5%	2.4%
	6	21 to 30 a day	12	0.1%	0.5%
	7	31 or more a day	2	0.02%	0.1%
		Total	2,561	20.8%	100%

Missing	.	missing	294	2.4%	
	97	legitimate skip	9,445	76.8%	
		Total	9,739	79.2%	

Valid	Invalid	Minimum	Maximum
2561	9739	1	7

H5PG243 - S16Q243 PRENATAL VISIT DUR PREG-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG243	Q24.3. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?
Logic	If Q24.3=1, ask Q25.3. Else go to Q26.3.

			Frequency	% of total	% of valid
Valid	0	no	70	0.6%	2.7%
	1	yes	2,476	20.1%	97.3%
		Total	2,546	20.7%	100%
Missing	.	missing	309	2.5%	
	97	legitimate skip	9,445	76.8%	
		Total	9,754	79.3%	

Valid	Invalid	Minimum	Maximum
2546	9754	0	1

H5PG253 - S16Q253 WKS 1ST PRENATAL VISIT-KID3-W5

Type	Numeric (Double)
H5PG253	Q25.3. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?
Logic	If Q18.3=2, go to Q27M.3. Else ask Q26.3.

			Frequency	% of total	% of valid
Missing	.	missing	462	3.8%	
	997	legitimate skip	9,540	77.6%	
		Total	10,002	81.3%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
2298	10002	0	40	7.55	4.36

H5PG263 - S16Q263 STILL LIVING-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG263	Q26.3. Is this child still living?
Logic	If Q26.3=0, ask Q27M.3. Else if Q26.3=1, go to Q28.3. Else if Q26.3 is don't know and Q7>3 then go to Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	11	0.1%	0.4%
	1	yes	2,525	20.5%	99.6%
		Total	2,536	20.6%	100%
Missing	.	missing	313	2.5%	
	97	legitimate skip	9,446	76.8%	
	98	don't know	5	0.04%	
		Total	9,764	79.4%	

Valid	Invalid	Minimum	Maximum
2536	9764	0	1

H5PG27M3 - S16Q27M3 MONTH DIED-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG27M3	In what month and year did this child die? Q27M.3 Month of death
Logic	Go to Q29A.3.

			Frequency	% of total	% of valid
Valid	1	January	3	0.02%	15.0%
	4	April	3	0.02%	15.0%
	5	May	3	0.02%	15.0%
	6	June	1	0.008%	5.0%
	7	July	2	0.02%	10.0%
	8	August	2	0.02%	10.0%
	9	September	1	0.008%	5.0%
	11	November	1	0.008%	5.0%
	12	December	4	0.03%	20.0%
		Total	20	0.2%	100%
Missing	.	missing	287	2.3%	
	997	legitimate skip	11,993	97.5%	
		Total	12,280	99.8%	

Valid	Invalid	Minimum	Maximum
20	12280	1	12

H5PG27Y3 - S16Q27Y3 YEAR DIED-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG27Y3	In what month and year did this child die? Q27Y.3. Year of death
Logic	Go to Q29A.3.

			Frequency	% of total	% of valid
Valid	2000	2000	1	0.0%	5.0%
	2001	2001	1	0.0%	5.0%
	2002	2002	1	0.0%	5.0%
	2004	2004	2	0.0%	10.0%
	2006	2006	1	0.0%	5.0%
	2007	2007	3	0.0%	15.0%
	2008	2008	3	0.0%	15.0%
	2012	2012	2	0.0%	10.0%
	2013	2013	2	0.0%	10.0%
	2014	2014	1	0.0%	5.0%
	2015	2015	2	0.0%	10.0%
	2017	2017	1	0.0%	5.0%
		Total	20	0.2%	100%
Missing	.	missing	287	2.3%	
	99997	legitimate skip	11,993	97.5%	
		Total	12,280	99.8%	

Valid	Invalid	Minimum	Maximum
20	12280	2000	2017

H5PG283 - S16Q283 HOW GOOD HEALTH-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG283	Q28.3. In general, how good is this child's health?

			Frequency	% of total	% of valid
Valid	1	excellent	1,696	13.8%	67.1%
	2	very good	635	5.2%	25.1%
	3	good	177	1.4%	7.0%
	4	fair	17	0.1%	0.7%
	5	poor	1	0.0%	0.0%
		Total	2,526	20.5%	100%
Missing	.	missing	298	2.4%	
	97	legitimate skip	9,476	77.0%	
		Total	9,774	79.5%	

Valid	Invalid	Minimum	Maximum
2526	9774	1	5

H5PG29A3 - S16Q29A3 HEAR PROB/DEAF-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29A3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29A.3. Hearing problems or deafness
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,514	20.4%	98.4%
	1	yes	41	0.3%	1.6%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29B3 - S16Q29B3 HAS SPEECH PROB-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29B3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29B.3. Delayed speech or other problems with speaking or understanding
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,414	19.6%	94.5%
	1	yes	141	1.1%	5.5%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29C3 - S16Q29C3 HAS SIGHT PROB-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29C3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29C.3. A problem with sight even when wearing glasses
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,491	20.3%	97.5%
	1	yes	64	0.5%	2.5%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29D3 - S16Q29D3 LEARN DELAY/SLOW-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29D3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29D.3. A developmental delay or slowness in learning
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,466	20.0%	96.5%
	1	yes	89	0.7%	3.5%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29E3 - S16Q29E3 ALLRGY/HAY FEVER-KID3-W5

Type	Code

Measurement Unit	numeric
H5PG29E3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29E.3. Allergies or hay fever, not including allergic reactions to medications
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,327	18.9%	91.1%
	1	yes	228	1.9%	8.9%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29F3 - S16Q29F3 HAS ASTHMA-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29F3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29F.3. Asthma
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,329	18.9%	91.2%
	1	yes	226	1.8%	8.8%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29G3 - S16Q29G3 OTHR RESP CON-KID3-W5

Type	Code
Measurement Unit	numeric

H5PG29G3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29G.3. Any other chronic respiratory, lung, or breathing condition
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,524	20.5%	98.8%
	1	yes	31	0.3%	1.2%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29H3 - S16Q29H3 CHRON3 HEART CON-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29H3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29H.3. A chronic heart condition
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,548	20.7%	99.7%
	1	yes	7	0.1%	0.3%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29I3 - S16Q29I3 SICKLE CL ANEMIA-KID3-W5

Type	Code
Measurement Unit	numeric

H5PG29I3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29I.3. Sickle cell anemia
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,549	20.7%	99.8%
	1	yes	6	0.05%	0.2%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29J3 - S16Q29J3 CONVULS/SEIZURE-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29J3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29J.3. Epilepsy, convulsions or seizures without fever
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,548	20.7%	99.7%
	1	yes	7	0.1%	0.3%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29K3 - S16Q29K3 BONE/JOINT PROB-KID3-W5

Type	Code
Measurement Unit	numeric

H5PG29K3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29K.3. Chronic orthopedic, bone, or joint problems
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,549	20.7%	99.8%
	1	yes	6	0.05%	0.2%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29L3 - S16Q29L3 CEREBRAL PALSY-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29L3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29L.3. Cerebral palsy
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,548	20.7%	99.7%
	1	yes	7	0.1%	0.3%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29M3 - S16Q29M3 CYSTI3 FIBROSIS-KID3-W5

Type	Code
Measurement Unit	numeric

H5PG29M3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29M.3. Cystic fibrosis
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,555	20.8%	100.0%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	0

H5PG29N3 - S16Q29N3 HAS CANCER-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29N3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29N.3. Cancer
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,554	20.8%	99.9%
	1	yes	1	0.008%	0.04%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29O3 - S16Q29O3 HAS HEMOPHILIA-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29O3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29O.3. Hemophilia

Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,554	20.8%	99.9%
	1	yes	1	0.008%	0.04%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29P3 - S16Q29P3 HAS HIV/AIDS-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29P3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29P.3. HIV or AIDS
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,555	20.8%	100.0%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	0

H5PG29Q3 - S16Q29Q3 HAS OBESITY-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29Q3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29Q.3. Obesity
Logic	If Q7>3 ask Q8.4. Else go to Q30.

	Frequency	% of total	% of valid

Valid	0	no	2,532	20.6%	99.1%
	1	yes	23	0.2%	0.9%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29R3 - S16Q29R3 HAS DIABETES-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29R3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29R.3. Diabetes
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,546	20.7%	99.6%
	1	yes	9	0.1%	0.4%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29S3 - S16Q29S3 HAS ADHD-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29S3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29S.3. ADHD
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,426	19.7%	95.0%
	1	yes	129	1.0%	5.0%
		Total	2,555	20.8%	100%

Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29T3 - S16Q29T3 OTHER CONDITIONS-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29T3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29T.3. Any other condition for which your child has been seen by a specialist or at a special clinic, or for which your child gets special therapies.
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2,422	19.7%	94.8%
	1	yes	133	1.1%	5.2%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	
		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG29U3 - S16Q29U3 HAS NONE ABOVE-KID3-W5

Type	Code
Measurement Unit	numeric
H5PG29U3	Please answer the following question for your 3rd child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29U.3. None of the above
Logic	If Q7>3 ask Q8.4. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	861	7.0%	33.7%
	1	yes	1,694	13.8%	66.3%
		Total	2,555	20.8%	100%
Missing	.	missing	301	2.4%	
	97	legitimate skip	9,444	76.8%	

		Total	9,745	79.2%	

Valid	Invalid	Minimum	Maximum
2555	9745	0	1

H5PG84 - S16Q84 SINGLE/TWIN/OTHR BTH-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG84	Please answer the following question for your 4th child. Q8.4. For the birth of your fourth child, was this birth a single birth, twins, or triplets or more?

			Frequency	% of total	% of valid
Valid	1	single birth	801	6.5%	93.1%
	2	twins	56	0.5%	6.5%
	3	triplets or more	3	0.02%	0.3%
		Total	860	7.0%	100%
Missing	.	missing	294	2.4%	
	97	legitimate skip	11,146	90.6%	
		Total	11,440	93.0%	

Valid	Invalid	Minimum	Maximum
860	11440	1	3

H5PG94 - S16Q94 C-SECTION/VAGINAL-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG94	Q9.4. Was this baby born by Cesarean section or vaginal delivery?

			Frequency	% of total	% of valid
Valid	1	Cesarean section	255	2.1%	29.7%
	2	vaginal delivery	605	4.9%	70.3%
		Total	860	7.0%	100%
Missing	.	missing	293	2.4%	
	97	legitimate skip	11,147	90.6%	
		Total	11,440	93.0%	

Valid	Invalid	Minimum	Maximum
860	11440	1	2

H5PG10M4 - S16Q10M4 BIRTHDAY-MONTH-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG10M4	On what month, day, and year was this baby born? Q10M.4 Month of birth

			Frequency	% of total	% of valid
Valid	1	January	62	0.5%	7.7%
	2	February	67	0.5%	8.3%
	3	March	55	0.4%	6.8%
	4	April	52	0.4%	6.5%
	5	May	65	0.5%	8.1%
	6	June	71	0.6%	8.8%
	7	July	73	0.6%	9.1%
	8	August	71	0.6%	8.8%
	9	September	77	0.6%	9.6%
	10	October	63	0.5%	7.8%
	11	November	69	0.6%	8.6%
	12	December	79	0.6%	9.8%
		Total	804	6.5%	100%
Missing	.	missing	350	2.8%	
	997	legitimate skip	11,146	90.6%	
		Total	11,496	93.5%	

Valid	Invalid	Minimum	Maximum
804	11496	1	12

H5PG10Y4 - S16Q10Y4 BIRTHDAY-YEAR-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG10Y4	On what month, day, and year was this baby born? Q10Y.4. Year of birth

			Frequency	% of total	% of valid
Valid	1994	1994	1	0.008%	0.1%
	1995	1995	1	0.008%	0.1%
	1996	1996	1	0.008%	0.1%
	1997	1997	1	0.008%	0.1%
	1998	1998	4	0.03%	0.5%
	1999	1999	2	0.02%	0.2%
	2000	2000	4	0.03%	0.5%
	2001	2001	15	0.1%	1.9%
	2002	2002	21	0.2%	2.6%
	2003	2003	20	0.2%	2.5%
	2004	2004	29	0.2%	3.6%

	2005	2005	47	0.4%	5.8%
	2006	2006	25	0.2%	3.1%
	2007	2007	54	0.4%	6.7%
	2008	2008	53	0.4%	6.6%
	2009	2009	62	0.5%	7.7%
	2010	2010	67	0.5%	8.3%
	2011	2011	68	0.6%	8.5%
	2012	2012	58	0.5%	7.2%
	2013	2013	73	0.6%	9.1%
	2014	2014	56	0.5%	7.0%
	2015	2015	60	0.5%	7.5%
	2016	2016	40	0.3%	5.0%
	2017	2017	37	0.3%	4.6%
	2018	2018	5	0.04%	0.6%
		Total	804	6.5%	100%
Missing	.	missing	350	2.8%	
	99997	legitimate skip	11,146	90.6%	
		Total	11,496	93.5%	

Valid	Invalid	Minimum	Maximum
804	11496	1994	2018

H5PG114 - S16Q114 BORN IN US-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG114	Q11.4. Was this baby born in the U.S.?

			Frequency	% of total	% of valid
Valid	0	no	5	0.04%	0.6%
	1	yes	854	6.9%	99.4%
		Total	859	7.0%	100%
Missing	.	missing	296	2.4%	
	97	legitimate skip	11,145	90.6%	
		Total	11,441	93.0%	

Valid	Invalid	Minimum	Maximum
859	11441	0	1

H5PG124 - S16Q124 BABY BOY OR GIRL-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG124	Q12.4. Was this baby a boy or a girl?

			Frequency	% of total	% of valid
Valid	1	boy	432	3.5%	50.3%
	2	girl	427	3.5%	49.7%
		Total	859	7.0%	100%
Missing	.	missing	295	2.4%	
	97	legitimate skip	11,146	90.6%	
		Total	11,441	93.0%	

Valid	Invalid	Minimum	Maximum
859	11441	1	2

H5PG13L4 - S16Q13L4 BABY BIRTH WEIGHT-LBS-KID4-W5

Type	Numeric (Double)
H5PG13L4	How much did this baby weigh at birth? Q13L.4. Pounds at birth
Logic	If Q13L.4=5 and Q13O.4 is missing or if Q13L.4 and Q13O.4 are missing or don't know ask Q14.4. Else go to Q15.4.

			Frequency	% of total	% of valid
Missing	.	missing	326	2.7%	
	997	legitimate skip	11,146	90.6%	
	998	don't know	164	1.3%	
		Total	11,636	94.6%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
664	11636	1	18	6.83	1.49

H5PG13O4 - S16Q13O4 BABY BIRTH WEIGHT-OZS-KID4-W5

Type	Numeric (Double)
H5PG13O4	How much did this baby weigh at birth? Q13O.4. Ounces at birth
Logic	If Q13L.4=5 and Q13O.4 is missing or if Q13L.4 and Q13O.4 are missing or don't know ask Q14.4. Else go to Q15.4.

			Frequency	% of total	% of valid
Missing	.	missing	393	3.2%	
	997	legitimate skip	11,146	90.6%	
	998	don't know	164	1.3%	
		Total	11,703	95.1%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
597	11703	0	44	7.04	4.48

H5PG144 - S16Q144 BABY BIRTH WGT<5.5 LBS-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG144	Q14.4. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?

			Frequency	% of total	% of valid
Valid	0	no	179	1.5%	90.4%
	1	yes	19	0.2%	9.6%
		Total	198	1.6%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	11,815	96.1%	
		Total	12,102	98.4%	

Valid	Invalid	Minimum	Maximum
198	12102	0	1

H5PG154 - S16Q154 PRETERM BIRTH-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG154	Q15.4. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?

			Frequency	% of total	% of valid
Valid	0	no	709	5.8%	84.1%
	1	yes	134	1.1%	15.9%
		Total	843	6.9%	100%
Missing	.	missing	298	2.4%	
	97	legitimate skip	11,145	90.6%	
	98	don't know	14	0.1%	
		Total	11,457	93.1%	

Valid	Invalid	Minimum	Maximum
843	11457	0	1

H5PG164 - S16Q164 BABY STAY HOSP/NICU-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG164	Q16.4. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?

			Frequency	% of total	% of valid
Valid	1	yes	89	0.7%	10.4%
	2	no	744	6.0%	86.9%
	3	baby was not in a hospital	23	0.2%	2.7%
		Total	856	7.0%	100%
Missing	.	missing	299	2.4%	
	97	legitimate skip	11,145	90.6%	
		Total	11,444	93.0%	

Valid	Invalid	Minimum	Maximum
856	11444	1	3

H5PG174 - S16Q174 BABY WENT HOME W/ R-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG174	Q17.4. Did this baby eventually go home with you?
Logic	If Q17.4=0, ask Q18.4. Else, go to Q19.4.

			Frequency	% of total	% of valid
Valid	0	no	14	0.1%	1.6%
	1	yes	844	6.9%	98.4%
		Total	858	7.0%	100%
Missing	.	missing	297	2.4%	
	97	legitimate skip	11,145	90.6%	
		Total	11,442	93.0%	

Valid	Invalid	Minimum	Maximum
858	11442	0	1

H5PG184 - S16Q184 WHY BABY NOT GO HOME-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG184	Q18.4. Why did this baby not go home with you?

			Frequency	% of total	% of valid
Valid	1	baby was put up for adoption	2	0.02%	16.7%
	2	baby died before he/she went home	7	0.1%	58.3%
	3	baby went to live with other parent	1	0.008%	8.3%
	4	baby went to live with another relative	1	0.008%	8.3%
	5	baby is still in the hospital	1	0.008%	8.3%

		Total	12	0.1%	100%
Missing	.	missing	299	2.4%	
	97	legitimate skip	11,989	97.5%	
		Total	12,288	99.9%	

Valid	Invalid	Minimum	Maximum
12	12288	1	5

H5PG194 - S16Q194 R WANT A BABY B/F PREG-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG194	Q19.4. Thinking back to the time just before this pregnancy, did you want to have a baby then?

			Frequency	% of total	% of valid
Valid	0	no	267	2.2%	31.2%
	1	yes	588	4.8%	68.8%
		Total	855	7.0%	100%
Missing	.	missing	294	2.4%	
	97	legitimate skip	11,151	90.7%	
		Total	11,445	93.0%	

Valid	Invalid	Minimum	Maximum
855	11445	0	1

H5PG204 - S16Q204 BIRTH CONTROL B/F PREG-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG204	Q20.4. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?

			Frequency	% of total	% of valid
Valid	0	no	665	5.4%	77.8%
	1	yes	190	1.5%	22.2%
		Total	855	7.0%	100%
Missing	.	missing	300	2.4%	
	97	legitimate skip	11,145	90.6%	
		Total	11,445	93.0%	

Valid	Invalid	Minimum	Maximum
855	11445	0	1

H5PG214 - S16Q214 PREG PTNR REL AT BIRTH-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG214	Q21.4. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?

			Frequency	% of total	% of valid
Valid	1	we were married	547	4.4%	63.7%
	2	we were not married, but living together	204	1.7%	23.7%
	3	we were not living together, but romantically involved	52	0.4%	6.1%
	4	we were involved in an on-again, off-again relationship	23	0.2%	2.7%
	5	we were just friends	20	0.2%	2.3%
	6	we hardly ever saw or talked to each other	7	0.1%	0.8%
	7	we did not see or talk to each other	6	0.05%	0.7%
		Total	859	7.0%	100%
Missing	.	missing	296	2.4%	
	97	legitimate skip	11,145	90.6%	
		Total	11,441	93.0%	

Valid	Invalid	Minimum	Maximum
859	11441	1	7

H5PG224 - S16Q224 PREG PTNR MOST RECENT-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG224	Q22.4. Is this pregnancy partner your current or your most recent partner?

			Frequency	% of total	% of valid
Valid	0	no	226	1.8%	26.2%
	1	yes	635	5.2%	73.8%
		Total	861	7.0%	100%
Missing	.	missing	295	2.4%	
	97	legitimate skip	11,144	90.6%	
		Total	11,439	93.0%	

Valid	Invalid	Minimum	Maximum
861	11439	0	1

H5PG234 - S16Q234 # CIGARETTE DUR PREG-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG234	Q23.4. During this pregnancy, on average, how many cigarettes did the birth mother smoke?

			Frequency	% of total	% of valid
Valid	1	none	759	6.2%	87.4%
	2	a few cigarettes, but not every week	27	0.2%	3.1%
	3	a few cigarettes a week, but not every day	20	0.2%	2.3%
	4	10 or fewer a day	34	0.3%	3.9%
	5	11 to 20 a day	21	0.2%	2.4%
	6	21 to 30 a day	6	0.05%	0.7%
	7	31 or more a day	1	0.008%	0.1%
		Total	868	7.1%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	11,145	90.6%	
		Total	11,432	92.9%	

Valid	Invalid	Minimum	Maximum
868	11432	1	7

H5PG244 - S16Q244 PRENATAL VISIT DUR PREG-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG244	Q24.4. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?
Logic	If Q24.4=1, ask Q25.4. Else go to Q26.4.

			Frequency	% of total	% of valid
Valid	0	no	32	0.3%	3.7%
	1	yes	824	6.7%	96.3%
		Total	856	7.0%	100%
Missing	.	missing	299	2.4%	
	97	legitimate skip	11,145	90.6%	
		Total	11,444	93.0%	

Valid	Invalid	Minimum	Maximum
856	11444	0	1

H5PG254 - S16Q254 WKS 1ST PRENATAL VISIT-KID4-W5

Type	Numeric (Double)
H5PG254	Q25.4. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?
Logic	If Q18.4=2, go to Q27M.4. Else ask Q26.4.

			Frequency	% of total	% of valid
Missing	.	missing	339	2.8%	
	997	legitimate skip	11,194	91.0%	
		Total	11,533	93.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
767	11533	0	38	7.69	4.38

H5PG264 - S16Q264 STILL LIVING-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG264	Q26.4. Is this child still living?
Logic	If Q26.4=0, ask Q27M.4. Else if Q26.4=1, go to Q28.4. Else if Q26.4 is don't know and Q7>4 then go to Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	5	0.04%	0.6%
	1	yes	852	6.9%	99.4%
		Total	857	7.0%	100%
Missing	.	missing	295	2.4%	
	97	legitimate skip	11,145	90.6%	
	98	don't know	3	0.02%	
		Total	11,443	93.0%	

Valid	Invalid	Minimum	Maximum
857	11443	0	1

H5PG27M4 - S16Q27M4 MONTH DIED-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG27M4	In what month and year did this child die? Q27M.4. Month of death
Logic	Go to Q29A.4.

	Frequency	% of total	% of valid

Valid	1	January	1	0.008%	9.1%
	2	February	3	0.02%	27.3%
	3	March	1	0.008%	9.1%
	4	April	1	0.008%	9.1%
	6	June	1	0.008%	9.1%
	7	July	2	0.02%	18.2%
	9	September	1	0.008%	9.1%
	12	December	1	0.008%	9.1%
		Total	11	0.1%	100%
Missing	.	missing	284	2.3%	
	997	legitimate skip	12,005	97.6%	
		Total	12,289	99.9%	

Valid	Invalid	Minimum	Maximum
11	12289	1	12

H5PG27Y4 - S16Q27Y4 YEAR DIED-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG27Y4	In what month and year did this child die? Q27Y.4. Year of death
Logic	Go to Q29A.4.

			Frequency	% of total	% of valid
Valid	1992	1992	1	0.008%	9.1%
	1999	1999	1	0.008%	9.1%
	2004	2004	3	0.02%	27.3%
	2009	2009	1	0.008%	9.1%
	2010	2010	1	0.008%	9.1%
	2013	2013	1	0.008%	9.1%
	2014	2014	1	0.008%	9.1%
	2017	2017	1	0.008%	9.1%
	2018	2018	1	0.008%	9.1%
		Total	11	0.1%	100%
Missing	.	missing	284	2.3%	
	99997	legitimate skip	12,005	97.6%	
		Total	12,289	99.9%	

Valid	Invalid	Minimum	Maximum
11	12289	1992	2018

H5PG284 - S16Q284 HOW GOOD HEALTH-KID4-W5

Type	Code
Measurement Unit	numeric

H5PG284	Q28.4. In general, how good is this child's health?

			Frequency	% of total	% of valid
Valid	1	excellent	588	4.8%	69.1%
	2	very good	206	1.7%	24.2%
	3	good	51	0.4%	6.0%
	4	fair	5	0.04%	0.6%
	5	poor	1	0.008%	0.1%
		Total	851	6.9%	100%
Missing	.	missing	290	2.4%	
	97	legitimate skip	11,159	90.7%	
		Total	11,449	93.1%	

Valid	Invalid	Minimum	Maximum
851	11449	1	5

H5PG29A4 - S16Q29A4 HEAR PROB/DEAF-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29A4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29A.4. Hearing problems or deafness
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	854	6.9%	98.5%
	1	yes	13	0.1%	1.5%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29B4 - S16Q29B4 HAS SPEECH PROB-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29B4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29B.4. Delayed speech or other problems with speaking or understanding

Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	828	6.7%	95.5%
	1	yes	39	0.3%	4.5%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29C4 - S16Q29C4 HAS SIGHT PROB-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29C4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29C.4. A problem with sight even when wearing glasses
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	845	6.9%	97.5%
	1	yes	22	0.2%	2.5%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29D4 - S16Q29D4 LEARN DELAY/SLOW-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29D4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29D.4. A developmental delay or slowness in learning
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	838	6.8%	96.7%
	1	yes	29	0.2%	3.3%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29E4 - S16Q29E4 ALLRGY/HAY FEVER-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29E4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29E.4. Allergies or hay fever, not including allergic reactions to medications
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	811	6.6%	93.5%
	1	yes	56	0.5%	6.5%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29F4 - S16Q29F4 HAS ASTHMA-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29F4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29F.4. Asthma
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	804	6.5%	92.7%

	1	yes	63	0.5%	7.3%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29G4 - S16Q29G4 OTHR RESP CON-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29G4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29G.4. Any other chronic respiratory, lung, or breathing condition
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	859	7.0%	99.1%
	1	yes	8	0.1%	0.9%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29H4 - S16Q29H4 CHRONC HEART CON-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29H4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29H.4. A chronic heart condition
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	857	7.0%	98.8%
	1	yes	10	0.1%	1.2%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	

	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29I4 - S16Q29I4 SICKLE CL ANEMIA-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29I4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29I.4. Sickle cell anemia
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	867	7.0%	100.0%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	0

H5PG29J4 - S16Q29J4 CONVULS/SEIZURE-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29J4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29J.4. Epilepsy, convulsions or seizures without fever
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	860	7.0%	99.2%
	1	yes	7	0.1%	0.8%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29K4 - S16Q29K4 BONE/JOINT PROB-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29K4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29K.4. Chronic orthopedic, bone, or joint problems
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	863	7.0%	99.5%
	1	yes	4	0.03%	0.5%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29L4 - S16Q29L4 CEREBRAL PALSY-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29L4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29L.4. Cerebral palsy
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	866	7.0%	99.9%
	1	yes	1	0.008%	0.1%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29M4 - S16Q29M4 CYSTIC FIBROSIS-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29M4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29M.4. Cystic fibrosis
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	867	7.0%	100.0%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	0

H5PG29N4 - S16Q29N4 HAS CANCER-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29N4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29N.4. Cancer
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	867	7.0%	100.0%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	0

H5PG29O4 - S16Q29O4 HAS HEMOPHILIA-KID4-W5

Type	Code
Measurement Unit	numeric

H5PG29O4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29O.4. Hemophilia
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	867	7.0%	100.0%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	0

H5PG29P4 - S16Q29P4 HAS HIV/AIDS-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29P4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29P.4. HIV or AIDS
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	867	7.0%	100.0%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	0

H5PG29Q4 - S16Q29Q4 HAS OBESITY-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29Q4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29Q.4. Obesity
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	858	7.0%	99.0%
	1	yes	9	0.1%	1.0%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29R4 - S16Q29R4 HAS DIABETES-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29R4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29R.4. Diabetes
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	866	7.0%	99.9%
	1	yes	1	0.008%	0.1%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29S4 - S16Q29S4 HAS ADHD-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29S4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29S.4. ADHD
Logic	If Q7>4 ask Q8.5. Else go to Q30.

	Frequency	% of total	% of valid

Valid	0	no	833	6.8%	96.1%
	1	yes	34	0.3%	3.9%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29T4 - S16Q29T4 OTHER CONDITIONS-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29T4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29T.4. Any other condition for which your child has been seen by a specialist or at a special clinic, or for which your child gets special therapies.
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	824	6.7%	95.0%
	1	yes	43	0.3%	5.0%
		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG29U4 - S16Q29U4 HAS NONE ABOVE-KID4-W5

Type	Code
Measurement Unit	numeric
H5PG29U4	Please answer the following question for your 4th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29U.4. None of the above
Logic	If Q7>4 ask Q8.5. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	267	2.2%	30.8%
	1	yes	600	4.9%	69.2%

		Total	867	7.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,142	90.6%	
		Total	11,433	93.0%	

Valid	Invalid	Minimum	Maximum
867	11433	0	1

H5PG85 - S16Q85 SINGLE/TWIN/OTHR BTH-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG85	Please answer the following question for your 5th child. Q8.5. For the birth of your fifth child, was this birth a single birth, twins, or triplets or more?

			Frequency	% of total	% of valid
Valid	1	single birth	227	1.8%	92.7%
	2	twins	18	0.1%	7.3%
		Total	245	2.0%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	11,768	95.7%	
		Total	12,055	98.0%	

Valid	Invalid	Minimum	Maximum
245	12055	1	2

H5PG95 - S16Q95 C-SECTION/VAGINAL-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG95	Q9.5. Was this baby born by Cesarean section or vaginal delivery?

			Frequency	% of total	% of valid
Valid	1	Cesarean section	65	0.5%	26.5%
	2	vaginal delivery	180	1.5%	73.5%
		Total	245	2.0%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	11,768	95.7%	
		Total	12,055	98.0%	

Valid	Invalid	Minimum	Maximum
245	12055	1	2

H5PG10M5 - S16Q10M5 BIRTHDAY-MONTH-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG10M5	On what month and year was this baby born? Q10M.5. Month of birth

			Frequency	% of total	% of valid
Valid	1	January	19	0.2%	8.4%
	2	February	23	0.2%	10.2%
	3	March	19	0.2%	8.4%
	4	April	12	0.1%	5.3%
	5	May	17	0.1%	7.5%
	6	June	18	0.1%	8.0%
	7	July	18	0.1%	8.0%
	8	August	22	0.2%	9.7%
	9	September	25	0.2%	11.1%
	10	October	18	0.1%	8.0%
	11	November	16	0.1%	7.1%
	12	December	19	0.2%	8.4%
		Total	226	1.8%	100%
Missing	.	missing	306	2.5%	
	997	legitimate skip	11,768	95.7%	
		Total	12,074	98.2%	

Valid	Invalid	Minimum	Maximum
226	12074	1	12

H5PG10Y5 - S16Q10Y5 BIRTHDAY-YEAR-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG10Y5	On what month and year was this baby born? Q10Y.5. Year of birth

			Frequency	% of total	% of valid
Valid	1997	1997	2	0.02%	0.9%
	1999	1999	1	0.008%	0.4%
	2000	2000	1	0.008%	0.4%
	2001	2001	1	0.008%	0.4%
	2002	2002	4	0.03%	1.8%
	2003	2003	2	0.02%	0.9%
	2004	2004	7	0.1%	3.1%
	2005	2005	14	0.1%	6.2%
	2006	2006	13	0.1%	5.8%
	2007	2007	12	0.1%	5.3%
	2008	2008	10	0.1%	4.4%

	2009	2009	8	0.1%	3.5%
	2010	2010	20	0.2%	8.8%
	2011	2011	16	0.1%	7.1%
	2012	2012	15	0.1%	6.6%
	2013	2013	18	0.1%	8.0%
	2014	2014	19	0.2%	8.4%
	2015	2015	21	0.2%	9.3%
	2016	2016	25	0.2%	11.1%
	2017	2017	14	0.1%	6.2%
	2018	2018	3	0.0%	1.3%
		Total	226	1.8%	100%
Missing	.	missing	306	2.5%	
	99997	legitimate skip	11,768	95.7%	
		Total	12,074	98.2%	

Valid	Invalid	Minimum	Maximum
226	12074	1997	2018

H5PG115 - S16Q115 BORN IN US-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG115	Q11.5. Was this baby born in the U.S.?

			Frequency	% of total	% of valid
Valid	0	no	4	0.03%	1.6%
	1	yes	244	2.0%	98.4%
		Total	248	2.0%	100%
Missing	.	missing	286	2.3%	
	97	legitimate skip	11,766	95.7%	
		Total	12,052	98.0%	

Valid	Invalid	Minimum	Maximum
248	12052	0	1

H5PG125 - S16Q125 BABY BOY OR GIRL-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG125	Q12.5. Was this baby a boy or a girl?

			Frequency	% of total	% of valid
Valid	1	boy	114	0.9%	46.3%
	2	girl	132	1.1%	53.7%
		Total	246	2.0%	100%

Missing	.	missing	286	2.3%	
	97	legitimate skip	11,768	95.7%	
		Total	12,054	98.0%	

Valid	Invalid	Minimum	Maximum
246	12054	1	2

H5PG13L5 - S16Q13L5 BABY BIRTH WEIGHT-LBS-KID5-W5

Type	Numeric (Double)
H5PG13L5	How much did this baby weigh at birth? Q13l.5. Pounds at birth
Logic	If Q13L.5=5 and Q13O.5 is missing or if Q13L.5 and Q13O.5 are missing or don't know ask Q14.5. Else go to Q15.5.

			Frequency	% of total	% of valid
Missing	.	missing	300	2.4%	
	997	legitimate skip	11,768	95.7%	
	998	don't know	51	0.4%	
		Total	12,119	98.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
181	12119	2	10	6.64	1.41

H5PG13O5 - S16Q13O5 BABY BIRTH WEIGHT-OZS-KID5-W5

Type	Numeric (Double)
H5PG13O5	How much did this baby weigh at birth? Q13o.5. Ounces at birth
Logic	If Q13L.5=5 and Q13O.5 is missing or if Q13L.5 and Q13O.5 are missing or don't know ask Q14.5. Else go to Q15.5.

			Frequency	% of total	% of valid
Missing	.	missing	319	2.6%	
	997	legitimate skip	11,768	95.7%	
	998	don't know	51	0.4%	
		Total	12,138	98.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
162	12138	0	15	7.49	4.12

H5PG145 - S16Q145 BABY BIRTH WGT<5.5 LBS-KID5-W5

Type	Code
Measurement Unit	numeric

H5PG145	Q14.5. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?

			Frequency	% of total	% of valid
Valid	0	no	50	0.4%	83.3%
	1	yes	10	0.1%	16.7%
		Total	60	0.5%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	11,956	97.2%	
		Total	12,240	99.5%	

Valid	Invalid	Minimum	Maximum
60	12240	0	1

H5PG155 - S16Q155 PRETERM BIRTH-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG155	Q15.5. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?

			Frequency	% of total	% of valid
Valid	0	no	193	1.6%	80.4%
	1	yes	47	0.4%	19.6%
		Total	240	2.0%	100%
Missing	.	missing	288	2.3%	
	97	legitimate skip	11,767	95.7%	
	98	don't know	5	0.04%	
		Total	12,060	98.0%	

Valid	Invalid	Minimum	Maximum
240	12060	0	1

H5PG165 - S16Q165 BABY STAY HOSP/NICU-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG165	Q16.5. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?

			Frequency	% of total	% of valid
Valid	1	yes	30	0.2%	12.2%
	2	no	203	1.7%	82.9%

	3	baby was not in a hospital	12	0.1%	4.9%
		Total	245	2.0%	100%
Missing	.	missing	288	2.3%	
	97	legitimate skip	11,767	95.7%	
		Total	12,055	98.0%	

Valid	Invalid	Minimum	Maximum
245	12055	1	3

H5PG175 - S16Q175 BABY WENT HOME W/ R-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG175	Q17.5. Did this baby eventually go home with you?
Logic	If Q17.5=0, ask Q18.5. Else, go to Q19.5.

			Frequency	% of total	% of valid
Valid	0	no	7	0.1%	2.8%
	1	yes	240	2.0%	97.2%
		Total	247	2.0%	100%
Missing	.	missing	286	2.3%	
	97	legitimate skip	11,767	95.7%	
		Total	12,053	98.0%	

Valid	Invalid	Minimum	Maximum
247	12053	0	1

H5PG185 - S16Q185 WHY BABY NOT GO HOME-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG185	Q18.5. Why did this baby not go home with you?

			Frequency	% of total	% of valid
Valid	1	baby was put up for adoption	1	0.008%	16.7%
	2	baby died before he/she went home	1	0.008%	16.7%
	3	baby went to live with other parent	2	0.02%	33.3%
	5	baby is still in the hospital	2	0.02%	33.3%
		Total	6	0.05%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	12,007	97.6%	
		Total	12,294	100.0%	

Valid	Invalid	Minimum	Maximum
6	12294	1	5

H5PG195 - S16Q195 R WANT A BABY B/F PREG-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG195	Q19.5. Thinking back to the time just before this pregnancy, did you want to have a baby then?

			Frequency	% of total	% of valid
Valid	0	no	87	0.7%	36.0%
	1	yes	155	1.3%	64.0%
		Total	242	2.0%	100%
Missing	.	missing	289	2.3%	
	97	legitimate skip	11,769	95.7%	
		Total	12,058	98.0%	

Valid	Invalid	Minimum	Maximum
242	12058	0	1

H5PG205 - S16Q205 BIRTH CONTROL B/F PREG-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG205	Q20.5. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?

			Frequency	% of total	% of valid
Valid	0	no	184	1.5%	75.4%
	1	yes	60	0.5%	24.6%
		Total	244	2.0%	100%
Missing	.	missing	289	2.3%	
	97	legitimate skip	11,767	95.7%	
		Total	12,056	98.0%	

Valid	Invalid	Minimum	Maximum
244	12056	0	1

H5PG215 - S16Q215 PREG PTNR REL AT BIRTH-KID5-W5

Type	Code
Measurement Unit	numeric

H5PG215	Q21.5. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?

			Frequency	% of total	% of valid
Valid	1	we were married	134	1.1%	53.8%
	2	we were not married, but living together	71	0.6%	28.5%
	3	we were not living together, but romantically involved	24	0.2%	9.6%
	4	we were involved in an on-again, off-again relationship	11	0.1%	4.4%
	5	we were just friends	6	0.05%	2.4%
	7	we did not see or talk to each other	3	0.02%	1.2%
		Total	249	2.0%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	11,767	95.7%	
		Total	12,051	98.0%	

Valid	Invalid	Minimum	Maximum
249	12051	1	7

H5PG225 - S16Q225 PREG PTNR MOST RECENT-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG225	Q22.5. Is this pregnancy partner your current or your most recent partner?

			Frequency	% of total	% of valid
Valid	0	no	62	0.5%	25.3%
	1	yes	183	1.5%	74.7%
		Total	245	2.0%	100%
Missing	.	missing	289	2.3%	
	97	legitimate skip	11,766	95.7%	
		Total	12,055	98.0%	

Valid	Invalid	Minimum	Maximum
245	12055	0	1

H5PG235 - S16Q235 # CIGARETTE DUR PREG-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG235	Q23.5. During this pregnancy, on average, how many cigarettes did the birth mother smoke?

			Frequency	% of total	% of valid
Valid	1	none	212	1.7%	85.1%
	2	a few cigarettes, but not every week	12	0.1%	4.8%
	3	a few cigarettes a week, but not every day	11	0.1%	4.4%
	4	10 or fewer a day	6	0.05%	2.4%
	5	11 to 20 a day	5	0.04%	2.0%
	6	21 to 30 a day	2	0.02%	0.8%
	7	31 or more a day	1	0.008%	0.4%
		Total	249	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,766	95.7%	
		Total	12,051	98.0%	

Valid	Invalid	Minimum	Maximum
249	12051	1	7

H5PG245 - S16Q245 PRENATAL VISIT DUR PREG-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG245	Q24.5. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?
Logic	If Q24.5=1, ask Q25.5. Else go to Q26.5.

			Frequency	% of total	% of valid
Valid	0	no	16	0.1%	6.6%
	1	yes	226	1.8%	93.4%
		Total	242	2.0%	100%
Missing	.	missing	291	2.4%	
	97	legitimate skip	11,767	95.7%	
		Total	12,058	98.0%	

Valid	Invalid	Minimum	Maximum
242	12058	0	1

H5PG255 - S16Q255 WKS 1ST PRENATAL VISIT-KID5-W5

Type	Numeric (Double)
H5PG255	Q25.5. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?
Logic	If Q18.5=2, go to Q27M.5. Else ask Q26.5.

			Frequency	% of total	% of valid
Missing	.	missing	307	2.5%	
	997	legitimate skip	11,792	95.9%	
		Total	12,099	98.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
201	12099	0	37	7.8	5.15

H5PG265 - S16Q265 STILL LIVING-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG265	Q26.5. Is this child still living?
Logic	If Q26.5=0, ask Q27M.5. Else if Q26.5=1, go to Q28.5. Else if Q26.5 is don't know and Q7>5 then go to Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	6	0.05%	2.4%
	1	yes	242	2.0%	97.6%
		Total	248	2.0%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	11,767	95.7%	
	98	don't know	1	0.008%	
		Total	12,052	98.0%	

Valid	Invalid	Minimum	Maximum
248	12052	0	1

H5PG27M5 - S16Q27M5 MONTH DIED-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG27M5	In what month and year did this child die? Q27M.5. Month of death
Logic	Go to Q29A.5.

			Frequency	% of total	% of valid
Valid	3	March	2	0.02%	50.0%
	5	May	1	0.008%	25.0%
	12	December	1	0.008%	25.0%
		Total	4	0.03%	100%
Missing	.	missing	285	2.3%	
	997	legitimate skip	12,011	97.7%	

		Total	12,296	100.0%	

Valid	Invalid	Minimum	Maximum
4	12296	3	12

H5PG27Y5 - S16Q27Y5 YEAR DIED-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG27Y5	In what month and year did this child die? Q27Y.5. Year of death
Logic	Go to Q29A.5.

			Frequency	% of total	% of valid
Valid	2000	2000	1	0.008%	25.0%
	2005	2005	1	0.008%	25.0%
	2010	2010	1	0.008%	25.0%
	2011	2011	1	0.008%	25.0%
		Total	4	0.03%	100%
Missing	.	missing	285	2.3%	
	99997	legitimate skip	12,011	97.7%	
		Total	12,296	100.0%	

Valid	Invalid	Minimum	Maximum
4	12296	2000	2011

H5PG285 - S16Q285 HOW GOOD HEALTH-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG285	Q28.5. In general, how good is this child's health?

			Frequency	% of total	% of valid
Valid	1	excellent	170	1.4%	70.2%
	2	very good	56	0.5%	23.1%
	3	good	14	0.1%	5.8%
	4	fair	2	0.02%	0.8%
		Total	242	2.0%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	11,774	95.7%	
		Total	12,058	98.0%	

Valid	Invalid	Minimum	Maximum
242	12058	1	4

H5PG29A5 - S16Q29A5 HEAR PROB/DEAF-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29A5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29A.5. Hearing problems or deafness
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	248	2.0%	98.8%
	1	yes	3	0.02%	1.2%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29B5 - S16Q29B5 HAS SPEECH PROB-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29B5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29B.5. Delayed speech or other problems with speaking or understanding
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	242	2.0%	96.4%
	1	yes	9	0.1%	3.6%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29C5 - S16Q29C5 HAS SIGHT PROB-KID5-W5

Type	Code

Measurement Unit	numeric
H5PG29C5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29C.5. A problem with sight even when wearing glasses
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	245	2.0%	97.6%
	1	yes	6	0.05%	2.4%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29D5 - S16Q29D5 LEARN DELAY/SLOW-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29D5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29D.5. A developmental delay or slowness in learning
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	243	2.0%	96.8%
	1	yes	8	0.1%	3.2%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29E5 - S16Q29E5 ALLRGY/HAY FEVER-KID5-W5

Type	Code
Measurement Unit	numeric

H5PG29E5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29E.5. Allergies or hay fever, not including allergic reactions to medications
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	244	2.0%	97.2%
	1	yes	7	0.1%	2.8%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29F5 - S16Q29F5 HAS ASTHMA-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29F5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29F.5. Asthma
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	238	1.9%	94.8%
	1	yes	13	0.1%	5.2%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29G5 - S16Q29G5 OTHR RESP CON-KID5-W5

Type	Code
Measurement Unit	numeric

H5PG29G5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29G.5. Any other chronic respiratory, lung, or breathing condition
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	250	2.0%	99.6%
	1	yes	1	0.008%	0.4%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29H5 - S16Q29H5 CHRONC HEART CON-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29H5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29H.5. A chronic heart condition
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	250	2.0%	99.6%
	1	yes	1	0.008%	0.4%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29I5 - S16Q29I5 SICKLE CL ANEMIA-KID5-W5

Type	Code
Measurement Unit	numeric

H5PG29I5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29I.5. Sickle cell anemia
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	251	2.0%	100.0%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	0

H5PG29J5 - S16Q29J5 CONVULS/SEIZURE-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29J5	Please answer the following question for your 5th child. Has a doctor ever told you that this chid has or had any of these conditions? Mark one or more boxes. Q29J.5. Epilepsy, convulsions or seizures without fever
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	250	2.0%	99.6%
	1	yes	1	0.008%	0.4%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29K5 - S16Q29K5 BONE/JOINT PROB-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29K5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29K.5. Chronic orthopedic, bone, or joint problems

Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	250	2.0%	99.6%
	1	yes	1	0.008%	0.4%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29L5 - S16Q29L5 CEREBRAL PALSY-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29L5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29L.5. Cerebral palsy
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	250	2.0%	99.6%
	1	yes	1	0.008%	0.4%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29M5 - S16Q29M5 CYSTIC FIBROSIS-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29M5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29M.5. Cystic fibrosis
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	251	2.0%	100.0%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	0

H5PG29N5 - S16Q29N5 HAS CANCER-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29N5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29N.5. Cancer
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	251	2.0%	100.0%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	0

H5PG29O5 - S16Q29O5 HAS HEMOPHILIA-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29O5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29O.5. Hemophilia
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	251	2.0%	100.0%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	

		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	0

H5PG29P5 - S16Q29P5 HAS HIV/AIDS-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29P5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29P.5. HIV or AIDS
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	251	2.0%	100.0%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	0

H5PG29Q5 - S16Q29Q5 HAS OBESITY-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29Q5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29Q.5. Obesity
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	250	2.0%	99.6%
	1	yes	1	0.008%	0.4%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum

251	12049	0	1

H5PG29R5 - S16Q29R5 HAS DIABETES-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29R5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29R.5. Diabetes
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	251	2.0%	100.0%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	0

H5PG29S5 - S16Q29S5 HAS ADHD-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29S5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29S.5. ADHD
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	242	2.0%	96.4%
	1	yes	9	0.1%	3.6%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29T5 - S16Q29T5 OTHER CONDITIONS-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29T5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29t.5. Any other condition for which your child has been seen by a specialist or at a special clinic, or for which your child gets special therapies.
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	238	1.9%	94.8%
	1	yes	13	0.1%	5.2%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG29U5 - S16Q29U5 HAS NONE ABOVE-KID5-W5

Type	Code
Measurement Unit	numeric
H5PG29U5	Please answer the following question for your 5th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29U.5. None of the above
Logic	If Q7>5 ask Q8.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	65	0.5%	25.9%
	1	yes	186	1.5%	74.1%
		Total	251	2.0%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,764	95.6%	
		Total	12,049	98.0%	

Valid	Invalid	Minimum	Maximum
251	12049	0	1

H5PG86 - S16Q86 SINGLE/TWIN/OTHR BTH-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG86	Please answer the following question for your 6th child. Q8.6. For the birth of your sixth child, was this birth a single birth, twins, or triplets or more?

			Frequency	% of total	% of valid
Valid	1	single birth	68	0.6%	89.5%
	2	twins	8	0.1%	10.5%
		Total	76	0.6%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	11,937	97.0%	
		Total	12,224	99.4%	

Valid	Invalid	Minimum	Maximum
76	12224	1	2

H5PG96 - S16Q96 C-SECTION/VAGINAL-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG96	Q9.6. Was this baby born by Cesarean section or vaginal delivery?

			Frequency	% of total	% of valid
Valid	1	Cesarean section	18	0.1%	23.7%
	2	vaginal delivery	58	0.5%	76.3%
		Total	76	0.6%	100%
Missing	.	missing	286	2.3%	
	97	legitimate skip	11,938	97.1%	
		Total	12,224	99.4%	

Valid	Invalid	Minimum	Maximum
76	12224	1	2

H5PG10M6 - S16Q10M6 BIRTHDAY-MONTH-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG10M6	On what month, day, and year was this baby born? Q10M.6. Month of birth

	Frequency	% of total	% of valid

Valid	1	January	4	0.03%	6.0%
	2	February	2	0.02%	3.0%
	3	March	6	0.05%	9.0%
	4	April	7	0.1%	10.4%
	5	May	3	0.02%	4.5%
	6	June	6	0.05%	9.0%
	7	July	5	0.04%	7.5%
	8	August	8	0.1%	11.9%
	9	September	10	0.1%	14.9%
	10	October	4	0.03%	6.0%
	11	November	5	0.04%	7.5%
	12	December	7	0.1%	10.4%
		Total	67	0.5%	100%
Missing	.	missing	296	2.4%	
	997	legitimate skip	11,937	97.0%	
		Total	12,233	99.5%	

Valid	Invalid	Minimum	Maximum
67	12233	1	12

H5PG10Y6 - S16Q10Y6 BIRTHDAY-YEAR-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG10Y6	On what month, day, and year was this baby born? Q10Y.6. Year of birth

			Frequency	% of total	% of valid
Valid	1991	1991	1	0.008%	1.5%
	1997	1997	1	0.008%	1.5%
	2000	2000	2	0.02%	3.0%
	2002	2002	1	0.008%	1.5%
	2003	2003	4	0.03%	6.0%
	2004	2004	1	0.008%	1.5%
	2006	2006	5	0.04%	7.5%
	2007	2007	4	0.03%	6.0%
	2008	2008	3	0.02%	4.5%
	2009	2009	1	0.008%	1.5%
	2010	2010	7	0.1%	10.4%
	2011	2011	4	0.03%	6.0%
	2012	2012	13	0.1%	19.4%
	2013	2013	6	0.05%	9.0%
	2014	2014	4	0.03%	6.0%
	2015	2015	5	0.04%	7.5%
	2016	2016	1	0.008%	1.5%
	2017	2017	3	0.02%	4.5%
	2018	2018	1	0.008%	1.5%

		Total	67	0.5%	100%
Missing	.	missing	296	2.4%	
	99997	legitimate skip	11,937	97.0%	
		Total	12,233	99.5%	

Valid	Invalid	Minimum	Maximum
67	12233	1991	2018

H5PG116 - S16Q116 BORN IN US-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG116	Q11.6. Was this baby born in the U.S.?

			Frequency	% of total	% of valid
Valid	0	no	3	0.002%	3.8%
	1	yes	75	0.6%	96.2%
		Total	78	0.6%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	11,935	97.0%	
		Total	12,222	99.4%	

Valid	Invalid	Minimum	Maximum
78	12222	0	1

H5PG126 - S16Q126 BABY BOY OR GIRL-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG126	Q12.6. Was this baby a boy or a girl?

			Frequency	% of total	% of valid
Valid	1	boy	42	0.3%	53.8%
	2	girl	36	0.3%	46.2%
		Total	78	0.6%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,937	97.0%	
		Total	12,222	99.4%	

Valid	Invalid	Minimum	Maximum
78	12222	1	2

H5PG13L6 - S16Q13L6 BABY BIRTH WEIGHT-LBS-KID6-W5

Type	Numeric (Double)
H5PG13L6	How much did this baby weigh at birth? Q13L.6. Pounds at birth
Logic	If Q13L.6=5 and Q13O.6 is missing or if Q13L.6 and Q13O.6 are missing or don't know ask Q14.6. Else go to Q15.6.

			Frequency	% of total	% of valid
Missing	.	missing	293	2.4%	
	997	legitimate skip	11,936	97.0%	
	998	don't know	20	0.2%	
		Total	12,249	99.6%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
51	12249	2	10	6.39	1.5

H5PG13O6 - S16Q13O6 BABY BIRTH WEIGHT-OZS-KID6-W5

Type	Numeric (Double)
H5PG13O6	How much did this baby weigh at birth? Q13O.6. Ounces at birth
Logic	If Q13L.6=5 and Q13O.6 is missing or if Q13L.6 and Q13O.6 are missing or don't know ask Q14.6. Else go to Q15.6.

			Frequency	% of total	% of valid
Missing	.	missing	301	2.4%	
	997	legitimate skip	11,936	97.0%	
	998	don't know	20	0.2%	
		Total	12,257	99.7%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
43	12257	0	14	7.02	3.67

H5PG146 - S16Q146 BABY BIRTH WGT<5.5 LBS-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG146	Q14.6. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?

			Frequency	% of total	% of valid
Valid	0	no	25	0.2%	89.3%
	1	yes	3	0.02%	10.7%
		Total	28	0.2%	100%

Missing	.	missing	285	2.3%	
	97	legitimate skip	11,987	97.5%	
		Total	12,272	99.8%	

Valid	Invalid	Minimum	Maximum
28	12272	0	1

H5PG156 - S16Q156 PRETERM BIRTH-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG156	Q15.6. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?

			Frequency	% of total	% of valid
Valid	0	no	65	0.5%	85.5%
	1	yes	11	0.1%	14.5%
		Total	76	0.6%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	11,936	97.0%	
	98	Don't know	4	0.0%	
		Total	12,224	99.4%	

Valid	Invalid	Minimum	Maximum
76	12224	0	1

H5PG166 - S16Q166 BABY STAY HOSP/NICU-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG166	Q16.6. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?

			Frequency	% of total	% of valid
Valid	1	yes	8	0.1%	10.1%
	2	no	67	0.5%	84.8%
	3	baby was not in a hospital	4	0.03%	5.1%
		Total	79	0.6%	100%
Missing	.	missing	285	2.3%	
	97	legitimate skip	11,936	97.0%	
		Total	12,221	99.4%	

Valid	Invalid	Minimum	Maximum

79	12221	1	3

H5PG176 - S16Q176 BABY WENT HOME W/ R-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG176	Q17.6. Did this baby eventually go home with you?
Logic	If Q17.6=0, ask Q18.6. Else, go to Q19.6.

			Frequency	% of total	% of valid
Valid	0	no	5	0.04%	6.3%
	1	yes	75	0.6%	93.8%
		Total	80	0.7%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	11,936	97.0%	
		Total	12,220	99.3%	

Valid	Invalid	Minimum	Maximum
80	12220	0	1

H5PG186 - S16Q186 WHY BABY NOT GO HOME-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG186	Q18.6. Why did this baby not go home with you?

			Frequency	% of total	% of valid
Valid	3	baby went to live with other parent	1	0.008%	33.3%
	5	baby is still in the hospital	2	0.02%	66.7%
		Total	3	0.02%	100%
Missing	.	missing	286	2.3%	
	97	legitimate skip	12,011	97.7%	
		Total	12,297	100.0%	

Valid	Invalid	Minimum	Maximum
3	12297	3	5

H5PG196 - S16Q196 R WANT A BABY B/F PREG-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG196	Q19.6. Thinking back to the time just before this pregnancy, did you want to have a baby then?

			Frequency	% of total	% of valid
Valid	0	no	25	0.2%	32.5%
	1	yes	52	0.4%	67.5%
		Total	77	0.6%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	11,936	97.0%	
		Total	12,223	99.4%	

Valid	Invalid	Minimum	Maximum
77	12223	0	1

H5PG206 - S16Q206 BIRTH CONTROL B/F PREG-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG206	Q20.6. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?

			Frequency	% of total	% of valid
Valid	0	no	63	0.5%	81.8%
	1	yes	14	0.1%	18.2%
		Total	77	0.6%	100%
Missing	.	missing	287	2.3%	
	97	legitimate skip	11,936	97.0%	
		Total	12,223	99.4%	

Valid	Invalid	Minimum	Maximum
77	12223	0	1

H5PG216 - S16Q216 PREG PTNR REL AT BIRTH-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG216	Q21.6. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?

			Frequency	% of total	% of valid
Valid	1	we were married	38	0.3%	47.5%
	2	we were not married, but living together	22	0.2%	27.5%
	3	we were not living together, but romantically involved	8	0.1%	10.0%
	4	we were involved in an on-again, off-again relationship	6	0.05%	7.5%
	5	we were just friends	2	0.0%	2.5%

	6	we hardly ever saw or talked to each other	3	0.02%	3.8%
	7	we did not see or talk to each other	1	0.008%	1.3%
		Total	80	0.7%	100%
Missing	.	missing	283	2.3%	
	97	legitimate skip	11,937	97.0%	
		Total	12,220	99.3%	

Valid	Invalid	Minimum	Maximum
80	12220	1	7

H5PG226 - S16Q226 PREG PTNR MOST RECENT-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG226	Q22.6. Is this pregnancy partner your current or your most recent partner?

			Frequency	% of total	% of valid
Valid	0	no	31	0.3%	38.8%
	1	yes	49	0.4%	61.3%
		Total	80	0.7%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	11,936	97.0%	
		Total	12,220	99.3%	

Valid	Invalid	Minimum	Maximum
80	12220	0	1

H5PG236 - S16Q236 # CIGARETTE DUR PREG-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG236	Q23.6. During this pregnancy, on average, how many cigarettes did the birth mother smoke?

			Frequency	% of total	% of valid
Valid	1	none	67	0.5%	82.7%
	2	a few cigarettes, but not every week	2	0.02%	2.5%
	3	a few cigarettes a week, but not every day	3	0.02%	3.7%
	4	10 or fewer a day	4	0.03%	4.9%
	5	11 to 20 a day	4	0.03%	4.9%
	7	31 or more a day	1	0.008%	1.2%

		Total	81	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,937	97.0%	
		Total	12,219	99.3%	

Valid	Invalid	Minimum	Maximum
81	12219	1	7

H5PG246 - S16Q246 PRENATAL VISIT DUR PREG-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG246	Q24.6. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?
Logic	If Q24.6=1, ask Q25.6. Else go to Q26.6.

			Frequency	% of total	% of valid
Valid	0	no	11	0.1%	13.8%
	1	yes	69	0.6%	86.3%
		Total	80	0.7%	100%
Missing	.	missing	284	2.3%	
	97	legitimate skip	11,936	97.0%	
		Total	12,220	99.3%	

Valid	Invalid	Minimum	Maximum
80	12220	0	1

H5PG256 - S16Q256 WKS 1ST PRENATAL VISIT-KID6-W5

Type	Numeric (Double)
H5PG256	Q25.6. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?
Logic	If Q18.6=2, go to Q27M.6. Else ask Q26.6.

			Frequency	% of total	% of valid
Missing	.	missing	293	2.4%	
	997	legitimate skip	11,949	97.1%	
		Total	12,242	99.5%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
58	12242	1	24	8.07	3.74

H5PG266 - S16Q266 STILL LIVING-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG266	Q26.6. Is this child still living?
Logic	If Q26.6=0, ask Q27M.6. Else if Q26.6=1, go to Q28.6. Else go to Q30.

			Frequency	% of total	% of valid
Valid	0	no	2	0.02%	2.4%
	1	yes	81	0.7%	97.6%
		Total	83	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,934	97.0%	
	98	don't know	1	0.008%	
		Total	12,217	99.3%	

Valid	Invalid	Minimum	Maximum
83	12217	0	1

H5PG27M6 - S16Q27M6 MONTH DIED-KID6-W5

Type	Code
H5PG27M6	In what month and year did this child die? Q27M.6. Month of death
Logic	Go to Q29A.6.

			Frequency	% of total	% of valid
Missing	.	missing	284	2.3%	
	997	legitimate skip	12,016	97.7%	
		Total	12,300	100.0%	

Valid	Invalid
0	12300

H5PG27Y6 - S16Q27Y6 YEAR DIED-KID6-W5

Type	Numeric (Double)
H5PG27Y6	In what month and year did this child die? Q27Y.6. Year of death
Logic	Go to Q29A.6.

			Frequency	% of total	% of valid
Missing	.	missing	284	2.3%	
	99997	legitimate skip	12,016	97.7%	

		Total	12,300	100.0%	

Valid	Invalid
0	12300

H5PG286 - S16Q286 HOW GOOD HEALTH-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG286	Q28.6. In general, how good is this child's health?

			Frequency	% of total	% of valid
Valid	1	excellent	59	0.5%	73.8%
	2	very good	16	0.1%	20.0%
	3	good	5	0.04%	6.3%
		Total	80	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,938	97.1%	
		Total	12,220	99.3%	

Valid	Invalid	Minimum	Maximum
80	12220	1	3

H5PG29A6 - S16Q29A6 HEAR PROB/DEAF-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29A6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29A.6. Hearing problems or deafness

			Frequency	% of total	% of valid
Valid	0	no	85	0.7%	98.8%
	1	yes	1	0.008%	1.2%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29B6 - S16Q29B6 HAS SPEECH PROB-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29B6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29B.6. Delayed speech or other problems with speaking or understanding

			Frequency	% of total	% of valid
Valid	0	no	80	0.7%	93.0%
	1	yes	6	0.05%	7.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29C6 - S16Q29C6 HAS SIGHT PROB-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29C6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29C.6. A problem with sight even when wearing glasses

			Frequency	% of total	% of valid
Valid	0	no	83	0.7%	96.5%
	1	yes	3	0.02%	3.5%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29D6 - S16Q29D6 LEARN DELAY/SLOW-KID6-W5

Type	Code
Measurement Unit	numeric

H5PG29D6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29D.6. A developmental delay or slowness in learning

			Frequency	% of total	% of valid
Valid	0	no	81	0.7%	94.2%
	1	yes	5	0.04%	5.8%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29E6 - S16Q29E6 ALLRGY/HAY FEVER-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29E6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29E.6. Allergies or hay fever, not including allergic reactions to medications

			Frequency	% of total	% of valid
Valid	0	no	84	0.7%	97.7%
	1	yes	2	0.02%	2.3%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29F6 - S16Q29F6 HAS ASTHMA-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29F6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29F.6. Asthma

			Frequency	% of total	% of valid
Valid	0	no	85	0.7%	98.8%
	1	yes	1	0.008%	1.2%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29G6 - S16Q29G6 OTHR RESP CON-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29G6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29G.6. Any other chronic respiratory, lung, or breathing condition

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29H6 - S16Q29H6 CHRONC HEART CON-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29H6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29H.6. A chronic heart condition

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	

	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29I6 - S16Q29I6 SICKLE CL ANEMIA-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29I6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29I.6. Sickle cell anemia

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29J6 - S16Q29J6 CONVULS/SEIZURE-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29J6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29J.6. Epilepsy, convulsions or seizures without fever

			Frequency	% of total	% of valid
Valid	0	no	84	0.7%	97.7%
	1	yes	2	0.02%	2.3%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29K6 - S16Q29K6 BONE/JOINT PROB-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29K6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29K.6. Chronic orthopedic, bone, or joint problems

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29L6 - S16Q29L6 CEREBRAL PALSY-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29L6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29L.6. Cerebral palsy

			Frequency	% of total	% of valid
Valid	0	no	84	0.7%	97.7%
	1	yes	2	0.02%	2.3%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29M6 - S16Q29M6 CYSTIC FIBROSIS-KID6-W5

Type	Code
Measurement Unit	numeric

H5PG29M6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29M.6. Cystic fibrosis

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29N6 - S16Q29N6 HAS CANCER-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29N6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29N.6. Cancer

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29O6 - S16Q29O6 HAS HEMOPHILIA-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29O6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29O.6. Hemophilia

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%

		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29P6 - S16Q29P6 HAS HIV/AIDS-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29P6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29P.6. HIV or AIDS

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29Q6 - S16Q29Q6 HAS OBESITY-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29Q6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29Q.6. Obesity

			Frequency	% of total	% of valid
Valid	0	no	85	0.7%	98.8%
	1	yes	1	0.008%	1.2%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29R6 - S16Q29R6 HAS DIABETES-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29R6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29R.6. Diabetes

			Frequency	% of total	% of valid
Valid	0	no	86	0.7%	100.0%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	0

H5PG29S6 - S16Q29S6 HAS ADHD-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29S6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29S.6. ADHD

			Frequency	% of total	% of valid
Valid	0	no	83	0.7%	96.5%
	1	yes	3	0.02%	3.5%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29T6 - S16Q29T6 OTHER CONDITIONS-KID6-W5

Type	Code

Measurement Unit	numeric
H5PG29T6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29T.6. Any other condition for which your child has been seen by a specialist or at a special clinic, or for which your child gets special therapies.

			Frequency	% of total	% of valid
Valid	0	no	82	0.7%	95.3%
	1	yes	4	0.03%	4.7%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG29U6 - S16Q29U6 HAS NONE ABOVE-KID6-W5

Type	Code
Measurement Unit	numeric
H5PG29U6	Please answer the following question for your 6th child. Has a doctor ever told you that this child has or had any of these conditions? Mark one or more boxes. Q29U.6. None of the above

			Frequency	% of total	% of valid
Valid	0	no	27	0.2%	31.4%
	1	yes	59	0.5%	68.6%
		Total	86	0.7%	100%
Missing	.	missing	282	2.3%	
	97	legitimate skip	11,932	97.0%	
		Total	12,214	99.3%	

Valid	Invalid	Minimum	Maximum
86	12214	0	1

H5PG30 - S16Q30 # MISCARRIAGE/OTHER LOSES-W5

Type	Numeric (Double)
H5PG30	Q30. How many miscarriages, stillbirths, ectopic (tubal) pregnancies, molar pregnancies, or other pregnancy losses have you or your partner had?

	Frequency	% of total	% of valid

Missing	.	missing	295	2.4%	
	997	legitimate skip	3,318	27.0%	
		Total	3,613	29.4%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
8687	3613	0	15	0.58	1.03

H5PG31 - S16Q31 # ABORTION R/PTNR HAD-W5

Type	Numeric (Double)
H5PG31	Q31. How many induced abortions have you or your partner had?
Logic	If Q7=0 ask Q32. Else go to Q33.

			Frequency	% of total	% of valid
Missing	.	missing	289	2.3%	
	97	legitimate skip	3,382	27.5%	
		Total	3,671	29.8%	

Valid	Invalid	Minimum	Maximum	Mean	StdDev
8629	3671	0	11	0.34	0.8

H5PG32 - S16Q32 ANYKIDS STEP/FOSTER/ADOPT-W5

Type	Code
Measurement Unit	numeric
H5PG32	Q32. Do you have any step, foster or adopted children?
Logic	If Q32=1, ask Q33. Else go to Section 17: Illness and Physical Limitations.

			Frequency	% of total	% of valid
Valid	0	no	3,118	25.3%	86.8%
	1	yes	476	3.9%	13.2%
		Total	3,594	29.2%	100%
Missing	.	missing	262	2.1%	
	95	not asked of everyone (e.g., not asked in Teleform, only asked in Pilot, 2a, 3)	387	3.1%	
	97	legitimate skip	8,057	65.5%	
		Total	8,706	70.8%	

Valid	Invalid	Minimum	Maximum
3594	8706	0	1

H5PG33 - S16Q33 LANGUAGE SPEAK TO CHILDREN-W5

Type	Code
Measurement Unit	numeric
H5PG33	Q33. What language do you mainly speak to your child(ren) when you are together at home?

			Frequency	% of total	% of valid
Valid	1	English	8,302	67.5%	94.8%
	2	Spanish	97	0.8%	1.1%
	3	Chinese	12	0.1%	0.1%
	5	Another Asian language	6	0.05%	0.1%
	6	Some other language not listed above	2	0.02%	0.02%
	7	A combination of English and another language	281	2.3%	3.2%
	8	Not Applicable	60	0.5%	0.7%
		Total	8,760	71.2%	100%
Missing	.	missing	290	2.4%	
	97	legitimate skip	3,250	26.4%	
		Total	3,540	28.8%	

Valid	Invalid	Minimum	Maximum
8760	3540	1	8

H5PG34A - S16Q34A R HAPPY IN ROLE AS A PARENT-W5

Type	Code
Measurement Unit	numeric
H5PG34A	How much do you agree or disagree with the following statement? Q34A. I am happy in my role as parent.

			Frequency	% of total	% of valid
Valid	1	Strongly agree	6,267	51.0%	71.8%
	2	Agree	1,993	16.2%	22.8%
	3	Neither agree nor disagree	271	2.2%	3.1%
	4	Disagree	89	0.7%	1.0%
	5	Strongly disagree	37	0.3%	0.4%
	6	Not applicable	76	0.6%	0.9%
		Total	8,733	71.0%	100%
Missing	.	missing	288	2.3%	
	97	legitimate skip	3,279	26.7%	
		Total	3,567	29.0%	

Valid	Invalid	Minimum	Maximum

8733	3567	1	6

H5PG34B - S16Q34B R FEEL CLOSE TO CHILDREN-W5

Type	Code
Measurement Unit	numeric
H5PG34B	How much do you agree or disagree with the following statement? Q34B. I feel close to my child(ren).

			Frequency	% of total	% of valid
Valid	1	Strongly agree	6,733	54.7%	77.2%
	2	Agree	1,570	12.8%	18.0%
	3	Neither agree nor disagree	215	1.7%	2.5%
	4	Disagree	85	0.7%	1.0%
	5	Strongly disagree	43	0.3%	0.5%
	6	Not applicable	73	0.6%	0.8%
		Total	8,719	70.9%	100%
Missing	.	missing	289	2.3%	
	97	legitimate skip	3,292	26.8%	
		Total	3,581	29.1%	

Valid	Invalid	Minimum	Maximum
8719	3581	1	6

H5PG34C - S16Q34C CHILDREN MAJOR STRESS TO R-W5

Type	Code
Measurement Unit	numeric
H5PG34C	How much do you agree or disagree with the following statement? Q34C. The major source of stress in my life is my child(ren).

			Frequency	% of total	% of valid
Valid	1	Strongly agree	335	2.7%	3.8%
	2	Agree	1,128	9.2%	12.9%
	3	Neither agree nor disagree	1,930	15.7%	22.1%
	4	Disagree	2,914	23.7%	33.4%
	5	Strongly disagree	2,316	18.8%	26.5%
	6	Not applicable	108	0.9%	1.2%
		Total	8,731	71.0%	100%
Missing	.	missing	288	2.3%	
	97	legitimate skip	3,281	26.7%	
		Total	3,569	29.0%	

Valid	Invalid	Minimum	Maximum
8731	3569	1	6

H5PG34D - S16Q34D PARNT RESPONSBLTY OVRWHELM R-W5

Type	Code
Measurement Unit	numeric
H5PG34D	How much do you agree or disagree with the following statement? Q34D. I feel overwhelmed by the responsibility of being a parent.

			Frequency	% of total	% of valid
Valid	1	Strongly agree	144	1.2%	1.7%
	2	Agree	737	6.0%	8.5%
	3	Neither agree nor disagree	1,669	13.6%	19.1%
	4	Disagree	3,273	26.6%	37.6%
	5	Strongly disagree	2,782	22.6%	31.9%
	6	Not applicable	111	0.9%	1.3%
		Total	8,716	70.9%	100%
Missing	.	missing	288	2.3%	
	97	legitimate skip	3,296	26.8%	
		Total	3,584	29.1%	

Valid	Invalid	Minimum	Maximum
8716	3584	1	6

Return to Table of Contents

Wave V, Section 17: Illness and Physical Limitations

Title	Wave V, Section 17: Illness and Physical Limitations
Description	The early web instruments and mailed paper questionnaire asked the following questions, which were subsequently dropped from the survey. Due to their low response rate, these variables will not be released with other data comprising Section 17. 1. How long have you been bothered by this ringing, roaring, or buzzing in your ears or head? 1) Less than 3 months 2) 3-11 months 3) 1-2 years 4) 3-4 years 5) 5-9 years 6) 10-14 years 7) 15 years or more 2. In the past 12 months, how often have you had this ringing, roaring, or buzzing in your ears or head? 1) Almost always 2) At least once a day 3) At least once a week 4) At least once a month 5) Less frequently than once a month 3. In the past 12 months, how often have you had a problem with your voice that affected your personal, social, or working (professional) life? 1) Never 2) 1 or 2 days in the past 12 months 3) Once a month or less (3 - 12 days in the past 12 months) 4) 2 or 3 days a month 5) 1 or 2 days a week 6) 3 to 5 days a week 7) Every day or almost every day
File Name	wave5.xpt
Case Quantity	12300
Variable Count	26

H5DA1 - S17Q1 FALLEN PAST YEAR-W5

Type	Code
Measurement Unit	numeric
H5DA1	Q1. The next questions are about your general physical condition, including activity and illness. In the past 12 months, how many times have you fallen? By fallen, we mean unexpectedly or unintentionally dropping to a lower surface - the floor or ground - from a standing, walking or bending position.

			Frequency	% of total	% of valid
Valid	0	never	9,120	74.1%	76.3%
	1	1 time	1,541	12.5%	12.9%
	2	2 times	692	5.6%	5.8%
	3	3-4 times	440	3.6%	3.7%
	4	5-9 times	101	0.8%	0.8%
	5	10-14 times	28	0.2%	0.2%
	6	15 or more times	37	0.3%	0.3%
		Total	11,959	97.2%	100%
Missing	.	missing	341	2.8%	
		Total	341	2.8%	

Valid	Invalid	Minimum	Maximum
11959	341	0	6

H5DA2 - S17Q2 SERIOUS INJURY PAST YEAR-W5

Type	Code
Measurement Unit	numeric
H5DA2	Q2. In the past 12 months, have you suffered any serious injuries - for example, broken bones, cuts or lacerations, burns, torn muscles, tendons or ligaments, or other injuries that interfered with your ability to perform daily tasks?

			Frequency	% of total	% of valid
Valid	0	no	10,347	84.1%	86.7%
	1	yes	1,593	13.0%	13.3%
		Total	11,940	97.1%	100%
Missing	.	missing	360	2.9%	
		Total	360	2.9%	

Valid	Invalid	Minimum	Maximum
11940	360	0	1

H5DA3A - S17Q3A EVER HEAD/NECK INJURY UNCONSC-W5

Type	Code
Measurement Unit	numeric
H5DA3A	For each of the following items, indicate whether or not you have ever had the injury or condition. Q3A. Head or neck injury that left you unconscious.

			Frequency	% of total	% of valid
Valid	0	no	10,972	89.2%	92.1%
	1	yes	941	7.7%	7.9%

		Total	11,913	96.9%	100%
Missing	.	missing	387	3.1%	
		Total	387	3.1%	

Valid	Invalid	Minimum	Maximum
11913	387	0	1

H5DA3B - S17Q3B EVER HEAD/NECK INJURY CONSCIOUS-W5

Type	Code
Measurement Unit	numeric
H5DA3B	For each of the following items, indicate whether or not you have ever had the injury or condition. Q3B. Head or neck injury without losing consciousness.

			Frequency	% of total	% of valid
Valid	0	no	10,106	82.2%	85.0%
	1	yes	1,790	14.6%	15.0%
		Total	11,896	96.7%	100%
Missing	.	missing	404	3.3%	
		Total	404	3.3%	

Valid	Invalid	Minimum	Maximum
11896	404	0	1

H5DA3C - S17Q3C EVER BROKEN NOSE-W5

Type	Code
Measurement Unit	numeric
H5DA3C	For each of the following items, indicate whether or not you have ever had the injury or condition. Q3C. A broken nose.

			Frequency	% of total	% of valid
Valid	0	no	11,030	89.7%	92.8%
	1	yes	859	7.0%	7.2%
		Total	11,889	96.7%	100%
Missing	.	missing	411	3.3%	
		Total	411	3.3%	

Valid	Invalid	Minimum	Maximum
11889	411	0	1

H5DA3D - S17Q3D EVER SERIOUS FACE/JAW INJURY-W5

Type	Code
Measurement Unit	numeric
H5DA3D	For each of the following items, indicate whether or not you have ever had the injury or condition. Q3D. Other serious injury to the face or jaw.

			Frequency	% of total	% of valid
Valid	0	no	11,261	91.6%	94.9%
	1	yes	607	4.9%	5.1%
		Total	11,868	96.5%	100%
Missing	.	missing	432	3.5%	
		Total	432	3.5%	

Valid	Invalid	Minimum	Maximum
11868	432	0	1

H5DA3E - S17Q3E EVER SERIOUS BODY INJURY-W5

Type	Code
Measurement Unit	numeric
H5DA3E	For each of the following items, indicate whether or not you have ever had the injury or condition. Q3E. Other serious bodily injury, for example, to arms or legs.

			Frequency	% of total	% of valid
Valid	0	no	9,468	77.0%	79.6%
	1	yes	2,431	19.8%	20.4%
		Total	11,899	96.7%	100%
Missing	.	missing	401	3.3%	
		Total	401	3.3%	

Valid	Invalid	Minimum	Maximum
11899	401	0	1

H5DA3F - S17Q3F EVER SEIZURE/S-W5

Type	Code
Measurement Unit	numeric
H5DA3F	For each of the following items, indicate whether or not you have ever had the injury or condition. Q3F. A seizure or history of seizures.

			Frequency	% of total	% of valid
Valid	0	no	11,533	93.8%	97.2%
	1	yes	337	2.7%	2.8%
		Total	11,870	96.5%	100%
Missing	.	missing	430	3.5%	
		Total	430	3.5%	

Valid	Invalid	Minimum	Maximum
11870	430	0	1

H5DA3G - S17Q3G EVER STROKE-W5

Type	Code
Measurement Unit	numeric
H5DA3G	For each of the following items, indicate whether or not you have ever had the injury or condition. Q3G. A stroke.

			Frequency	% of total	% of valid
Valid	0	no	11,748	95.5%	99.2%
	1	yes	94	0.8%	0.8%
		Total	11,842	96.3%	100%
Missing	.	missing	458	3.7%	
		Total	458	3.7%	

Valid	Invalid	Minimum	Maximum
11842	458	0	1

H5DA3H - S17Q3H EVER VISUAL DISTURB-W5

Type	Code
Measurement Unit	numeric
H5DA3H	For each of the following items, indicate whether or not you have ever had the injury or condition. Q3H. A problem with visual disturbances, for example, double vision, inability to focus while reading, flashes of light, tunnel vision, kaleidoscopic vision or extreme sensitivity to light.

			Frequency	% of total	% of valid
Valid	0	no	10,546	85.7%	88.8%
	1	yes	1,335	10.9%	11.2%
		Total	11,881	96.6%	100%
Missing	.	missing	419	3.4%	
		Total	419	3.4%	

Valid	Invalid	Minimum	Maximum
11881	419	0	1

H5DA4 - S17Q4 EVER-DIZZY/LIGHTHEADED/FAINT-W5

Type	Code
Measurement Unit	numeric
H5DA4	Q4. In the past 12 months, have you had a problem with dizziness, lightheadedness, feeling as if you are going to pass out or faint, unsteadiness or imbalance? (Do not include times when drinking alcohol or using other drugs or medications)

			Frequency	% of total	% of valid
Valid	0	no	8,119	66.0%	68.0%
	1	yes	3,820	31.1%	32.0%
		Total	11,939	97.1%	100%
Missing	.	missing	361	2.9%	
		Total	361	2.9%	

Valid	Invalid	Minimum	Maximum
11939	361	0	1

H5DA5A - S17Q5A FEEL SPINNING/VERTIGO PAST YEAR-W5

Type	Code
Measurement Unit	numeric
H5DA5A	For each of the following, indicate whether or not you have had a problem with any of these symptoms when not drinking or using other drugs, in the past 12 months. Q5A. A spinning sensation, vertigo, or other movement sensation when you are not really moving
Logic	If all Q5=0 or all Q5 are missing go to Q9. Else if more than one selected ask Q6. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	10,130	82.4%	85.1%
	1	yes	1,780	14.5%	14.9%
		Total	11,910	96.8%	100%
Missing	.	missing	390	3.2%	
		Total	390	3.2%	

Valid	Invalid	Minimum	Maximum
11910	390	0	1

H5DA5B - S17Q5B FEEL FLOATING/SPACEY PAST YEAR-W5

Type	Code
Measurement Unit	numeric
H5DA5B	For each of the following, indicate whether or not you have had a problem with any of these symptoms when not drinking or using other drugs, in the past 12 months. Q5B. A floating, spacey, or tilting sensation
Logic	If all Q5=0 or all Q5 are missing go to Q9. Else if more than one selected ask Q6. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	10,573	86.0%	88.8%
	1	yes	1,330	10.8%	11.2%
		Total	11,903	96.8%	100%
Missing	.	missing	397	3.2%	
		Total	397	3.2%	

Valid	Invalid	Minimum	Maximum
11903	397	0	1

H5DA5C - S17Q5C FEEL LIGHTHEADED PAST YEAR-W5

Type	Code
Measurement Unit	numeric
H5DA5C	For each of the following, indicate whether or not you have had a problem with any of these symptoms when not drinking or using other drugs, in the past 12 months. Q5C. Feeling lightheaded, without a sense of motion
Logic	If all Q5=0 or all Q5 are missing go to Q9. Else if more than one selected ask Q6. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	9,524	77.4%	79.9%
	1	yes	2,394	19.5%	20.1%
		Total	11,918	96.9%	100%
Missing	.	missing	382	3.1%	
		Total	382	3.1%	

Valid	Invalid	Minimum	Maximum
11918	382	0	1

H5DA5D - S17Q5D FEEL FAINT PAST YEAR-W5

Type	Code

Measurement Unit	numeric
H5DA5D	For each of the following, indicate whether or not you have had a problem with any of these symptoms when not drinking or using other drugs, in the past 12 months. Q5D. Feeling as if you are going to pass out or faint
Logic	If all Q5=0 or all Q5 are missing go to Q9. Else if more than one selected ask Q6. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	9,802	79.7%	82.4%
	1	yes	2,092	17.0%	17.6%
		Total	11,894	96.7%	100%
Missing	.	missing	406	3.3%	
		Total	406	3.3%	

Valid	Invalid	Minimum	Maximum
11894	406	0	1

H5DA5E - S17Q5E BLURRED VISION PAST YEAR-W5

Type	Code
Measurement Unit	numeric
H5DA5E	For each of the following, indicate whether or not you have had a problem with any of these symptoms when not drinking or using other drugs, in the past 12 months. Q5E. Blurring of your vision when you move your head
Logic	If all Q5=0 or all Q5 are missing go to Q9. Else if more than one selected ask Q6. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	10,854	88.2%	91.2%
	1	yes	1,041	8.5%	8.8%
		Total	11,895	96.7%	100%
Missing	.	missing	405	3.3%	
		Total	405	3.3%	

Valid	Invalid	Minimum	Maximum
11895	405	0	1

H5DA5F - S17Q5F FEEL OFF-BALANCE PAST YEAR-W5

Type	Code
Measurement Unit	numeric

H5DA5F	For each of the following, indicate whether or not you have had a problem with any of these symptoms when not drinking or using other drugs, in the past 12 months. Q5F. Feeling off-balance or unsteady
Logic	If all Q5=0 or all Q5 are missing go to Q9. Else if more than one selected ask Q6. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	9,630	78.3%	80.9%
	1	yes	2,275	18.5%	19.1%
		Total	11,905	96.8%	100%
Missing	.	missing	395	3.2%	
		Total	395	3.2%	

Valid	Invalid	Minimum	Maximum
11905	395	0	1

H5DA5G - S17Q5G OTH DIZZY/BALANCE PRBS PST YR-W5

Type	Code
Measurement Unit	numeric
H5DA5G	For each of the following, indicate whether or not you have had a problem with any of these symptoms when not drinking or using other drugs, in the past 12 months. Q5G. Some other more general dizziness/balance feeling (don't include nausea or vomiting)
Logic	If all Q5=0 or all Q5 are missing go to Q9. Else if more than one selected ask Q6. Else go to Q7.

			Frequency	% of total	% of valid
Valid	0	no	10,678	86.8%	89.8%
	1	yes	1,216	9.9%	10.2%
		Total	11,894	96.7%	100%
Missing	.	missing	406	3.3%	
		Total	406	3.3%	

Valid	Invalid	Minimum	Maximum
11894	406	0	1

H5DA6 - S17Q6 MOST BOTHERSOME DIZZY PRB-W5

Type	Code
Measurement Unit	numeric
H5DA6	Q6. During the past 12 months, which one of the symptoms or feelings of dizziness or balance problems listed below has bothered you the most?

Notes	This variable was added after data collection started; consequently, participants responding to earlier versions of the instrument have a value of 95 to indicate that they did not receive this question.

			Frequency	% of total	% of valid
Valid	1	spinning, vertigo or motion sensation	581	4.7%	20.3%
	2	floating, spacey or disconnected feeling	312	2.5%	10.9%
	3	feeling of lightheadedness	864	7.0%	30.2%
	4	feeling you are about to pass out	449	3.7%	15.7%
	5	blurred vision	190	1.5%	6.6%
	6	unsteadiness	248	2.0%	8.7%
	7	other dizziness or balance problem	215	1.7%	7.5%
		Total	2,859	23.2%	100%
Missing	.	missing	62	0.5%	
	95	not asked of everyone	3,423	27.8%	
	97	legitimate skip	5,956	48.4%	
		Total	9,441	76.8%	

Valid	Invalid	Minimum	Maximum
2859	9441	1	7

H5DA7 - S17Q7 FREQ MOST BOTHERSOME DIZZY PRB-W5

Type	Code
Measurement Unit	numeric
H5DA7	Q7. During the past 12 months, how often did you have this most bothersome or only symptom? Mark only the one that is most typical.
Notes	This variable was added after data collection started; consequently, participants responding to earlier versions of the instrument have a value of 95 to indicate that they did not receive this question.
Logic	If Q7 =1-7 ask Q8. Else go to Q9.

			Frequency	% of total	% of valid
Valid	1	rarely, once or twice past 12 months	1,796	14.6%	44.9%
	2	occasionally, 3 to 4 times past 12 months	1,008	8.2%	25.2%
	3	sometimes, 5 to 9 times past 12 months	449	3.7%	11.2%
	4	often, 1 to 2 times a month	340	2.8%	8.5%
	5	frequently, 1 to 2 times a week	220	1.8%	5.5%
	6	very frequently, 3 to 4 times a week	91	0.7%	2.3%

	7	extremely frequently, 5 or more times a week	54	0.4%	1.3%
	8	constantly or always present	44	0.4%	1.1%
		Total	4,002	32.5%	100%
Missing	.	missing	25	0.2%	
	95	not asked of everyone	3,423	27.8%	
	97	legitimate skip	4,850	39.4%	
		Total	8,298	67.5%	

Valid	Invalid	Minimum	Maximum
4002	8298	1	8

H5DA8 - S17Q8 DUR MOST BOTHERSOME DIZZY PRB-W5

Type	Code
Measurement Unit	numeric
H5DA8	Q8. For this most bothersome or only symptom, how long from beginning to end did each occurrence (episode, bout or attack) usually last?
Notes	This variable was added after data collection started; consequently, participants responding to earlier versions of the instrument have a value of 95 to indicate that they did not receive this question.

			Frequency	% of total	% of valid
Valid	1	less than 2 minutes	2,052	16.7%	52.2%
	2	2 minutes to less than 20 minutes	1,072	8.7%	27.3%
	3	20 minutes to less than 8 hours	481	3.9%	12.2%
	4	8 hours to less than 24 hours	120	1.0%	3.1%
	5	1 day to less than 14 days	151	1.2%	3.8%
	6	2 weeks to less than 3 months	30	0.2%	0.8%
	7	3 months or longer	24	0.2%	0.6%
		Total	3,930	32.0%	100%
Missing	.	missing	31	0.3%	
	95	not asked of everyone	3,423	27.8%	
	97	legitimate skip	4,916	40.0%	
		Total	8,370	68.0%	

Valid	Invalid	Minimum	Maximum
3930	8370	1	7

H5DA9 - S17Q9 BEST DESCRIBES UNAIDED HEARING-W5

Type	Code
Measurement Unit	numeric
H5DA9	Q9. Which statement best describes your hearing without a hearing aid or other assistive devices?

			Frequency	% of total	% of valid
Valid	1	excellent	5,971	48.5%	49.9%
	2	good	4,670	38.0%	39.1%
	3	a little trouble	980	8.0%	8.2%
	4	moderate hearing trouble	239	1.9%	2.0%
	5	a lot of trouble	85	0.7%	0.7%
	6	deaf	10	0.1%	0.1%
		Total	11,955	97.2%	100%
Missing	.	missing	345	2.8%	
		Total	345	2.8%	

Valid	Invalid	Minimum	Maximum
11955	345	1	6

H5DA10 - S17Q10 EXPER TINNITUS W/I PAST YEAR-W5

Type	Code
Measurement Unit	numeric
H5DA10	Q10. In the past 12 months, have you been bothered by ringing, roaring, or buzzing in your ears or head (tinnitus) that lasts for 5 minutes or more?
Logic	If Q10=1 ask Q11. Else go to Q12.

			Frequency	% of total	% of valid
Valid	0	no	10,713	87.1%	89.7%
	1	yes	1,235	10.0%	10.3%
		Total	11,948	97.1%	100%
Missing	.	missing	352	2.9%	
		Total	352	2.9%	

Valid	Invalid	Minimum	Maximum
11948	352	0	1

H5DA11 - S17Q11 HOW PROBLEMATIC IS TINNITUS-W5

Type	Code
Measurement Unit	numeric
H5DA11	Q11. How much of a problem is this ringing, roaring, or buzzing in your ears or head?

			Frequency	% of total	% of valid
Valid	1	no problem	315	2.6%	25.5%
	2	a small problem	615	5.0%	49.9%
	3	a moderate problem	232	1.9%	18.8%

	4	a big problem	41	0.3%	3.3%
	5	a very big problem	30	0.2%	2.4%
		Total	1,233	10.0%	100%
Missing	.	missing	5	0.04%	
	97	legitimate skip	11,062	89.9%	
		Total	11,067	90.0%	

Valid	Invalid	Minimum	Maximum
1233	11067	1	5

H5DA12 - S17Q12USE GLASSES OR CONTACTS-W5

Type	Code
Measurement Unit	numeric
H5DA12	Q12. Do you use eyeglasses, contact lenses, both, or neither for vision correction?
Logic	If Q12=1, 2, or 3 ask Q13. Else go to section 18: Fitness Tracking.

			Frequency	% of total	% of valid
Valid	1	eyeglasses	3,421	27.8%	28.6%
	2	contact lenses	430	3.5%	3.6%
	3	both	2,476	20.1%	20.7%
	4	neither	5,631	45.8%	47.1%
		Total	11,958	97.2%	100%
Missing	.	missing	342	2.8%	
		Total	342	2.8%	

Valid	Invalid	Minimum	Maximum
11958	342	1	4

H5DA13 - S17Q13 W/CORRECTION HOW IS EYESIGHT-W5

Type	Code
Measurement Unit	numeric
H5DA13	Q13. With eyeglasses or contact lenses, how is your eyesight?

			Frequency	% of total	% of valid
Valid	1	excellent	2,881	23.4%	45.6%
	2	good	2,798	22.7%	44.3%
	3	fair	393	3.2%	6.2%
	4	poor	169	1.4%	2.7%
	5	very poor	75	0.6%	1.2%
		Total	6,316	51.3%	100%
Missing	.	missing	14	0.1%	

	97	legitimate skip	5,970	48.5%	
		Total	5,984	48.7%	

Valid	Invalid	Minimum	Maximum
6316	5984	1	5

Return to Table of Contents

Wave V, Section 18: Fitness Tracking

Title	Wave V, Section 18: Fitness Tracking
Description	Section 18, which measures the use of fitness or activity tracking devices, was introduced in the instruments implemented during the fielding of Sample 2B and Sample 3. Since only a subset of eligible respondents received the fitness tracking questions, these data are not representative of the full sample. Analysis of these variables should be restricted to participants comprising the 2B sample. Though the special code 95/995 (question not asked of everyone) distinguishes participants responding to instruments that included these variables from those respondents whose instruments omitted them, these values do not necessarily reflect sample assignment. The response category "2B" of Section A's SAMPLE variable correctly identifies all respondents who were both administered the CAPI/CASI or CATI instruments and assigned to sample 2B. Note, the variable SAMPLE does not necessarily reflect the version of the Web instrument active when a participant responded. For example, a respondent from Sample 1 may have encountered the Fitness Tracking questions, if they postponed participation until the Sample 3 instrument became active.
File Name	wave5.xpt
Case Quantity	12300
Variable Count	23

H5FT1 - S18Q1 HAS A SMARTPHONE-W5

Type	Code
Measurement Unit	numeric
H5FT1	Some cellphones are called "smartphones" because of certain features they have. Do you have a smartphone?

			Frequency	% of total	% of valid
Valid	0	no, do not have a smartphone	283	2.3%	2.5%
	1	yes, have a smartphone	5,802	47.2%	50.4%
	95	question not asked	5,435	44.2%	47.2%
		Total	11,520	93.7%	100%
Missing	.	missing	780	6.3%	
		Total	780	6.3%	

Valid	Invalid	Minimum	Maximum
11520	780	0	95

H5FT2 - S18Q2 TYPE OF SMARTPHONE-W5

Type	Code
Measurement Unit	numeric

H5FT2	Which of the following best describes the type of smartphone you have? Is it an iPhone, an Android phone, a Windows phone, or something else?
Logic	If H5FT1=1 ask H5FT2. Else skip to H5FT5A.

			Frequency	% of total	% of valid
Valid	1	iPhone	3,124	25.4%	27.0%
	2	Android phone	2,599	21.1%	22.4%
	3	Windows phone	19	0.2%	0.2%
	4	something else	53	0.4%	0.5%
		Total	11,587	94.2%	100%
Missing	.	missing	713	5.8%	
	95	not asked	5,435	44.2%	
	97	legitimate skip	357	2.9%	
		Total	713	5.8%	

Valid	Invalid	Minimum	Maximum
11587	713	1	97

H5FT3 - S18Q3 USE SMARTPHONE FITNESS APPS-W5

Type	Code
Measurement Unit	numeric
H5FT3	Do you use any smartphone apps to track or manage your health?
Logic	If H5FT1=1 ask H5FT3. Else skip to H5FT5A.

			Frequency	% of total	% of valid
Valid	0	no	3,329	27.1%	28.8%
	1	yes	2,451	19.9%	21.2%
		Total	11,572	94.1%	100%
Missing	.	missing	728	5.9%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	357	2.9%	
		Total	728	5.9%	

Valid	Invalid	Minimum	Maximum
11572	728	0	97

H5FT4A - S18Q4A TRACKED PHYSICAL ACTIVITY-W5

Type	Code
Measurement Unit	numeric
H5FT4A	Physical activity or exercise routines, including specific types of exercise such as walking, running, workouts, or yoga?
Logic	If H5FT3=1 ask H5FT4A. Else skip to H5FT5A.

			Frequency	% of total	% of valid
Valid	0	no	425	3.5%	3.7%
	1	yes	2,000	16.3%	17.3%
		Total	11,546	93.9%	100%
Missing	.	missing	754	6.1%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	754	6.1%	

Valid	Invalid	Minimum	Maximum
11546	754	0	97

H5FT4B - S18Q4B TRACKED DIET, FOOD, CALORIES-W5

Type	Code
Measurement Unit	numeric
H5FT4B	Diet, food, or calories?

			Frequency	% of total	% of valid
Valid	0	no	1,282	10.4%	11.1%
	1	yes	1,136	9.2%	9.8%
		Total	11,539	93.8%	100%
Missing	.	missing	761	6.2%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	761	6.2%	

Valid	Invalid	Minimum	Maximum
11539	761	0	97

H5FT4C - S18Q4C TRACKED WEIGHT-W5

Type	Code
Measurement Unit	numeric
H5FT4C	Weight?

			Frequency	% of total	% of valid
Valid	0	no	1,379	11.2%	12.0%
	1	yes	1,038	8.4%	9.0%
		Total	11,538	93.8%	100%
Missing	.	missing	762	6.2%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	762	6.2%	

Valid	Invalid	Minimum	Maximum
11538	762	0	97

H5FT4D - S18Q4D TRACKED BLOOD PRESSURE-W5

Type	Code
Measurement Unit	numeric
H5FT4D	Blood pressure?

			Frequency	% of total	% of valid
Valid	0	no	2,113	17.2%	18.3%
	1	yes	296	2.4%	2.6%
		Total	11,530	93.7%	100%
Missing	.	missing	770	6.3%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	770	6.3%	

Valid	Invalid	Minimum	Maximum
11530	770	0	97

H5FT4E - S18Q4E TRACKED HEART RATE-W5

Type	Code
Measurement Unit	numeric
H5FT4E	Heart rate?

			Frequency	% of total	% of valid
Valid	0	no	1,429	11.6%	12.4%
	1	yes	982	8.0%	8.5%
		Total	11,532	93.8%	100%
Missing	.	missing	768	6.2%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	768	6.2%	

Valid	Invalid	Minimum	Maximum
11532	768	0	97

H5FT4F - S18Q4F TRACKED MENSTRUAL CYCLE-W5

Type	Code
Measurement Unit	numeric

H5FT4F	Period or menstrual cycle?
Logic	If female.

			Frequency	% of total	% of valid
Valid	0	no	1,846	15.0%	16.0%
	1	yes	483	3.9%	4.2%
		Total	11,537	93.8%	100%
Missing	.	missing	763	6.2%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,773	30.7%	
		Total	763	6.2%	

Valid	Invalid	Minimum	Maximum
11537	763	0	97

H5FT4G - S18Q4G TRACKED PREGNANCY-W5

Type	Code
Measurement Unit	numeric
H5FT4G	Pregnancy?
Logic	If female.

			Frequency	% of total	% of valid
Valid	0	no	2,169	17.6%	18.8%
	1	yes	159	1.3%	1.4%
		Total	11,536	93.8%	100%
Missing	.	missing	764	6.2%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,773	30.7%	
		Total	764	6.2%	

Valid	Invalid	Minimum	Maximum
11536	764	0	97

H5FT4H - S18Q4H TRACKED BLOOD SUGAR, DIABETES-W5

Type	Code
Measurement Unit	numeric
H5FT4H	Blood sugar or diabetes?

			Frequency	% of total	% of valid
Valid	0	no	2,322	18.9%	20.1%
	1	yes	87	0.7%	0.8%

		Total	11,530	93.7%	100%
Missing	.	missing	770	6.3%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	770	6.3%	

Valid	Invalid	Minimum	Maximum
11530	770	0	97

H5FT4I - S18Q4I TRACKED MEDICATIONS-W5

Type	Code
Measurement Unit	numeric
H5FT4I	Medications?

			Frequency	% of total	% of valid
Valid	0	no	2,262	18.4%	19.6%
	1	yes	149	1.2%	1.3%
		Total	11,532	93.8%	100%
Missing	.	missing	768	6.2%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	768	6.2%	

Valid	Invalid	Minimum	Maximum
11532	768	0	97

H5FT4J - S18Q4J TRACKED MOOD-W5

Type	Code
Measurement Unit	numeric
H5FT4J	Mood?

			Frequency	% of total	% of valid
Valid	0	no	2,253	18.3%	19.5%
	1	yes	158	1.3%	1.4%
		Total	11,532	93.8%	100%
Missing	.	missing	768	6.2%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	768	6.2%	

Valid	Invalid	Minimum	Maximum

11532	768	0	97

H5FT4K - S18Q4K TRACKED SLEEP-W5

Type	Code
Measurement Unit	numeric
H5FT4K	Sleep?

			Frequency	% of total	% of valid
Valid	0	no	1,620	13.2%	14.0%
	1	yes	790	6.4%	6.9%
		Total	11,531	93.7%	100%
Missing	.	missing	769	6.3%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	769	6.3%	

Valid	Invalid	Minimum	Maximum
11531	769	0	97

H5FT4L - S18Q4L TRACKED SOMETHING ELSE-W5

Type	Code
Measurement Unit	numeric
H5FT4L	Something else?

			Frequency	% of total	% of valid
Valid	0	no	2,220	18.0%	19.3%
	1	yes	191	1.6%	1.7%
		Total	11,532	93.8%	100%
Missing	.	missing	768	6.2%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	3,686	30.0%	
		Total	768	6.2%	

Valid	Invalid	Minimum	Maximum
11532	768	0	97

H5FT5A - S18Q5A EVER USED FITNESS TRACKER-W5

Type	Code
Measurement Unit	numeric

H5FT5A	Some people wear a small device that monitors and tracks aspects of their fitness, such as step counts, physical activities, calories burned, heart rate, or sleep quality. These devices are known as fitness or activity trackers. Have you ever used a fitness or activity tracker?

			Frequency	% of total	% of valid
Valid	0	no	4,125	33.5%	35.7%
	1	yes	1,980	16.1%	17.2%
		Total	11,540	93.8%	100%
Missing	.	missing	760	6.2%	
	95	question not asked	5,435	44.2%	
		Total	760	6.2%	

Valid	Invalid	Minimum	Maximum
11540	760	0	95

H5FT5B - S18Q5B BEGAN FITNESS TRACKER USE-W5

Type	Code
Measurement Unit	numeric
H5FT5B	Approximately when did you first start wearing a fitness or activity tracker? Would you say you first started...
Logic	If H5FT5A=1 ask H5FT5B. Else go to end of section.

			Frequency	% of total	% of valid
Valid	1	less than 1 month ago	90	0.7%	0.8%
	2	at least 1 month ago, but less than 6 months ago	182	1.5%	1.6%
	3	at least 6 months ago, but less than 1 year ago	327	2.7%	2.8%
	4	at least 1 year ago	1,377	11.2%	11.9%
		Total	11,565	94.0%	100%
Missing	.	missing	735	6.0%	
		Total	735	6.0%	

Valid	Invalid	Minimum	Maximum
11565	735	1	97

H5FT5C - S18Q5C WORN TRACKER IN LAST MONTH-W5

Type	Code
Measurement Unit	numeric
H5FT5C	Have you worn a fitness or activity tracker in the past month-that is, since [FILL DATE 30 DAYS BEFORE INTERVIEW]?

			Frequency	% of total	% of valid
Valid	0	no	674	5.5%	5.8%
	1	yes	1,300	10.6%	11.2%
		Total	11,563	94.0%	100%
Missing	.	missing	737	6.0%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	4,154	33.8%	
		Total	737	6.0%	

Valid	Invalid	Minimum	Maximum
11563	737	0	97

H5FT5D - S18Q5D LAST TIME WORE TRACKER-W5

Type	Code
Measurement Unit	numeric
H5FT5D	Approximately when did you last wear a fitness or activity tracker? Would you say it was...
Logic	If H5FT5C = 1 skip to H5FT5E. Else go to H5FT5D.

			Frequency	% of total	% of valid
Valid	1	less than 6 months ago	268	2.2%	2.3%
	2	at least 6 months ago, but less than 1 year ago	149	1.2%	1.3%
	3	at least 1 year ago	254	2.1%	2.2%
		Total	11,550	93.9%	100%
Missing	.	missing	750	6.1%	
		Total	750	6.1%	

Valid	Invalid	Minimum	Maximum
11550	750	1	97

H5FT5E - S18Q5E HOW OFTEN WEAR TRACKER-W5

Type	Code
Measurement Unit	numeric
H5FT5E	How often do you wear a fitness or activity tracker?/Thinking about when you used to wear a fitness or activity tracker, how often did you wear one? Would you say...

			Frequency	% of total	% of valid
Valid	1	all the time	985	8.0%	8.5%
	2	most of the time	586	4.8%	5.1%
	3	some of the time	204	1.7%	1.8%
	4	only during exercise	125	1.0%	1.1%

	5	hardly ever	72	0.6%	0.6%
		Total	11,562	94.0%	100%
Missing	.	missing	738	6.0%	
	95	not asked	5,435	44.2%	
	97	legitimate skip	4,155	33.8%	
		Total	738	6.0%	

Valid	Invalid	Minimum	Maximum
11562	738	1	97

H5FT6 - S18Q6 FITNESS TRACKING DEVICE USED-W5

Type	Code
Measurement Unit	numeric
H5FT6	In the past month, what device did you use/What device did you previously use... to monitor or track your fitness? If you used multiple devices, please provide the device you used most often for monitoring or tracking your fitness.

			Frequency	% of total	% of valid
Valid	1	Fitbit	1,027	8.3%	8.9%
	2	Jawbone	24	0.2%	0.2%
	3	Nike Fuelband	12	0.1%	0.1%
	4	Android Smartwatch	117	1.0%	1.0%
	5	Apple Watch	419	3.4%	3.6%
	6	Xiaomi	101	0.8%	0.9%
	7	Garmin	5	0.04%	0.04%
	8	Lifesense	8	0.1%	0.1%
	9	other (specify)	3	0.02%	0.03%
		Total	11,550	93.9%	100%
Missing	.	missing	750	6.1%	
		Total	750	6.1%	

Valid	Invalid	Minimum	Maximum
11550	750	1	997

H5FT7 - S18Q7 CONSENT TO ACCESS DEVICE DATA-W5

Type	Code
Measurement Unit	numeric
H5FT7	Are you willing to give our research team temporary access to your [DEVICE] activity data from the past?
Logic	If (H5FT6 = 1, 2, or 7) and (H5FT5C = 1 or H5FT5D = 1 or 2), ask H5FT7. Else go to end of section.

			Frequency	% of total	% of valid
Valid	0	no	487	4.0%	4.2%
	1	yes	489	4.0%	4.2%
		Total	11,558	94.0%	100%
Missing	.	missing	742	6.0%	
	95	question not asked	5,435	44.2%	
	97	legitimate skip	5,147	41.8%	
		Total	742	6.0%	

Valid	Invalid	Minimum	Maximum
11558	742	0	97

H5FT8 - S18Q8 REFUSAL EXPLANATION-W5

Type	Code
Measurement Unit	numeric
H5FT8	Our research team is interested in learning the reasons why some people choose not to give access to their fitness or activity tracker data. Why did you choose not to allow our research team to access your [DEVICE] data?
Logic	If H5FT7 ne 1, ask H5FT8. Else go to end of section.

			Frequency	% of total	% of valid
Valid	1	refuse/not comfortable/no reason given	76	0.6%	0.7%
	2	too personal/private/invasive/intrusive	107	0.9%	0.9%
	3	techinical difficulties/device/data unavailable/lost/broken	59	0.5%	0.5%
	4	data limitations/stopped using	44	0.4%	0.4%
	5	data security	27	0.2%	0.2%
	6	hassle/trouble	16	0.1%	0.1%
	7	survey answers sufficient/survey too long/device data unnecessary	13	0.1%	0.1%
	8	no personal benefit/incentive	6	0.05%	0.1%
	9	no explanation of data use/do not understand	3	0.02%	0.03%
	10	physical inactivity	3	0.02%	0.03%
		Total	11,594	94.3%	100%
Missing	.	missing	706	5.7%	
	995	question not asked	5,435	44.2%	
	997	legitimate skip	5,805	47.2%	
		Total	706	5.7%	

Valid	Invalid	Minimum	Maximum
11594	706	1	997

Return to Table of Contents

Wave V, Section 19: Mental & Cognitive Health

Title	Wave V, Section 19: Mental & Cognitive Health
Description	Only the CAPI/CASI and CATI instruments measured cognitive health. Since only a subset of eligible respondents received the cognitive health questions, these data are not representative of the full sample. Analysis of these variables should be restricted to respondents comprising the 2B sample. Though the special code 95/995 (question not asked of everyone) distinguishes participants responding to instruments that included these variables from those respondents whose instruments omitted them, these values do not report sample assignment. The response category "2B" of Section A's SAMPLE variable correctly identifies all respondents who were both administered the CAPI/CASI or CATI instruments and assigned to sample 2B. Note, some respondents who are not assigned to sample 2B did encounter the cognitive questions, because they were interviewed with the CAPI/CASI or CATI instruments as part of the Non-Response Follow-Up (NRFU) effort.
File Name	wave5.xpt
Case Quantity	12300
Variable Count	22

H5MH1 - S19Q1 INTERRUPTD DURING 90 SEC RECALL-W5

Type	Code
Measurement Unit	numeric
Description	We're going to start this section with a couple of exercises that involve remembering. For this, I need to move the computer so you can't see what's on the screen. I am going to read a list of 15 words. Listen carefully. When I am finished, you are to repeat as many of the words as you can remember. It does not matter in what order you repeat them. Just try to remember as many as you can. I will say each word only one time, and I cannot repeat any words. We will hear a buzzer when time is up. Do you have any questions? Are you ready? (The list of 15 words is displayed on the screen at 1 second intervals. After the last word is displayed the following text appears below the word list for the interviewer: "Now tell me as many words as you can remember." The computer counts down 90 seconds during which the respondent recalls the words. If the respondent stops before remembering all the words and the time is not up, the interviewer asks: "Can you think of any more?" If the respondent says he/she cannot remember more, the interviewer proceeds to the next task even if there is time remaining. After 90 seconds, a pop-up box appears to indicate the time is up. The interviewer reads the text in the pop-up box: "Good, now let's go on." The interviewer is instructed to not share the final score or any words missed or added with the respondent in order to maintain reliability of the test.)
H5MH1	The next questions are about the information the interviewer recorded from the Word List Recall Task #1 (90-second Task).... Q1. Did the following happen: interruption during memory task?

			Frequency	% of total	% of valid
Valid	0	no	1,673	13.6%	97.5%
	1	yes	43	0.3%	2.5%
		Total	1,716	14.0%	100%
Missing	.	missing	3	0.02%	
	95	not asked of everyone	10,581	86.0%	
		Total	10,584	86.0%	

Valid	Invalid	Minimum	Maximum
1716	10584	0	1

C5WD90_1 - S19 # WORDS ON LIST RECALLED 90 SEC-W5

Type	Code
Measurement Unit	numeric
C5WD90_1	The next questions are about the information the interviewer recorded from the Word List Recall Task #1 (90-second Task).... How many words on the Word List did the respondent remember during the 90-second recall period?
Notes	Scores on the word recall task were recorded by the interviewer in the field interviewer's report.

			Frequency	% of total	% of valid
Valid	0	0 words	1	0.008%	0.1%
	1	1 word	2	0.02%	0.1%
	2	2 words	29	0.2%	1.7%
	3	3 words	89	0.7%	5.2%
	4	4 words	185	1.5%	10.9%
	5	5 words	319	2.6%	18.7%
	6	6 words	378	3.1%	22.2%
	7	7 words	294	2.4%	17.2%
	8	8 words	215	1.7%	12.6%
	9	9 words	99	0.8%	5.8%
	10	10 words	39	0.3%	2.3%
	11	11 words	29	0.2%	1.7%
	12	12 words	13	0.1%	0.8%
	13	13 words	10	0.1%	0.6%
	14	14 words	2	0.02%	0.1%
	15	15 words	1	0.008%	0.1%
		Total	1,705	13.9%	100%
Missing	.	missing	9	0.1%	
	995	not asked of everyone	10,581	86.0%	
	996	refused	4	0.03%	
	999	no word list recall form for respondent	1	0.008%	

		Total	10,595	86.1%	

Valid	Invalid	Minimum	Maximum
1705	10595	0	15

C5WD90_2 - S19 # WORDS NOT ON LIST NAMED 90 SEC-W5

Type	Code
Measurement Unit	numeric
C5WD90_2	The next questions are about the information the interviewer recorded from the Word List Recall Task #1 (90-second Task).... How many words not on the Word List did the respondent name during the 90-second recall period?
Notes	Scores on the word recall task were recorded by the interviewer in the field interviewer's report.

			Frequency	% of total	% of valid
Valid	0	0 words	1,028	8.4%	60.3%
	1	1 word	464	3.8%	27.2%
	2	2 words	144	1.2%	8.4%
	3	3 words	39	0.3%	2.3%
	4	4 words	16	0.1%	0.9%
	5	5 words	7	0.1%	0.4%
	6	6 words	5	0.04%	0.3%
	9	9 words	2	0.02%	0.1%
		Total	1,705	13.9%	100%
Missing	.	missing	9	0.1%	
	95	not asked of everyone	10,581	86.0%	
	96	refused	4	0.03%	
	99	no Word List Recall Form for respondent	1	0.008%	
		Total	10,595	86.1%	

Valid	Invalid	Minimum	Maximum
1705	10595	0	9

C5WD90_3 - S19 # WORDS REPEATED 90 SEC-W5

Type	Code
Measurement Unit	numeric
C5WD90_3	The next questions are about the information the interviewer recorded from the Word List Recall Task #1 (90-second Task).... How many words on the Word List did the respondent repeat during the 90-second recall period?
Notes	Scores on the word recall task were recorded by the interviewer in the field interviewer's report.

			Frequency	% of total	% of valid
Valid	0	0 words	1,088	8.8%	63.8%
	1	1 word	314	2.6%	18.4%
	2	2 words	132	1.1%	7.7%
	3	3 words	70	0.6%	4.1%
	4	4 words	45	0.4%	2.6%
	5	5 words	24	0.2%	1.4%
	6	6 words	17	0.1%	1.0%
	7	7 words	7	0.1%	0.4%
	8	8 words	3	0.02%	0.2%
	9	9 words	4	0.03%	0.2%
	12	12 words	1	0.008%	0.1%
		Total	1,705	13.9%	100%
Missing	.	missing	9	0.1%	
	995	not asked of everyone	10,581	86.0%	
	996	refused	4	0.03%	
	999	no word list recall form for respondent	1	0.008%	
		Total	10,595	86.1%	

Valid	Invalid	Minimum	Maximum
1705	10595	0	12

H5MH2 - S19Q2 INTERRUPTD DURNG 60 SEC RECALL-W5

Type	Code
Measurement Unit	numeric
Description	I'm going to move the screen one more time so you can't see it. Do you remember the list of 15 words that I read to you a few minutes ago? I want you to tell me as many of the words from that list as you can. You will have up to one minute. Again, we will hear a buzzer when time is up. Are you ready? (The computer counts down 60 seconds during which the respondent recalls the words. If the respondent stops before remembering all the words and the time is not up, the interviewer asks: "Can you think of any more?" If the respondent says he/she cannot remember more, the interviewer proceeds to the next task even if there is time remaining. After 60 seconds, a pop-up box appears to indicate the time is up. The interviewer reads the text in the pop-up box: "Good, now let's go on." The interviewer is instructed to not share the final score or any words missed or added with the respondent in order to maintain reliability of the test.)
H5MH2	The next questions are about the information the interviewer recorded from the Word List Recall Task #2 (60-second Task).... Q2. Did the following happen: interruption during memory task?

			Frequency	% of total	% of valid
Valid	0	no	1,686	13.7%	98.3%

	1	yes	30	0.2%	1.7%
		Total	1,716	14.0%	100%
Missing	.	missing	3	0.02%	
	95	not asked of everyone	10,581	86.0%	
		Total	10,584	86.0%	

Valid	Invalid	Minimum	Maximum
1716	10584	0	1

C5WD60_1 - S19 # WORDS ON LIST RECALLED 60 SEC-W5

Type	Code
Measurement Unit	numeric
C5WD60_1	The next questions are about the information the interviewer recorded from the Word List Recall Task #2 (60-second Task).... How many words on the Word List did the respondent remember during the 60-second recall period?
Notes	Scores on the word recall task were recorded by the interviewer in the field interviewer's report.

			Frequency	% of total	% of valid
Valid	0	0 words	26	0.2%	1.5%
	1	1 word	58	0.5%	3.4%
	2	2 words	127	1.0%	7.5%
	3	3 words	253	2.1%	14.9%
	4	4 words	347	2.8%	20.4%
	5	5 words	375	3.0%	22.0%
	6	6 words	236	1.9%	13.9%
	7	7 words	147	1.2%	8.6%
	8	8 words	71	0.6%	4.2%
	9	9 words	29	0.2%	1.7%
	10	10 words	15	0.1%	0.9%
	11	11 words	12	0.1%	0.7%
	12	12 words	4	0.03%	0.2%
	14	14 words	1	0.008%	0.1%
		Total	1,701	13.8%	100%
Missing	.	missing	9	0.1%	
	995	not asked of everyone	10,581	86.0%	
	996	refused	8	0.1%	
	999	no word list recall form for respondent	1	0.008%	
		Total	10,599	86.2%	

Valid	Invalid	Minimum	Maximum
1701	10599	0	14

C5WD60_2 - S19 # WORDS NOT ON LIST NAMED 60 SEC-W5

Type	Code
Measurement Unit	numeric
C5WD60_2	The next questions are about the information the interviewer recorded from the Word List Recall Task #2 (60-second Task).... How many words not on the Word List did the respondent name during the 60-second recall period?
Notes	Scores on the word recall task were recorded by the interviewer in the field interviewer's report.

			Frequency	% of total	% of valid
Valid	0	0 words	917	7.5%	53.9%
	1	1 word	470	3.8%	27.6%
	2	2 words	183	1.5%	10.8%
	3	3 words	72	0.6%	4.2%
	4	4 words	32	0.3%	1.9%
	5	5 words	5	0.04%	0.3%
	6	6 words	7	0.1%	0.4%
	7	7 words	5	0.04%	0.3%
	8	8 words	4	0.03%	0.2%
	9	9 words	6	0.05%	0.4%
		Total	1,701	13.8%	100%
Missing	.	missing	9	0.1%	
	95	not asked of everyone	10,581	86.0%	
	96	refused	8	0.1%	
	99	no Word List Recall Form for respondent	1	0.008%	
		Total	10,599	86.2%	

Valid	Invalid	Minimum	Maximum
1701	10599	0	9

C5WD60_3 - S19 # WORDS REPEATED 60 SEC-W5

Type	Code
Measurement Unit	numeric
C5WD60_3	The next questions are about the information the interviewer recorded from the Word List Recall Task #2 (60-second Task).... How many words on the Word List did the respondent repeat during the 60-second recall period?
Notes	Scores on the word recall task were recorded by the interviewer in the field interviewer's report.

			Frequency	% of total	% of valid
Valid	0	0 words	1,406	11.4%	82.7%
	1	1 word	172	1.4%	10.1%

	2	2 words	55	0.4%	3.2%
	3	3 words	26	0.2%	1.5%
	4	4 words	18	0.1%	1.1%
	5	5 words	15	0.1%	0.9%
	6	6 words	5	0.04%	0.3%
	7	7 words	2	0.02%	0.1%
	8	8 words	1	0.008%	0.1%
	9	9 words	1	0.008%	0.1%
		Total	1,701	13.8%	100%
Missing	.	missing	9	0.1%	
	95	not asked of everyone	10,581	86.0%	
	96	refused	8	0.1%	
	99	no Word List Recall Form for respondent	1	0.008%	
		Total	10,599	86.2%	

Valid	Invalid	Minimum	Maximum
1701	10599	0	9

H5MH3A - S19Q3A NUMBER STRING/2-4-W5

Type	Code
Measurement Unit	numeric
Description	That exercise is now complete. In this next exercise, I am going to say some strings of numbers, and when I am done I would like you to repeat them backwards, in the reverse order from which I said them. So if I said "3, 8," you would say "8, 3." Do you understand? The sets will get larger as we go.
H5MH3A	Q3A. 2-4 (4-2) Did respondent accurately repeat the set backwards?
Logic	If Q3A = 0, 6, ask Q3B, else skip to Q4A

			Frequency	% of total	% of valid
Valid	0	no	6	0.05%	0.4%
	1	yes	1,703	13.8%	99.6%
		Total	1,709	13.9%	100%
Missing	.	missing	10	0.1%	
	95	not asked of everyone	10,581	86.0%	
		Total	10,591	86.1%	

Valid	Invalid	Minimum	Maximum
1709	10591	0	1

H5MH3B - S19Q3B NUMBER STRING/5-7-W5

Type	Code
Measurement Unit	numeric
H5MH3B	Q3B. 5-7 (7-5) Did respondent accurately repeat the set backwards?

Logic	If Q3B = 1 ask Q4A, else skip to Q18

			Frequency	% of total	% of valid
Valid	0	no	4	0.03%	50.0%
	1	yes	4	0.03%	50.0%
		Total	8	0.1%	100%
Missing	.	missing	8	0.1%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	1,703	13.8%	
		Total	12,292	99.9%	

Valid	Invalid	Minimum	Maximum
8	12292	0	1

H5MH4A - S19Q4A NUMBER STRING/6-2-9-W5

Type	Code
Measurement Unit	numeric
H5MH4A	Q4A. 6-2-9 (9-2-6) Did respondent accurately repeat the set backwards?
Logic	If Q4A = 0, 6, ask Q4B, else skip to Q5A

			Frequency	% of total	% of valid
Valid	0	no	179	1.5%	10.5%
	1	yes	1,519	12.3%	89.5%
		Total	1,698	13.8%	100%
Missing	.	missing	17	0.1%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	4	0.03%	
		Total	10,602	86.2%	

Valid	Invalid	Minimum	Maximum
1698	10602	0	1

H5MH4B - S19Q4B NUMBER STRING/4-1-5-W5

Type	Code
Measurement Unit	numeric
H5MH4B	Q4B. 4-1-5 (5-1-4) Did respondent accurately repeat the set backwards?
Logic	If Q4B = 1 ask Q5A, else skip to Q18

			Frequency	% of total	% of valid
Valid	0	no	35	0.3%	18.8%
	1	yes	151	1.2%	81.2%

		Total	186	1.5%	100%
Missing	.	missing	10	0.1%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	1,523	12.4%	
		Total	12,114	98.5%	

Valid	Invalid	Minimum	Maximum
186	12114	0	1

H5MH5A - S19Q5A NUMBER STRING/3-2-7-9-W5

Type	Code
Measurement Unit	numeric
H5MH5A	Q5A. 3-2-7-9 (9-7-2-3) Did respondent accurately repeat the set backwards?
Logic	If Q5A = 0, 6, 8, ask Q5B, else skip to Q6A

			Frequency	% of total	% of valid
Valid	0	no	364	3.0%	21.9%
	1	yes	1,301	10.6%	78.1%
		Total	1,665	13.5%	100%
Missing	.	missing	15	0.1%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	39	0.3%	
		Total	10,635	86.5%	

Valid	Invalid	Minimum	Maximum
1665	10635	0	1

H5MH5B - S19Q5B NUMBER STRING/4-9-6-8-W5

Type	Code
Measurement Unit	numeric
H5MH5B	Q5B. 4-9-6-8 (8-6-9-4) Did respondent accurately repeat the set backwards?
Logic	If Q5B = 1 ask Q6A, else skip to Q18

			Frequency	% of total	% of valid
Valid	0	no	177	1.4%	48.0%
	1	yes	192	1.6%	52.0%
		Total	369	3.0%	100%
Missing	.	missing	10	0.1%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	1,340	10.9%	
		Total	11,931	97.0%	

Valid	Invalid	Minimum	Maximum
369	11931	0	1

H5MH6A - S19Q6A NUMBER STRING/1-5-2-8-6-W5

Type	Code
Measurement Unit	numeric
H5MH6A	Q6A. 1-5-2-8-6 (6-8-2-5-1) Did respondent accurately repeat the set backwards?
Logic	If Q6A = 0, 6, 8, ask Q6B, else skip to Q7A

			Frequency	% of total	% of valid
Valid	0	no	747	6.1%	50.2%
	1	yes	742	6.0%	49.8%
		Total	1,489	12.1%	100%
Missing	.	missing	14	0.1%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	216	1.8%	
		Total	10,811	87.9%	

Valid	Invalid	Minimum	Maximum
1489	10811	0	1

H5MH6B - S19Q6B NUMBER STRING/6-1-8-4-3-W5

Type	Code
Measurement Unit	numeric
H5MH6B	Q6B. 6-1-8-4-3 (3-4-8-1-6) Did respondent accurately repeat the set backwards?
Logic	If Q6B = 1 ask Q7A, else skip to Q18

			Frequency	% of total	% of valid
Valid	0	no	455	3.7%	60.7%
	1	yes	294	2.4%	39.3%
		Total	749	6.1%	100%
Missing	.	missing	12	0.1%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	958	7.8%	
		Total	11,551	93.9%	

Valid	Invalid	Minimum	Maximum
749	11551	0	1

H5MH7A - S19Q7A NUMBER STRING/5-3-9-4-1-8-W5

Type	Code
Measurement Unit	numeric
H5MH7A	Q7A. 5-3-9-4-1-8 (8-1-4-9-3-5) Did respondent accurately repeat the set backwards?
Logic	If Q7A = 0, 6, 8, ask Q7B, else skip to Q8A

			Frequency	% of total	% of valid
Valid	0	no	542	4.4%	52.7%
	1	yes	486	4.0%	47.3%
		Total	1,028	8.4%	100%
Missing	.	missing	20	0.2%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	671	5.5%	
		Total	11,272	91.6%	

Valid	Invalid	Minimum	Maximum
1028	11272	0	1

H5MH7B - S19Q7B NUMBER STRING/7-2-4-8-5-6-W5

Type	Code
Measurement Unit	numeric
H5MH7B	Q7B. 7-2-4-8-5-6 (6-5-8-4-2-7) Did respondent accurately repeat the set backwards?
Logic	If Q7B = 1 ask Q8A, else skip to Q18

			Frequency	% of total	% of valid
Valid	0	no	342	2.8%	62.6%
	1	yes	204	1.7%	37.4%
		Total	546	4.4%	100%
Missing	.	missing	16	0.1%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	1,157	9.4%	
		Total	11,754	95.6%	

Valid	Invalid	Minimum	Maximum
546	11754	0	1

H5MH8A - S19Q8A NUMBER STRING/8-1-2-9-3-6-5-W5

Type	Code
Measurement Unit	numeric

H5MH8A	Q8A. 8-1-2-9-3-6-5 (5-6-3-9-2-1-8) Did respondent accurately repeat the set backwards?
Logic	If Q8A = 0, 6, 8, ask Q8B, else skip to Q9A

			Frequency	% of total	% of valid
Valid	0	no	445	3.6%	65.1%
	1	yes	239	1.9%	34.9%
		Total	684	5.6%	100%
Missing	.	missing	22	0.2%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	1,013	8.2%	
		Total	11,616	94.4%	

Valid	Invalid	Minimum	Maximum
684	11616	0	1

H5MH8B - S19Q8B NUMBER STRING/4-7-3-9-1-2-8-W5

Type	Code
Measurement Unit	numeric
H5MH8B	Q8B. 4-7-3-9-1-2-8 (8-2-1-9-3-7-4) Did respondent accurately repeat the set backwards?
Logic	If Q8B = 1 ask Q9A, else skip to Q18

			Frequency	% of total	% of valid
Valid	0	no	299	2.4%	66.9%
	1	yes	148	1.2%	33.1%
		Total	447	3.6%	100%
Missing	.	missing	20	0.2%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	1,252	10.2%	
		Total	11,853	96.4%	

Valid	Invalid	Minimum	Maximum
447	11853	0	1

H5MH9A - S19Q9A NUMBER STRING/9-4-3-7-6-2-5-8-W5

Type	Code
Measurement Unit	numeric
H5MH9A	Q9A. 9-4-3-7-6-2-5-8 (8-5-2-6-7-3-4-9) Did respondent accurately repeat the set backwards?
Logic	If Q9A = 0, 6, 8, ask Q9B, else skip to next section

			Frequency	% of total	% of valid
Valid	0	no	308	2.5%	79.8%
	1	yes	78	0.6%	20.2%
		Total	386	3.1%	100%
Missing	.	missing	21	0.2%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	1,312	10.7%	
		Total	11,914	96.9%	

Valid	Invalid	Minimum	Maximum
386	11914	0	1

H5MH9B - S19Q9B NUMBER STRING/7-2-8-1-9-6-5-3-W5

Type	Code
Measurement Unit	numeric
H5MH9B	Q9B. 7-2-8-1-9-6-5-3 (3-5-6-9-1-8-2-7) Did respondent accurately repeat the set backwards?

			Frequency	% of total	% of valid
Valid	0	no	250	2.0%	82.2%
	1	yes	54	0.4%	17.8%
		Total	304	2.5%	100%
Missing	.	missing	103	0.8%	
	95	not asked of everyone	10,581	86.0%	
	97	legitimate skip	1,312	10.7%	
		Total	11,996	97.5%	

Valid	Invalid	Minimum	Maximum
304	11996	0	1

Return to Table of Contents

Wave V, Section 20: Home Visit & Biomarker Consent

Title	Wave V, Section 20: Home Visit & Biomarker Consent
Description	Construction of the biomarker consent variables H5BC1, H5BC2, and H5BC3 was based upon questions asked differently depending on the instrument. The Web instrument asked survey participants to respond to the following: Please select only one of the consent options below. 1) I agree to the home visit and, if I give blood for Add Health research as described in the consent form, I also agree for my leftover blood to be stored without personal identifiers for future studies. 2) I agree to the home visit and, if I give blood for Add Health research as described in the consent form, I do not agree for my leftover blood to be stored for future studies. I ask that my blood be disposed of after the tests for Add Health Wave V and related Add Health research have been completed and confirmed. 3) I do not agree to the home visit-I am declining. Upon declining, Web participants were presented with an opportunity to reconsider: 1) Yes, I'll reconsider 2) No, thank you. The CAPI/CASI and CATI instruments used to interview sample 2B and certain of the Non-Response Follow-Up (NRFU) cases were asked: Do you agree to participate in the biomarker visit? 1) yes 2) no Do you agree to have any leftover blood stored without personal identifiers, for future studies? 1) yes, agrees for leftover blood to be stored without personal identifiers for future studies. 2) no, does not agree for leftover blood to be stored for future studies The mailed paper survey included the following consent responses: 1) I agree to the home visit and, if I give blood for Add Health research as described above, I also agree for my leftover blood to be stored without personal identifiers for future studies. 2) I agree to the home visit and, if I give blood for Add Health research as described above, I do not agree for my leftover blood to be stored for future studies. I ask that my blood be disposed of after the tests for Add Health Wave V and related Add Health research have been completed and confirmed. 3) I do not agree to the home visit—I am declining.
File Name	wave5.xpt
Case Quantity	12300
Variable Count	3

H5BC1 - CONSENT FOR HOME VISIT, INITIAL-W5

Type	Code
Measurement Unit	numeric
H5BC1	Wave V home visit, blood collection, and archive consent

			Frequency	% of total	% of valid
Valid	0	does not consent to home visit and blood collection	4,070	33.1%	34.1%
	1	consents to home visit and blood collection with archiving	5,524	44.9%	46.3%
	2	consents to home visit and blood collection without archiving	2,329	18.9%	19.5%
		Total	11,923	96.9%	100%
Missing	.	missing	377	3.1%	
		Total	377	3.1%	

Valid	Invalid	Minimum	Maximum
11923	377	0	2

H5BC2 - CONVERT, RECONSIDER HOME VISIT-W5

Type	Code
Measurement Unit	numeric
H5BC2	Wave V home visit and blood collection conversion effort

			Frequency	% of total	% of valid
Valid	0	no	58	0.5%	77.3%
	1	yes, will reconsider	17	0.1%	22.7%
		Total	75	0.6%	100%
Missing	.	missing	418	3.4%	
	95	not asked of everyone	2,014	16.4%	
	97	legitimate skip	9,793	79.6%	
		Total	12,225	99.4%	

Valid	Invalid	Minimum	Maximum
75	12225	0	1

H5BC3 - CONSENT FOR HOME VISIT, POST CONVERT-W5

Type	Code
Measurement Unit	numeric
H5BC3	Wave V home visit, blood collection, and archive consent, after conversion

			Frequency	% of total	% of valid
Valid	0	does not consent to home visit and blood collection	6	0.05%	33.3%
	1	consents to home visit and blood collection with archiving	6	0.05%	33.3%
	2	consents to home visit and blood collection without archiving	6	0.05%	33.3%
		Total	18	0.1%	100%
Missing	.	missing	377	3.1%	
	95	not asked of everyone	2,014	16.4%	
	97	legitimate skip	9,891	80.4%	
		Total	12,282	99.9%	

Valid	Invalid	Minimum	Maximum
18	12282	0	2

Return to Table of Contents

Wave V, Section 21: Survey Experience

Title	Wave V, Section 21: Survey Experience
Description	If the Questionnaire Design Group equaled Modular, rather than Singular, Web instruments presented respondents with a transition between Module A and Module B, which suggested continuing with or postponing completion of the second module. Respondents assigned to this Questionnaire Design Group encountered the following text: Thank you for finishing the first half of the survey. If you wish to continue with the second half of the survey now, select "Continue to Part B". If you would prefer to return at a later time, select "Finalize Part A". If you choose to finalize part A you will be asked for your contact information at this time so we can mail you the incentive for your participation. You will also be given an opportunity to participate in another part of the study for another incentive. 1) Continue to Part B 2) Finalize Part A Respondents who either were assigned to the Singular Questionnaire Design Group or assigned to the Modular group but elected to continue to Module B, did not receive questions asking about their Module A survey experience. By design, all respondents to the Web instrument, whether taking parts A and B separately or not, received questions regarding their survey experience upon completion of Module B.
File Name	wave5.xpt
Case Quantity	12300
Variable Count	7

H5PS1A - S21Q1A LENGTH OF MODULE A-W5

Type	Code
Measurement Unit	numeric
H5PS1A	Q1A. How did you feel about the length of this survey?
Logic	If Questionnaire Design Group=Modular and did not Continue to Part B.

			Frequency	% of total	% of valid
Valid	1	too long	49	0.4%	19.1%
	2	just right	206	1.7%	80.2%
	3	too short	2	0.02%	0.8%
		Total	257	2.1%	100%
Missing	.	missing	1,496	12.2%	
	95	not asked of everyone	10,547	85.7%	
		Total	12,043	97.9%	

Valid	Invalid	Minimum	Maximum
257	12043	1	3

H5PS1B - S21Q1B LENGTH OF MODULE B/SURVEY-W5

Type	Code
Measurement Unit	numeric
H5PS1B	Q1B. How did you feel about the length of this survey?
Logic	If Questionnaire Design Group=Modular or Singular.

			Frequency	% of total	% of valid
Valid	1	too long	2,836	23.1%	27.8%
	2	just right	7,292	59.3%	71.6%
	3	too short	58	0.5%	0.6%
		Total	10,186	82.8%	100%
Missing	.	missing	398	3.2%	
	95	not asked of everyone	1,716	14.0%	
		Total	2,114	17.2%	

Valid	Invalid	Minimum	Maximum
10186	2114	1	3

H5PS2A - S21Q2A WOULD FINISH LONGER MOD A-W5

Type	Code
Measurement Unit	numeric
H5PS2A	Q2A. Would you have been willing to complete the survey if it was a little longer?
Logic	If Questionnaire Design Group=Modular and did not Continue to Part B.

			Frequency	% of total	% of valid
Valid	0	no	66	0.5%	25.9%
	1	yes	189	1.5%	74.1%
		Total	255	2.1%	100%
Missing	.	missing	1,498	12.2%	
	95	not asked of everyone	10,547	85.7%	
		Total	12,045	97.9%	

Valid	Invalid	Minimum	Maximum
255	12045	0	1

H5PS2B - S21Q2B WOULD FINISH LONGER MOD B/SRVY-W5

Type	Code
Measurement Unit	numeric
H5PS2B	Q2B. Would you have been willing to complete the survey if it was a little longer?

Logic	If Questionnaire Design Group=Modular or Singular.

			Frequency	% of total	% of valid
Valid	0	no	2,563	20.8%	25.2%
	1	yes	7,606	61.8%	74.8%
		Total	10,169	82.7%	100%
Missing	.	missing	415	3.4%	
	95	not asked of everyone	1,716	14.0%	
		Total	2,131	17.3%	

Valid	Invalid	Minimum	Maximum
10169	2131	0	1

H5PS3A - S21Q3A WHY PHONE USED FOR MOD A-W5

Type	Code
Measurement Unit	numeric
H5PS3A	Q3A. If you took the survey on your phone, why did you do so?
Logic	If Questionnaire Design Group=Modular and did not Continue to Part B.

			Frequency	% of total	% of valid
Valid	1	My phone is more convenient than laptop, desktop, tablet, or other device	45	0.4%	17.8%
	2	I do not have access to laptop, desktop, tablet, or other device	8	0.1%	3.2%
	3	I only have internet access on phone	5	0.04%	2.0%
	4	Other	3	0.02%	1.2%
	5	I did not take the survey on my phone	192	1.6%	75.9%
		Total	253	2.1%	100%
Missing	.	missing	1,500	12.2%	
	95	not asked of everyone	10,547	85.7%	
		Total	12,047	97.9%	

Valid	Invalid	Minimum	Maximum
253	12047	1	5

H5PS3B - S21Q3B WHY PHONE USED FOR MOD B/SRVY-W5

Type	Code
Measurement Unit	numeric
H5PS3B	Q3B. If you took the survey on your phone, why did you do so?
Logic	If Questionnaire Design Group=Modular or Singular.

			Frequency	% of total	% of valid
Valid	1	My phone is more convenient than laptop, desktop, tablet, or other device	1,709	13.9%	18.2%
	2	I do not have access to laptop, desktop, tablet, or other device	396	3.2%	4.2%
	3	I only have internet access on phone	211	1.7%	2.2%
	4	Technical Difficulties	11	0.1%	0.1%
	5	Temporarily lacked access to computer	14	0.1%	0.1%
	6	Used multiple devices	3	0.02%	0.03%
	7	Other	29	0.2%	0.3%
	8	I did not take the survey on my phone	7,032	57.2%	74.8%
		Total	9,405	76.5%	100%
Missing	.	missing	1,179	9.6%	
	95	not asked of everyone	1,716	14.0%	
		Total	2,895	23.5%	

Valid	Invalid	Minimum	Maximum
9405	2895	1	8

H5PS4B - S21Q4B PREFER TWO SHORTER SURVEYS-W5

Type	Code
Measurement Unit	numeric
H5PS4B	Q4B. Would you have preferred to take two shorter surveys instead of taking one long survey?
Notes	A total of 75 respondents assigned to the modular group and completing the Teleform version of the instrument answered the following question. Would you have preferred to take the survey all at once instead of taking two shorter surveys? These answers were recoded to reflect the response categories of H5PS4B and combined with data from other respondents.
Logic	If Questionnaire Design Group=Singular (see notes).

			Frequency	% of total	% of valid
Valid	0	no (prefer longer)	5,629	45.8%	65.4%
	1	yes (prefer shorter)	2,982	24.2%	34.6%
		Total	8,611	70.0%	100%
Missing	.	missing	275	2.2%	
	95	not asked of everyone	3,414	27.8%	
		Total	3,689	30.0%	

Valid	Invalid	Minimum	Maximum
8611	3689	0	1

Appendix: Flowcharts
Wave V Section 1: Background




From page 1
If more than one race was chosen
If more than one race was chosen
If only one race was chosen
If only one race was chosen
H5OD8
H5OD9
H5OD10
H5OD11
End Section 1

Wave V Section 2: Household




H5LM1
If H5LM1=1
H5LM2M/
H5LM2Y
H5LM3
Else
If H5LM3=2-4
H5LM4M/
H5LM4Y
Else
H5LM5
If H5LM5=1
H5LM6
Else if H5LM5=2
Else if H5LM5=3
Else if H5LM5=
.(missing)
H5LM7
To
page 2


From page 1
H5LM8M/ H5LM8Y
H5LM9
H5LM10
H5LM11
H5LM12
H5LM13A
H5LM13B
H5LM13C
To page 3


From page 2
H5LM14
H5LM15
H5LM16
H5LM17M/ H5LM17Y
H5LM18M/ H5LM18Y
H5LM19
H5LM20
To page 4


From page 3
H5LM21
H5LM22
H5LM23A
H5LM23B
H5LM23C
H5LM24
H5LM25
To page 5


From page 4
H5LM26
If H5LM5=2
H5LM27
Else
End Section 3

Wave V, Section 4. Income




From page 1
H5EC6
H5EC7
H5EC8
H5EC9
H5EC10
End Section 4


H5ID1
H5ID2F
H5ID2I
H5ID3
H5ID4
If H5ID4=2 or 3
Else
H5ID5
H5ID6A
If H5ID6A=1
Else
To page 2


From page 1
H5ID6AA/ H5ID6AM
H5ID6B
If H5ID6B=1
H5ID6BA/ H5ID6BM
Else
H5ID6C
If H5ID6C=1
H5ID6CA/ H5ID6CM
Else
H5ID6D
If H5ID6D=1
H5ID6DA/ H5ID6DM
Else
To page 3


From page 2
H5ID6E
If H5ID6E=1
Else
H5ID6EA/ H5ID6EM
H5ID6F
If H5ID6F=1
Else
H5ID6FA/ H5ID6FM
H5ID6G
If H5ID6G=1
Else
H5ID6GA/ H5ID6GM
H5ID6H
If H5ID6H=1
Else
To page 4


From page 3
H5ID6HA/ H5ID6HM
H5ID6I
If H5ID6I=1
Else
H5ID6IA/ H5ID6IM
H5ID6J
If H5ID6J=1
Else
H5ID6JA/ H5ID6JM
H5ID6K
If H5ID6K=1
Else
H5ID6KA/ H5ID6KM
To page 5


From page 4
H5ID6L
If H5ID6L=1
H5ID6LA/ H5ID6LM
Else
H5ID6M
If H5ID6M=1
H5ID6MA/ H5ID6MM
Else
H5ID6N
If H5ID6N=1
H5ID6NA/ H5ID6NM
Else
H5ID6O
Else
If H5ID6N=1
To page 6


From page 5
H5ID6OA/ H5ID6OM
H5ID6P
If H5ID6P=1
H5ID6PA/ H5ID6PM
Else
H5ID6Q
If H5ID6Q=1
H5ID6QA/ H5ID6QM
Else
H5ID6R
If H5ID6R=1
H5ID6RA/ H5ID6RM
Else
To page 7


From page 6
H5ID6S
If H5ID6S=1
Else
H5ID6SA/ H5ID6SM
H5ID6T
If H5ID6T=1
Else
H5ID6TA/ H5ID6TM
H5ID7A-C
H5ID8A-H
H5ID9
Else
If H5ID9=15
To page 8


From page 7
H5ID10A-D
H5ID11
H5ID12
H5ID13
H5ID14
H5ID15
H5ID16
To page 9


From page 8
H5ID17
H5ID18
H5ID19
If H5ID19=1
Else
H5ID20
H5ID21
H5ID22
H5ID23
To page 10


From page 9
H5ID24
H5ID25
H5ID26
H5ID27
H5ID28
H5ID29
H5ID30
If H5ID30=0
Else
H5ID31
End Section 5

Wave V Section 6: Sexual Experiences and Pregnancy




From page 1
If H5SE7=9998 (don't know)
H5SE8
Else
If H5SE7=0 or missing
If H5SE8>1
H5SE9
Else
H5SE10
If H5SE10=9998 (don't know)
H5SE11
Else
If H5SE10=10 or missing
If H5SE11>1
H5SE12
Else
H5SE13
H5SE14
To page 3


From page 2
H5SE15
H5SE16
If H5SE16=1
Else
H5SE17
H5SE18
If H5SE18=1
Else
H5SE19
H5SE20
If H5SE20=1
Else
H5SE21
Else
If H5SE21>0
To page 4


From page 3
If H5SE21>0
H5SE22
Else
Else
If H5SE22>0
H5SE23
Else
End Section 6


H5TO1
H5TO2
If H5TO2>0
H5TO3
Else
H5TO4
If H5TO1 & H5TO2 & H5TO4=0
or . (missing)
H5TO5
Else
Else
If H5TO5=1
H5TO6
If H5TO6=0
Else
If H5TO6=1
H5TO7
H5TO8
H5TO9
H5TO10
To
page 2


From page 1
H5TO11
If H5TO11=1
H5TO12
If H5TO12=1-6
H5TO13
If H5TO13=1-6
H5TO14
H5TO15
H5TO16
If H5TO16=0
Else
H5TO17
H5TO18
H5TO19
H5TO20
If H5TO20=1
To page 3
Else
Else
Else
Else


From page 2
H5TO21
H5TO22
If H5TO22=1
H5TO24
H5TO25
If H5TO22=0
H5TO23
Else
Else
H5TO26A
H5TO26B
H5TO26C
H5TO26D
To page 4


To page 3
H5TO27A
H5TO27B
H5TO27C
H5TO27D
End Section 7

Wave V Section 8: Early Life



Wave V Section 9: Personality



Wave V Section 10: Social Support



*H5SS0A-H5SS0E appear in Section 5: Health and Healthcare.
**H5SS7-H5SS9 appear in Section 17: Illness and Physical Limitations.

Wave V Section 11: Parents and Siblings




From page 1
H5WP20
H5WP20=0 or . (missing)
H5WP21
H5WP22
H5WP20=1 and H5WP18=1
Else
H5WP22=1
H5WP23 H5WP24
Else
H5WP25
H5WP25=0
H5WP26M H5WP26Y
H5WP25=1
Else
H5WP27 H5WP28
H5WP29 H5WP30
H5WP31
H5WP31=1
H5WP32
Else
H5WP33
H5WP33≥1
H5WP34
Else
End Section 11

Wave V Section 12: Religion and Spirituality



Wave V Section 13: Feelings and Experiences



Wave V, Section 14. Involvement with Criminal Justice System




From Page 1
H5CJ2D
H5CJ2E
H5CJ2F
H5CJ3
If H5CJ3=1
Else
H5CJ4A
If H5CJ4A=1
Else
H5CJ4AC
If H5CJ4AC>0
Else
H5CJ4AG
H5CJ4B
If H5CJ4B=1
Else
To page 3


From page 2
H5CJ4BC
Else
If H5CJ4BC>0
H5CJ4BG
Else
H5CJ4C
If H5CJ4C=1
H5CJ4CC
Else
If H5CJ4CC>0
H5CJ4CG
Else
H5CJ4D
If H5CJ4D=1
H5CJ4DC
Else
If H5CJ4DC>0
Else
To page 4
From pg. 2


From page 3
H5CJ4DG
Else
Else
H5CJ4E
If H5CJ4E=1
H5CJ4EC
Else
If H5CJ4EC>0
Else
H5CJ4EG
From pg. 2
H5CJ4F
If H5CJ4F=1
H5CJ4FC
Else
If H5CJ4F>0
H5CJ4FG
Else
To page 5


From page 4
H5CJ4G
If H5CJ4G=1
H5CJ4GC
Else
If H5CJ4GC>0
Else
H5CJ4GG
H5CJ4H
From pg. 2
If H5CJ4H=1
H5CJ4HC
If H5CJ4HC>0
Else
H5CJ4HG
Else
H5CJ4I
Else
If H5CJ4I=1
To page 6


From page 5
H5CJ4IC
If H5CJ4IC>0
Else
Else
H5CJ4IG
H5CJ4J
If H5CJ4J=1
H5CJ4JC
If H5CJ4JC>0
Else
Else
H5CJ4JG
H5CJ4K
If H5CJ4K=1
H5CJ4KC
Else
Else
If H5CJ4KC>0
To page 7
From pg. 2


From page 6
H5CJ4KG
Else
Else
H5CJ4L
If H5CJ4L=1
H5CJ4LC
If H5CJ4LC>0
Else
H5CJ4LG
Else
Else
From pg. 2
H5CJ5
If H5CJ5=1
H5CJ6
H5CJ7
H5CJ8Y
H5CJ8M
Else
End Section 14


H5TR1
H5TR2
H5TR3
H5TR4
If H5TR4=1
H5TR4M
H5TR4Y
Else
H5TR5
If H5TR5=1
H5TR5M
H5TR5Y
Else
H5TR6
If H5TR6=1
H5TR6M
H5TR6Y
Else
H5TR7
If H5TR7=1
Else
To
page 2


From page 1
If H5TR7=1
H5TR7M
H5TR7Y
H5TR8M
H5TR8Y
H5TR9
From pg. 1
H5TR10
H5TR11
H5TR12
To page 3


From page 2
H5TR13A-G
If H5TR13C=1
If H5TR13D=1
If H5TR13E=1
H5TR13S1-7
H5TR13H1-4
H5TR13P1-4
If H5TR4=1 or H5TR5=1 or H5TR6=1
Else
Else
Else
If H5TR4=1 or H5TR5=1 or H5TR6=1
H5TR14
From pg. 1
Else
H5TR15
H5TR16
H5TR17
To page 4


From page 3
H5TR18
Else
H5TR19
H5TR20
H5TR21
From pg. 1
H5TR22
H5TR23
H5TR24
To page 5


From page 4
H5TR25
H5TR26
From pg. 1
H5TR27
H5TR28
End Section 15


H5PG1
H5PG2
If H5PG2=1
H5PG3A-
H5PG3E
If
H5PG2=2
If H5PG3A or H5PG3B or
H5PG3C or H5PG3D or H5PG3E=1
H5PG4
Else
Else
H5PG5
If H5PG5=1
Else
H5PG6M
H5PG6Y
H5PG7
If H5PG7>0
Else
To
page 2


From page 1
H5PG81
H5PG91
H5PG10M1
H5PG10Y1
H5PG111
H5PG121
H5PG13L1
H5PG13O1
If HPG13L1=5 & HPG13O1=. (missing)
orif HPG13L1 & HPG13O1
are missing or don't know
H5PG141
To page 3


From page 2
H5PG151
H5PG161
H5PG171
If H5PG171=0
H5PG181
Else
H5PG191
H5PG201
H5PG211
H5PG221
To page 4


From page 3
H5PG231
H5PG241
Else
If H5PG241=1
If H5PG181=2
H5PG251
Else
H5PG27M1
H5PG27Y1
If H5PG261=0
H5PG261
Else
If H5PG261=1
H5PG281
If H5PG7>1 &
H5PG261=(don't know)
H5PG29A1-
H5PG29U1
Else
If H5PG7>1
H5PG82
To page 5


From page 4
H5PG92
H5PG10M2 H5PG10Y2
H5PG112
H5PG122
H5PG13L2 H5PG13O2
If H5PG13L2=5 and H5PG13O2=.(missing) or if H5PG13L2 & H5PGO2 are missing or don't know
H5PG142
Else
H5PG152
To page 6


From page 5
H5PG162
H5PG172
If H5PG172=0
H5PG182
Else
H5PG192
H5PG202
H5PG212
H5PG222
H5PG232
To page 7


From page 6
H5PG242
Else
If H5PG242=1
If H5PG182=2
H5PG252
Else
H5PG27M2
H5PG27Y2
If H5PG262=0
H5PG262
Else
Else if H5PG262=1
H5PG282
If H5PG7>2 &
H5PG262=(don't know)
H5PG29A2-
H5PG29U2
Else
If H5PG7>2
H5PG83
H5PG93
To page 8


From page 7
H5PG10M3 H5PG10Y3
H5PG113
H5PG123
H5PG13L3 H5PG13O3
If H5PG13L3=5 and H5PG13O3=.(missing) or if H5PG13L3 & H5PG13O3 are missing or don't know
H5PG143
Else
H5PG153
H5PG163
To page 9


From page 8
H5PG173
If H5PG173=0
H5PG183
Else
H5PG193
H5PG203
H5PG213
H5PG223
H5PG233
H5PG243
Else
If H5PG243=1
To page 10


From page 9
H5PG253
If H5PG183=2
Else
H5PG27M3
H5PG27Y3
If H5PG263=0
H5PG263
Else
If H5PG263=1
H5PG283
If H5PG7>3 &
H5PG263=(don't know)
H5PG29A3-
H5PG29U3
Else
If H5PG7>3
H5PG84
H5PG94
To page 11


From page 10
H5PG10M4 H5PG10Y4
H5PG114
H5PG124
H5PG13L4 H5PG13O4
If H5PG13L4=5 and H5PG13O4=. (missing) or if H5PG13L4 & H5PG13O4 are missing or don't know
Else
H5PG144
H5PG154
H5PG164
To page 12


From page 11
H5PG174
If H5PG174=0
H5PG184
Else
H5PG194
H5PG204
H5PG214
H5PG224
H5PG234
H5PG244
Else
If H5PG244=1
To page 13


From page 12
H5PG254
If H5PG184=2
H5PG27M4
H5PG27Y4
H5PG264
If H5PG264=0
Else
If H5PG264=1
H5PG284
If H5PG7>4 &
H5PG264=(don't know)
H5PG29A4-
H5PG29U4
Else
If H5PG7>4
H5PG85
H5PG95
To page 14


From page 13
H5PG10M5
H5PG10Y5
H5PG115
H5PG125
H5PG13L5
H5PG13O5
If H5PG13L5=5 and
H5PG13O5=.(missing)
Or if H5PG13L5 & H5PG13O5
Are missing or don't know
H5PG145
Else
H5PG155
H5PG165
H5PG175
If H5PG175=0
H5PG185
Else
To page 15


From page 14
H5PG195
H5PG205
H5PG205
H5PG215
H5PG225
H5PG235
H5PG245
Else
If H5PG245=1
To page 16


From page 15
H5PG255
If H5PG185=2
Else
H5PG27M5
H5PG27Y5
If H5PG265=0
H5PG265
Else
If H5PG265=1
H5PG285
If H5PG7>5 &
H5PG265=(don't know)
H5PG29A5-
H5PG29U5
Else
If H5PG7>5
H5PG86
H5PG96
To page 17


From page 16
H5PG10M6
H5PG10Y6
H5PG13L6
H5PG13O6
If H5PG13L6=5 and H5PG13O6=.(missing) or if H5PG13L6 & H5PG13O6 are missing or don't know
H5PG146
Else
H5PG156
H5PG166
H5PG176
If H5PG176=0
H5PG186
Else
H5PG196
To page 18


From page 17
H5PG206
H5PG216
H5PG226
H5PG236
H5PG246
If H5PG246=1
Else
H5PG256
Else
H5PG266
If H5PG186=2
Else
If H5PG266=0
If H5PG266=1
To page 19


From page 18
H5PG27M6
H5PG27Y6
H5PG286
H5PG29A6-
H5PG29U6
H5PG30
H5PG31
If H5PG7=0
(from pg. 1
If H5PG7 does not =0
(from pg. 1)
H5PG32
If H5PG32=1
H5PG33
Else
H5PG34A-
H5PG34D
End Section 16


H5DA1
H5DA2
H5DA3A-
H5DA3H
H5DA4
H5DA5A-
H5DA5G
If more than one variable
H5DA5A-5G=1
Else
H5DA6
If all H5DA5A-5G=0
or .(missing)
H5DA7
Else if H5DA7=1-7
To
page 2
Else


From page 1
H5DA8
H5DA9
H5DA10
If H5DA10=1
Else
H5DA11
H5DA12
If H5DA12=1, 2, or 3
Else
H5DA13
End Section 17

Wave V, Section 18. Fitness Tracking




From page 1
H5FT5B
H5FT5C
Else
H5FT5C=1
H5FT5D
H5FT5E
From pg. 1
H5FT6
If (H5FT6=1, 2, or 7) &
(H5FT5C=1 or (H5FT5D=1 or 2))
H5FT7
Else
Else
If H5FT7=1
H5FT8
End Section 18

Wave V, Section 19. Survey Experience




From page 1
H5MH3A
If 0 or refuse
Else
H5MH3B
H5MH4A
If 0 or refuse
Else
H5MH4B
H5MH5A
If 0 or refuse or don't know
Else
H5MH5B
H5MH6A
If 0 or refuse or don't know
Else
H5MH6B
To page 3


To page 2
H5MH7A
If 0 or refuse or don't know
Else
H5MH7B
H5MH8A
If 0 or refuse or don't know
Else
H5MH8B
H5MH9A
If 0 or refuse or don't know
Else
H5MH9B
End Section 19

Return to Table of Contents

Wave V Mixed-Mode Survey Index

List of Sections

Section Title	Page
Section A: Survey Variables	2
Section: Census Regions	2
Section 1: Background	2
Section 2: Household	3
Section 3: Military and Employment	5
Section 4: Income	7
Section 5: Health and Healthcare	8
Section 6: Sexual Experiences and Pregnancy	14
Section 7: Tobacco, Alcohol, and Substances	16
Section 8: Early Life	17
Section 9: Personality	19
Section 10: Social Support	19
Section 11: Parents and Siblings	20
Section 12: Religion and Spirituality	22
Section 13: Feelings and Experiences	22
Section 14: Involvement with Criminal Justice System	23
Section 15: Relationships	26
Section 16: Pregnancy, Live Births, Children, and Parenting	29
Section 17: Illness and Physical Limitations	42
Section 18: Fitness Tracking	44
Section 19: Mental/Cognitive Health	45
Section 20: Home Visit & Biomarker Consent	46
Section 21: Survey Experience	46

	QUESTIONS	*VARIABLE NAMES*
	Section A: Survey Variables	
	Month Wave V Survey Completed	IMONTH5
	Year Wave V Survey Completed	IYEAR5
	Modules Completed	MODULES
	Type of Survey Completed	MODE
	Sample Assignment	SAMPLE
	Platform or Device used to answer web survey	PLATFORM
	Section: Census Regions	
	Respondent census region	REGION
	Section 1: Background	
Q1A.	Respondent Birth Month	H5OD1M
Q1B.	Respondent Birth Year	H5OD1Y
Q2A.	What sex were you assigned at birth, on your original birth certificate?	H5OD2A
Q2B.	What is your gender?	H5OD2B
Q3.	On average, how do you think people would describe your appearance, style, or dress?	H5OD3
Q4A.	White	H5OD4A
Q4B.	Black, African American	H5OD4B
Q4C.	Hispanic	H5OD4C
Q4D.	Asian	H5OD4D
Q4E.	Pacific Islander	H5OD4E
Q4F.	American Indian or Alaska Native	H5OD4F
Q4G.	Some other race or origin	H5OD4G
Q5A.	Mexican, Mexican American, Chicano	H5OD5A
Q5B.	Puerto Rican	H5OD5B
Q5C.	Cuban	H5OD5C
Q5D.	Central American	H5OD5D
Q5E.	South American	H5OD5E

	QUESTIONS	*VARIABLE NAMES*
Q5F.	Other Hispanic, Latino, or Spanish origin	H5OD5F
Q6A.	Indian	H5OD6A
Q6B.	Chinese	H5OD6B
Q6C.	Filipino	H5OD6C
Q6D.	Japanese	H5OD6D
Q6E.	Korean	H5OD6E
Q6F.	Vietnamese	H5OD6F
Q6G.	Other Asian	H5OD6G
Q7A.	Native Hawaiian	H5OD7A
Q7B.	Samoan	H5OD7B
Q7C.	Guamanian or Chamorro	H5OD7C
Q7D.	Other Pacific Islander	H5OD7D
Q8.	Of the race/ethnicity categories you selected, please pick the one with which you most strongly identify	H5OD8
Q9.	Were you born in the United States?	H5OD9
Q10.	Are you currently attending a college, university, or vocational/technical school where you take courses for academic credit?	H5OD10
Q11.	What is the highest level of education that you have achieved to date?	H5OD11

Section 2: Household

Q1.	Are you currently?	H5HR1
Q2.	Now we want to know about your current living arrangement. Where do you live now - that is, where do you stay most often?	H5HR2
Q3.	Not counting yourself, how many other people live in your household? If you live alone, enter 0 If someone usually lives with you but is away temporarily, do include him or her.	H5HR3
Q4A.	What is [...]'s biological sex?	H5HR4A
Q4B.	What is [...]'s biological sex?	H5HR4B
Q4C.	What is [...]'s biological sex?	H5HR4C
Q4D.	What is [...]'s biological sex?	H5HR4D
Q4E.	What is [...]'s biological sex?	H5HR4E

	QUESTIONS	*VARIABLE NAMES*
Q4F.	What is [...]'s biological sex?	H5HR4F
Q4G.	What is [...]'s biological sex?	H5HR4G
Q4H.	What is [...]'s biological sex?	H5HR4H
Q4I.	What is [...]'s biological sex?	H5HR4I
Q4J.	What is [...]'s biological sex?	H5HR4J
Q4K.	What is [...]'s biological sex?	H5HR4K
Q4L.	What is [...]'s biological sex?	H5HR4L
Q4M.	What is [...]'s biological sex?	H5HR4M
Q4N.	What is [...]'s biological sex?	H5HR4N
Q4O.	What is [...]'s biological sex?	H5HR4O
Q5A.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5A
Q5B.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5B
Q5C.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5C
Q5D.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5D
Q5E.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5E
Q5F.	What is[...]'s age in years? For infants under 12 months, record 0.	H5HR5F
Q5G.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5G
Q5H.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5H
Q5I.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5I
Q5J.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5J
Q5K.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5K
Q5L.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5L
Q5M.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5M
Q5N.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5N
Q5O.	What is [...]'s age in years? For infants under 12 months, record 0.	H5HR5O
Q6A.	What is [...]'s relationship to you?	H5HR6A
Q6B.	What is [...]'s relationship to you?	H5HR6B
Q6C.	What is [...]'s relationship to you?	H5HR6C
Q6D.	What is [...]'s relationship to you?	H5HR6D

	QUESTIONS	*VARIABLE NAMES*
Q6E.	What is [...]'s relationship to you?	H5HR6E
Q6F.	What is [...]'s relationship to you?	H5HR6F
Q6G.	What is [...]'s relationship to you?	H5HR6G
Q6H.	What is [...]'s relationship to you?	H5HR6H
Q6I.	What is [...]'s relationship to you?	H5HR6I
Q6J.	What is [...]'s relationship to you?	H5HR6J
Q6K.	What is [...]'s relationship to you?	H5HR6K
Q6L.	What is [...]'s relationship to you?	H5HR6L
Q6M.	What is [...]'s relationship to you?	H5HR6M
Q6N.	What is [...]'s relationship to you?	H5HR6N
Q6O.	What is [...]'s relationship to you?	H5HR6O

Section 3: Military and Employment

Q1.	Have you ever served in the military?	H5LM1
Q2M.	What is the total amount of time you have served in the military?	H5LM2M
Q2Y.	What is the total amount of time you have served in the military?	H5LM2Y
Q3.	Which best describes your military service?	H5LM3
Q4M.	In what month and year did your most recent military service end?	H5LM4M
Q4Y.	In what month and year did your most recent military service end?	H5LM4Y
Q5.	Are you currently working for pay?	H5LM5
Q6.	On how many jobs are you currently working for pay?	H5LM6
Q7.	How many total hours a week do you usually spend at [your job/all your jobs]?	H5LM7
Q8M.	In what month and year did you begin your most recent job?	H5LM8M
Q8Y.	In what month and year did you begin your current job?	H5LM8Y
Q9.	Which one of the following best describes your chief job activity or business this week?	H5LM9
Q10.	What kind of business or industry is this? Describe the activity at the location where employed. (For example: hospital, newspaper publishing, mail order house, auto engine manufacturing, bank)	H5LM10
Q11.	is this mainly...?	H5LM11

	QUESTIONS	*VARIABLE NAMES*
Q12.	What kind of work [are/were] you doing? (For example: registered nurse, personnel manager, supervisor of order department, secretary, accountant)	H5LM12
Q13A.	Does your employer make the following available to you... health insurance?	H5LM13A
Q13B.	Does your employer make the following available to you... retirement benefits (such as 401(k), 403b, or a company pension plan)?	H5LM13B
Q13C.	Does your employer make the following available to you... paid vacation, sick, personal leave?	H5LM13C
Q14.	In your current job, do you spend most of your time...?	H5LM14
Q15.	Overall, how often do you have the freedom to make important decisions about what you do at work and how you do it?	H5LM15
Q16.	How satisfied or dissatisfied are you with this job as a whole?	H5LM16
Q17M.	In what month and year did you last work?	H5LM17M
Q17Y.	In what month and year did you last work?	H5LM17Y
Q18M.	In what month and year did you begin your [current/most recent] job?	H5LM18M
Q18Y.	In what month and year did you begin your [current/most recent] job?	H5LM18Y
Q19.	Which one of the following best describes your chief job activity or business [this week/when you last worked]?	H5LM19
Q20.	What kind of business or industry [is/was] this? Describe the activity at the location where employed. (For example: hospital, newspaper publishing, mail order house, auto engine manufacturing, bank)	H5LM20
Q21.	[is/was] this mainly...?	H5LM21
Q22.	What kind of work [are/were] you doing? (For example: registered nurse, personnel manager, supervisor of order department, secretary, accountant)	H5LM22
Q23A.	[Does/Did] your employer make the following available to you... health insurance?	H5LM23A
Q23B.	[Does/Did] your employer make the following available to you... retirement benefits (such as 401(k), 403b, or a company pension plan)?	H5LM23B
Q23C.	[Does/Did] your employer make the following available to you... paid vacation, sick, personal leave?	H5LM23C
Q24.	In your [current/most recent] job, [do/did] you spend most of your time...?	H5LM24
Q25.	Overall, how often [do/did] you have the freedom to make important decisions about what you [do/did] at work and how you [do/did] it?	H5LM25

	QUESTIONS	*VARIABLE NAMES*
Q26.	How satisfied or dissatisfied [are you with this job/were you with your most recent job] as a whole?	H5LM26
Q27.	Which one of the following categories best describes what you are doing now?	H5LM27

Section 4: Income

Q1.	These next few questions are about the income of you and everyone who lives in your household. This information helps us to understand whether people in different income groups use certain types of medical care and have different experiences. First, in the last calendar year, how much income did you receive from personal earnings before taxes? Include wages or salaries, tips, bonuses, overtime pay, and income from self-employment.	H5EC1
Q2.	What was the total household income before taxes and deductions in the last calendar year for all household members who contribute to household expenses?	H5EC2
Q3.	Some people's assets come from gifts and inheritances. Since 2008, have you or your spouse/partner received any large financial gifts or inheritances of money or property from your parents, in-laws, or relatives?	H5EC3
Q4.	Since 2008, how much money did you or your spouse/partner receive?	H5EC4
Q5A.	Now, think about your debts. How much do you and others in your household owe altogether for a mortgage or mortgages?	H5EC5A
Q5B.	How much do you and others in your household owe altogether for education (including student loans)?	H5EC5B
Q5C.	How much do you and others in your household owe altogether for all other debts, including other loans, credit card debts, medical or legal bills, etc.?	H5EC5C
Q6.	Suppose you and others in your household were to sell all of your major possessions (including your home), turn all of your investments and other assets into cash, and pay off all of your debts. Would you have something left over, break even, or be in debt?	H5EC6
Q7.	In recent years, many people have experienced financial difficulties and even trouble paying their bills, especially since the 2008 economic recession. Since 2008, did you or your spouse/partner fall behind on paying your bills?	H5EC7
Q8.	Since 2008, have you experienced a foreclosure procedure, eviction, or repossession of something?	H5EC8

	QUESTIONS	*VARIABLE NAMES*
Q9.	Think of this ladder as representing where people stand in the United States. At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs. At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job. Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.	H5EC9
Q10.	Income section administered separately.	H5EC10

Section 5: Health and Healthcare

Q1.	These next questions are about your health and healthcare. In general, how is your health?	H5ID1
Q2F.	How tall are you in feet and inches? [feet]	H5ID2F
Q2I.	How tall are you in feet and inches? [inches]	H5ID2I
Q3.	What is your current weight in pounds?	H5ID3
Q4.	How much does your health now limit you in climbing several flights of stairs?	H5ID4
Q5.	Is your limitation caused by a condition that has lasted more than a year, or by a condition that has developed recently?	H5ID5
Q6A.	Has a doctor, nurse, or other health care provider ever told you that you have or had cancer or lymphoma or leukemia (do not include skin cancer, except melanoma)?	H5ID6A
Q6AA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with cancer or lymphoma or leukemia? If you were less than 1 year old, enter 0.	H5ID6AA
Q6AM.	During the past 4 weeks, have you taken any prescription medication for cancer or lymphoma or leukemia?	H5ID6AM
Q6B.	Has a doctor, nurse, or other health care provider ever told you that you have or had high blood cholesterol or triglycerides or lipids?	H5ID6B
Q6BA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with high blood cholesterol or triglycerides or lipids? If you were less than 1 year old, enter 0.	H5ID6BA
Q6BM.	During the past 4 weeks, have you taken any prescription medication for high blood cholesterol or triglycerides or lipids?	H5ID6BM

	QUESTIONS	*VARIABLE NAMES*
Q6C.	Has a doctor, nurse, or other health care provider ever told you that you have or had high blood pressure or hypertension [female: When you were not pregnant.]	H5ID6C
Q6CA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with high blood pressure or hypertension? If you were less than 1 year old, enter 0.	H5ID6CA
Q6CM.	During the past 4 weeks, have you taken any prescription medication for high blood pressure or hypertension?	H5ID6CM
Q6D.	Has a doctor, nurse, or other health care provider ever told you that you have or had high blood sugar or diabetes[female: When you were not pregnant.]	H5ID6D
Q6DA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with high blood sugar or diabetes? If you were less than 1 year old, enter 0.	H5ID6DA
Q6DM.	During the past 4 weeks, have you taken any prescription medication for high blood sugar or diabetes?	H5ID6DM
Q6E.	Has a doctor, nurse, or other health care provider ever told you that you have or had a heart attack or have you had heart surgery for clogged coronary arteries (including bypass, angioplasty or stent)?	H5ID6E
Q6EA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with a heart attack or had heart surgery for clogged coronary arteries? If you were less than 1 year old, enter 0.	H5ID6EA
Q6EM.	During the past 4 weeks, have you taken any prescription medication for a heart attack or heart surgery for clogged coronary arteries?	H5ID6EM
Q6F.	Has a doctor, nurse, or other health care provider ever told you that you have or had asthma, chronic bronchitis or emphysema?	H5ID6F
Q6FA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with asthma, chronic bronchitis or emphysema? If you were less than 1 year old, enter 0.	H5ID6FA
Q6FM.	During the past 4 weeks, have you taken any prescription medication for asthma, chronic bronchitis or emphysema?	H5ID6FM
Q6G.	Has a doctor, nurse, or other health care provider ever told you that you have or had depression?	H5ID6G
Q6GA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with depression? If you were less than 1 year old, enter 0.	H5ID6GA
Q6GM.	During the past 4 weeks, have you taken any prescription medication for depression?	H5ID6GM

	QUESTIONS	*VARIABLE NAMES*
Q6H.	Has a doctor, nurse, or other health care provider ever told you that you have or had post-traumatic stress disorder or PTSD?	H5ID6H
Q6HA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with post-traumatic stress disorder or PTSD? If you were less than 1 year old, enter 0.	H5ID6HA
Q6HM.	During the past 4 weeks, have you taken any prescription medication for post-traumatic stress disorder or PTSD?	H5ID6HM
Q6I.	Has a doctor, nurse, or other health care provider ever told you that you have or had anxiety or panic disorder?	H5ID6I
Q6IA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with anxiety or panic disorder? If you were less than 1 year old, enter 0.	H5ID6IA
Q6IM.	During the past 4 weeks, have you taken any prescription medication for anxiety or panic disorder?	H5ID6IM
Q6J.	Has a doctor, nurse, or other health care provider ever told you that you have or had HIV/AIDS?	H5ID6J
Q6JA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with HIV/AIDS? If you were less than 1 year old, enter 0.	H5ID6JA
Q6JM.	During the past 4 weeks, have you taken any prescription medication for HIV/AIDS?	H5ID6JM
Q6K.	Has a doctor, nurse, or other health care provider ever told you that you have or had hepatitis B or C?	H5ID6K
Q6KA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with hepatitis B or C? If you were less than 1 year old, enter 0.	H5ID6KA
Q6KM.	During the past 4 weeks, have you taken any prescription medication for hepatitis B or C?	H5ID6KM
Q6L.	Has a doctor, nurse, or other health care provider ever told you that you have or had chronic kidney disease or failure?	H5ID6L
Q6LA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with chronic kidney disease or failure? If you were less than 1 year old, enter 0.	H5ID6LA
Q6LM.	During the past 4 weeks, have you taken any prescription medication for chronic kidney disease or failure?	H5ID6LM

	QUESTIONS	*VARIABLE NAMES*
Q6M.	Has a doctor, nurse, or other health care provider ever told you that you have or had blood clot in the lung or a deep vein of the leg (excluding varicose veins)?	H5ID6M
Q6MA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with a blood clot in the lung or a deep vein of the leg (excluding varicose veins)? If you were less than 1 year old, enter 0.	H5ID6MA
Q6MM.	During the past 4 weeks, have you taken any prescription medication for a blood clot in the lung or a deep vein of the leg (excluding varicose veins)?	H5ID6MM
Q6N.	Has a doctor, nurse, or other health care provider ever told you that you have or had a stroke, mini-stroke, or have you had surgery for clogged neck arteries (including endarterectomy, bypass, angioplasty or stent)?	H5ID6N
Q6NA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with a stroke or mini-stroke, or had surgery for clogged neck arteries (including endarterectomy, bypass, angioplasty or stent)? If you were less than 1 year old, enter 0.	H5ID6NA
Q6NM.	During the past 4 weeks, have you taken any prescription medication for a stroke or mini-stroke, or surgery for clogged neck arteries (including endarterectomy, bypass, angioplasty or stent)?	H5ID6NM
Q6O.	Has a doctor, nurse, or other health care provider ever told you that you have or had heart failure?	H5ID6O
Q6OA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with heart failure? If you were less than 1 year old, enter 0.	H5ID6OA
Q6OM.	During the past 4 weeks, have you taken any prescription medication for heart failure?	H5ID6OM
Q6P.	Has a doctor, nurse, or other health care provider ever told you that you have or had atrial fibrillation (AFib, AF)?	H5ID6P
Q6PA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with atrial fibrillation (AFib, AF)? If you were less than 1 year old, enter 0.	H5ID6PA
Q6PM.	During the past 4 weeks, have you taken any prescription medication for atrial fibrillation (AFib, AF)?	H5ID6PM
Q6Q.	Has a doctor, nurse, or other health care provider ever told you that you have or had aortic aneurysm?	H5ID6Q
Q6QA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with an aortic aneurysm? If you were less than 1 year old, enter 0.	H5ID6QA

	QUESTIONS	*VARIABLE NAMES*
Q6QM.	During the past 4 weeks, have you taken any prescription medication for an aortic aneurysm?	H5ID6QM
Q6R.	Has a doctor, nurse, or other health care provider ever told you that you have or had arterial disease of the legs or had surgery for clogged leg arteries (including bypass, angioplasty or stent, but excluding surgery for varicose veins)?	H5ID6R
Q6RA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with arterial disease of the legs or had surgery for clogged leg arteries (including bypass, angioplasty or stent, but excluding surgery for varicose veins)? If you were less than 1 year old, enter 0.	H5ID6RA
Q6RM.	During the past 4 weeks, have you taken any prescription medication for arterial disease of the legs or surgery for clogged leg arteries (including bypass, angioplasty or stent, but excluding surgery for varicose veins)?	H5ID6RM
Q6S.	Has a doctor, nurse, or other health care provider ever told you that you have or had sleep apnea?	H5ID6S
Q6SA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with sleep apnea? If you were less than 1 year old, enter 0.	H5ID6SA
Q6SM.	During the past 4 weeks, have you taken any prescription medication for sleep apnea?	H5ID6SM
Q6T.	Has a doctor, nurse, or other health care provider ever told you that you have or had anorexia, bulimia or binge eating?	H5ID6T
Q6TA.	How old were you when you were diagnosed by a doctor, nurse or other health care provider with anorexia, bulimia or binge eating? If you were less than 1 year old, enter 0.	H5ID6TA
Q6TM.	During the past 4 weeks, have you taken any prescription medication for anorexia, bulimia or binge eating?	H5ID6TM
Q7A.	Cough	H5ID7A
Q7B.	Bring up phlegm from your chest"	H5ID7B
Q7C.	Sound wheezy"	H5ID7C
Q8A.	Had chest pain when walking uphill or upstairs that is relieved by rest	H5ID8A
Q8B.	Had calf pain when walking uphill or upstairs that is relieved by rest	H5ID8B
Q8C.	Had shortness of breath when walking uphill or upstairs that is relieved by rest	H5ID8C
Q8D.	Needed to sleep on two or more pillows to help you breathe	H5ID8D
Q8E.	Been awakened at night by trouble breathing	H5ID8E

	QUESTIONS	*VARIABLE NAMES*
Q8F.	Had swelling in your feet or ankles [female: except during pregnancy]	H5ID8F
Q8G.	Felt your heart racing, fluttering, or skipping beats	H5ID8G
Q8H.	Had five or more headaches that were at least 4 hours long; one-sided, pulsating, intense, or worsened by activity; and associated with nausea, vomiting or sensitivity to light or sound	H5ID8H
Q9.	Which of the following best describes your current health insurance situation?	H5ID9
Q10A.	Why do you not have health insurance?	H5ID10A
	I am not offered health insurance through work or school	
	Why do you not have health insurance?	
Q10B.	It is too expensive	H5ID10B
Q10C.	I do not need or want health insurance	H5ID10C
Q10D.	I was denied health insurance	H5ID10D
Q11.	In the past 12 months, has there been any time when you thought you should get medical care, but you did not?	H5ID11
Q12.	In the past 12 months, have you had a dental examination by a dentist or dental hygienist?	H5ID12
Q13.	In the past 12 months, have you received psychological or emotional counseling?	H5ID13
Q14.	To which one of these do you usually go when you are sick or need health care? If you go to more than one place, pick the one you go to most often.	H5ID14
Q15.	How many hours of sleep do you usually get per day/night?	H5ID15
Q16.	Over the past 4 weeks, how often did you have trouble falling asleep or staying asleep through the night - for example, you woke up several times at night or woke up earlier than you planned to?	H5ID16
Q17.	Based on what you have noticed or what others have told you, how often do you snore now?	H5ID17
Q18.	Based on what you have noticed or what others have told you, how often do you have times when you stop breathing during your sleep?	H5ID18
Q19.	We want to record all prescription medications that you have used in the past four weeks. These medications include solid and non-solid formulations that you may swallow, inhale, apply to the skin or hair, inject, implant, or place in the ears, eyes, nose, mouth, or any other part of the body. [female: This also includes prescription birth control.]Have you taken any prescription medications in the past four weeks?	H5ID19

	QUESTIONS	*VARIABLE NAMES*
Q20.	The next questions are about medications you may be taking. If you can get your medication bottles now, having those will make it easier for you to enter the name of the medication.Did you get your bottles or containers for the medications you are currently taking?	H5ID20
Q21.	In the past 7 days, how many times did you eat food from a fast food restaurant, such as McDonald's, Burger King, Wendy's, Arby's, Pizza Hut, Taco Bell, or Kentucky Fried Chicken or a local fast food restaurant?	H5ID21
Q22.	In the past 7 days, how many regular (non-diet) sweetened drinks did you have? Include regular soda, juice drinks, sweetened tea or coffee, energy drinks, flavored water, or other sweetened drinks.	H5ID22
Q23.	In the past 7 days, how many hours did you watch television, movies or videos, including DVDs or music videos?	H5ID23
Q24.	In the past 7 days, how many times did you bicycle, skateboard, dance, hike, hunt, or do yard work?	H5ID24
Q25.	In the past 7 days, how many times did you roller blade, roller skate, downhill ski, snowboard, play racquet sports, or do aerobics?	H5ID25
Q26.	In the past 7 days, how many times did you participate in gymnastics, weight lifting, or strength training?	H5ID26
Q27.	In the past 7 days, how many times did you participate in individual sports such as running, wrestling, swimming, cross-country skiing, cycle racing, martial arts, or in strenuous team sports such as football, soccer, basketball, lacrosse, rugby, field hockey, or ice hockey?	H5ID27
Q28.	In the past 7 days, how many times did you play golf, go fishing or bowling, or play softball or baseball?	H5ID28
Q29.	In the past 7 days, how many times did you walk for exercise?	H5ID29
Q30.	Were the past 7 days typical in terms of your physical activity?	H5ID30
Q31.	In the past 7 days, were you more or less active than usual?	H5ID31

Section 6: Sexual Experiences and Pregnancy

Q1.	Have you ever had vaginal intercourse? Vaginal intercourse is when a man inserts his penis into a woman's vagina.	H5SE1
Q2.	How old were you the first time you ever had vaginal intercourse?	H5SE2
Q3.	Have you ever had oral sex? That is, has a partner ever put their mouth on your sex organs or you put your mouth on their sex organs?	H5SE3
Q4.	How old were you the very first time you had oral sex?	H5SE4

	QUESTIONS	*VARIABLE NAMES*
Q5.	Have you ever had anal intercourse? By anal intercourse, we mean when a man inserts his penis into his partner's anus or butt hole.	H5SE5
Q6.	How old were you the very first time you had anal intercourse?	H5SE6
Q7.	Considering all types of sexual activity, with how many male partners have you ever had sex?	H5SE7
Q8.	What is your best estimate, is it:	H5SE8
Q9.	Considering all types of sexual activity, with how many male partners have you had sex in the past 12 months, even if only one time?	H5SE9
Q10.	Considering all types of sexual activity, with how many female partners have you ever had sex?	H5SE10
Q11.	What is your best estimate, is it:	H5SE11
Q12.	Considering all types of sexual activity, with how many female partners have you had sex in the past 12 months, even if only one time?	H5SE12
Q13.	Are you romantically attracted to females?	H5SE13
Q14.	Are you romantically attracted to males?	H5SE14
Q15.	Please choose the description that best fits how you think about yourself.	H5SE15
Q16.	Have you ever been forced, in a non-physical way, to have any type of sexual activity against your will - for example, through verbal pressure, threats of harm or by being given alcohol or drugs? Do not include any experiences with a parent or adult caregiver.	H5SE16
Q17.	How old were you the first or only time this happened?	H5SE17
Q18.	Have you ever been physically forced to have any type of sexual activity against your will? Do not include any experiences with a parent or adult caregiver.	H5SE18
Q19.	How old were you the first or only time this happened?	H5SE19
Q20.	Has a partner of yours (if R=Male)/Have you (if R=Female) ever been pregnant with your biological child?	H5SE20
Q21.	How many times [has a partner of yours (if R=Male)/have you (if R=Female)] been pregnant? Include all pregnancies in which you were a biological parent, whether they resulted in babies born alive, miscarriage, stillbirth, ectopic or tubal pregnancy, or abortion.	H5SE21
Q22.	How many live births resulted from these pregnancies? Please include babies who died shortly after birth and babies who were placed for adoption.	H5SE22
Q23.	How many of those children are still living?	H5SE23

	QUESTIONS	*VARIABLE NAMES*

Section 7: Tobacco, Alcohol, and Substances

Q1.	The next questions are about your experiences with tobacco, alcohol and other substances. Have you ever smoked cigarettes regularly--that is, at least one cigarette every day for 30 days?	H5TO1
Q2.	During the past 30 days, on how many days did you smoke cigarettes?	H5TO2
Q3.	During the past 30 days, on the days you smoked, how many cigarettes did you smoke each day?	H5TO3
Q4.	During the past 30 days, on how many days did you smoke a cigar or pipe, use chewing tobacco (such as Red Man, Garrett, or Beechnut) or snuff (such as Skoal, Skoal Bandits, or Copenhagen)?	H5TO4
Q5.	Have you ever smoked or used tobacco?	H5TO5
Q6.	Have you ever tried to quit or cut down on smoking or using tobacco?	H5TO6
Q7.	Has there ever been a period of time when you wanted to quit or cut down on your use of tobacco, or thought you should quit?	H5TO7
Q8.	When you decided to quit or cut down on smoking or using tobacco, were you able to do so for at least one month?	H5TO8
Q9.	How many times have you tried but been unable to quit smoking or using tobacco for at least one month?	H5TO9
Q10.	E-cigarettes look like regular cigarettes, but are battery-powered and produce vapor instead of smoke. During the past 30 days, on how many days did you use an e-cigarette?	H5TO10
Q11.	The next questions are about alcohol consumption. Have you ever had a drink of beer, wine, or liquor? Do not include sips or tastes from someone else's drink.	H5TO11
Q12.	During the past 12 months, on how many days did you drink alcohol (beer, wine, or liquor)?	H5TO12
Q13.	During the past 30 days, on how many days did you drink alcohol (beer, wine, or liquor)?	H5TO13
Q14.	Think of all the times you have had a drink during the past 30 days. How many drinks did you usually have each time? A 'drink' is a glass of wine, a can or bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink.	H5TO14
Q15.	During the past 12 months, on how many days did you drink [female: 4/male: 5] or more drinks in a row?	H5TO15
Q16.	Have you ever tried to quit or cut down on your drinking?	H5TO16

	QUESTIONS	*VARIABLE NAMES*
Q17.	Has there ever been a period of time when you wanted to quit or cut down on your use of alcohol, or thought you should quit?	H5TO17
Q18.	When you decided to quit or cut down drinking, were you able to do so for at least one month?	H5TO18
Q19.	How many times have you tried but been unable to cut down or quit drinking for at least one month?	H5TO19
Q20.	The next questions are about marijuana use. Have you ever used marijuana?	H5TO20
Q21.	During the past 30 days, on how many days did you use marijuana?	H5TO21
Q22.	Have you ever tried to quit or cut down on your use of marijuana?	H5TO22
Q23.	Has there ever been a period of time when you wanted to quit or cut down on your use of marijuana, or thought you should quit?	H5TO23
Q24.	When you decided to cut down or quit using marijuana, were you able to do so for at least one month?	H5TO24
Q25.	How many times have you tried but been unable to cut down or quit using marijuana for at least one month?	H5TO25
Q26A.	Sedatives or downers, such as barbiturates, sleeping pills, Quaalude, or Seconal	H5TO26A
Q26B.	Tranquilizers, such as Librium, Valium, or Xanax	H5TO26B
Q26C.	Stimulants or uppers, such as amphetamines, prescription diet pills, Ritalin, Preludin, or speed	H5TO26C
Q26D.	Pain killers or opioids, such as Vicodin, OxyContin, Percocet, Demerol, Percodan, or Tylenol with codeine	H5TO26D
Q27A.	Cocaine (crack, coca leaves)	H5TO27A
Q27B.	Crystal meth (ice)	H5TO27B
Q27C.	Heroin	H5TO27C
Q27D.	Other types of illegal drugs, such as LSD, PCP, ecstasy, or mushrooms or inhalants	H5TO27D

Section 8: Early Life

Now we are going to focus on your early health and family life.

Q1L.	How much did you weigh [in pounds] at birth? Please complete as much as you can."	H5EL1P

	QUESTIONS	*VARIABLE NAMES*
Q1O.	How much did you weigh [in ounces] at birth? Please complete as much as you can.	H5EL1O
Q2.	Did you weigh less than five and a half pounds (i.e., less than 5 pounds, 8 ounces) at birth?	H5EL2
Q3.	A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). As far as you know, were you born preterm?	H5EL3
Q4.	As far as you know, did you stay in the hospital after your mother went home (for example, stay in intensive care nursery [NICU] or need a machine to breathe)?	H5EL4
Q5.	When you were growing up, before age 16, how was your health?	H5EL5
Q6A.	Asthma	H5EL6A
Q6B.	Seasonal allergies or hay fever, not including allergic reactions to medications	H5EL6B
Q6C.	Rheumatic fever or rheumatic heart disease	H5EL6C
Q6D.	A problem with sight even with eye glasses	H5EL6D
Q6E.	Epilepsy or convulsions or seizures without fever	H5EL6E
Q6F.	Hearing problems or deafness	H5EL6F
Q6G.	Delayed speech or other problems with speaking or understanding	H5EL6G
Q6H.	A developmental delay or slowness in learning	H5EL6H
Q6I.	Sickle cell anemia	H5EL6I
Q6J.	A chronic heart condition	H5EL6J
Q6K.	Chronic respiratory, lung, or breathing condition other than asthma or seasonal allergies	H5EL6K
Q6L.	Chronic orthopedic, bone, or joint problems	H5EL6L
Q6M.	Cerebral palsy	H5EL6M
Q6N.	Cystic fibrosis	H5EL6N
Q6O.	Hemophilia	H5EL6O
Q6P.	Obesity	H5EL6P
Q6Q.	Any other condition for which you were seen by a specialist or at a special clinic, or for which you received special therapies	H5EL6Q
Q7.	Because of a health condition, did you ever miss school for one month or more?	H5EL7

	QUESTIONS	*VARIABLE NAMES*
Q8.	When you were growing up, before age 16, was your family better off or worse off financially than the average family was at that time? If your parents lived separately and had different financial situations, answer for the family you lived with for the longest time.	H5EL8

Section 9: Personality

Q1.	I am always optimistic about my future.	H5PE1
Q2.	I hardly ever expect things to go my way.	H5PE2
Q3.	Overall, I expect more good things to happen to me than bad.	H5PE3
Q4.	I go out of my way to avoid having to deal with problems in my life.	H5PE4
Q5.	When making a decision, I go with my 'gut feeling' and do not think much about the consequences of each alternative.	H5PE5
Q6.	I like to take risks.	H5PE6
Q7.	I finish whatever I begin.	H5PE7
Q8.	I am a hard worker. I keep working when others stop to take a break.	H5PE8
Q9.	I am diligent. I never give up.	H5PE9

Section 10: Social Support

Q0A.	During the past 7 days, I felt that I could not shake off the blues, even with help from my family and friends.	H5SS0A
Q0B.	During the past 7 days, I felt depressed.	H5SS0B
Q0C.	During the past 7 days, I was happy.	H5SS0C
Q0D.	During the past 7 days, I felt sad.	H5SS0D
Q0E.	During the past 7 days, I felt that life was not worth living.	H5SS0E
Q1.	In the past 12 months, how often did you get together socially with friends or relatives?	H5SS1
Q2.	In the past 12 months, how often did you get together with any of your neighbors just to chat or for a social visit?	H5SS2
Q3A.	Your spouse or partner	H5SS3A
Q3B.	Your children	H5SS3B
Q3C.	Other family members	H5SS3C
Q3D.	Your friends	H5SS3D

	QUESTIONS	*VARIABLE NAMES*
Q4A.	Your spouse or partner	H5SS4A
Q4B.	Your children	H5SS4B
Q4C.	Other family members	H5SS4C
Q4D.	Your friends	H5SS4D
Q5A.	Your spouse or partner	H5SS5A
Q5B.	Your children	H5SS5B
Q5C.	Other family members	H5SS5C
Q5D.	Your friends	H5SS5D
Q6.	How many close friends do you have?	H5SS6
Q7.	In the past 12 months, about how many hours did you spend on volunteer or community service work?	H5SS7
Q8.	How often do you usually vote in local or statewide elections?	H5SS8
Q9.	In terms of politics, do you consider yourself very conservative, conservative, middle-of-the-road, liberal, or very liberal?	H5SS9

Section 11: Parents and Siblings

Q1.	Has your biological mother ever spent time in jail or prison?	H5WP1
Q2.	How old were you the first time your biological mother went to jail or prison?	H5WP2
Q3.	How old were you when your biological mother was released from jail or prison most recently?	H5WP3
Q4.	Is your biological mother still alive?	H5WP4
Q5M.	In what month did your biological mother die?	H5WP5M
Q5Y.	In what year did your biological mother die?	H5WP5Y
Q6.	Would you say your mother figure was your biological mother or some other woman?	H5WP6
Q7.	What is this person's relationship to you?	H5WP7
Q8.	Has your mother figure ever spent time in jail or prison?"	H5WP8
Q9.	How old were you the first time your mother figure went to jail or prison?"	H5WP9
Q10.	How old were you when your mother figure was released from jail or prison most recently?	H5WP10
Q11.	Is your mother figure still alive?	H5WP11

	QUESTIONS	*VARIABLE NAMES*
Q12M.	In what month did your mother figure die?	H5WP12M
Q12Y.	In what year did your mother figure die?	H5WP12Y
Q13.	How often do you and your mother figure see each other, talk on the telephone, exchange letters, exchange email, text message, or communicate via social media, such as Facebook?	H5WP13
Q14.	How close do you feel to your mother figure?	H5WP14
Q15.	Has your biological father ever spent time in jail or prison?	H5WP15
Q16.	How old were you the first time your biological father went to jail or prison?	H5WP16
Q17.	How old were you when your biological father was released from jail or prison most recently?	H5WP17
Q18.	Is your biological father still alive?	H5WP18
Q19M.	In what month did your biological father die?	H5WP19M
Q19Y.	In what year did your biological father die?	H5WP19Y
Q20.	Would you say your father figure was your biological father or some other man?	H5WP20
Q21.	What is this person's relationship to you?	H5WP21
Q22.	Has your father figure ever spent time in jail or prison?	H5WP22
Q23.	How old were you the first time your father figure went to jail or prison?	H5WP23
Q24.	How old were you when your father figure was released from jail or prison most recently?	H5WP24
Q25.	Is your father figure still alive?	H5WP25
Q26M.	In what month did your father figure die?	H5WP26M
Q26Y.	In what year did your father figure die?	H5WP26Y
Q27.	How often do you and your father figure see each other, talk on the telephone, exchange letters, exchange email, text message, or communicate via social media, such as Facebook?	H5WP27
Q28.	How close do you feel to your father figure?	H5WP28
Q29.	How many times has a parent or parent figure paid your living expenses or given you $50 or more to pay living expenses during the past 12 months?	H5WP29
Q30.	How many times have you paid a parent or parent figure's living expenses or given him or her more than $50 to pay living expenses during the past 12 months?	H5WP30

	QUESTIONS	*VARIABLE NAMES*
Q31.	Do you have any siblings, either living or deceased? Include biologically related, adoptive, and step-brothers or sisters?	H5WP31
Q32.	How many brothers and sisters do you have, both living and deceased?	H5WP32
Q33.	How many of those siblings have died?	H5WP33
Q34.	Have any of those siblings died in the past 12 months?	H5WP34

Section 12: Religion and Spirituality

Q1.	What is your present religion?	H5RE1
Q2.	How often have you attended church, synagogue, temple, mosque, or religious services in the past 12 months?	H5RE2
Q3.	How important (if at all) is your religious faith to you?	H5RE3
Q4.	How often do you pray privately, that is, when you are alone in places other than a church, synagogue, temple, mosque, or religious assembly?	H5RE4

Section 13: Feelings and Experiences

Q1.	In the past 30 days, how often have you felt that you were unable to control the important things in your life?	H5MN1
Q2.	In the past 30 days, how often have you felt confident in your ability to handle your personal problems?	H5MN2
Q3.	In the past 30 days, how often have you felt that things were going your way?	H5MN3
Q4.	In the past 30 days, how often have you felt that difficulties were piling up so high that you could not overcome them?	H5MN4
Q5A.	You are treated with less courtesy or respect than other people.	H5MN5A
Q5B.	You receive poorer service than other people at restaurants or stores.	H5MN5B
Q5C.	People act as if they think you are not smart.	H5MN5C
Q5D.	People act as if they are afraid of you.	H5MN5D
Q5E.	You are threatened or harassed.	H5MN5E
Q6A.	Your ancestry or national origin	H5MN6A
Q6B.	Biological sex	H5MN6B
Q6C.	Your gender identity or gender expression	H5MN6C
Q6D.	Your race	H5MN6D

	QUESTIONS	*VARIABLE NAMES*
Q6E.	Your age	H5MN6E
Q6F.	Your religion	H5MN6F
Q6G.	Your weight	H5MN6G
Q6H.	A physical disability	H5MN6H
Q6I.	An aspect of your physical appearance	H5MN6I
Q6J.	Your sexual orientation	H5MN6J
Q6K.	Your financial status	H5MN6K
Q6L.	Attitude/personality of others	H5MN6L
Q6M.	Your occupation	H5MN6M
Q6N.	Your attitude/personality	H5MN6N
Q6O.	Other	H5MN6O
Q7.	Have you ever been unfairly stopped, searched, or questioned by the police?	H5MN7
Q8.	During the past 12 months, have you ever seriously thought about committing suicide?	H5MN8
Q9.	During the past 12 months, how many times have you actually attempted suicide?	H5MN9
Q10.	Did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?	H5MN10
Q11.	During the past 12 months, have any of your family or friends tried to kill themselves?	H5MN11
Q12.	Have any of them died as a result?	H5MN12

Section 14: Involvement with Criminal Justice System

Q1A.	Deliberately damage property that didn't belong to you	H5CJ1A
Q1B.	Steal something worth more than $50	H5CJ1B
Q1C.	Illegally sell drugs (including prescription drugs)	H5CJ1C
Q1D.	Get into a serious physical fight	H5CJ1D
Q1E.	Pulled a knife or gun on someone	H5CJ1E
Q1F.	Shoot or stab someone	H5CJ1F
Q2A.	Someone stole something from you worth more than $50	H5CJ2A

	QUESTIONS	*VARIABLE NAMES*
Q2B.	You saw someone shoot or stab another person	H5CJ2B
Q2C.	Someone pulled a knife or gun on you	H5CJ2C
Q2D.	Someone shot or stabbed you	H5CJ2D
Q2E.	Someone slapped, hit, choked, or kicked you	H5CJ2E
Q2F.	You were beaten up	H5CJ2F
Q3.	Have you ever been arrested?	H5CJ3
Q4A.	Have you ever been charged with driving under the influence (DUI, DWI)?	H5CJ4A
Q4AC.	How many times have you been charged with driving under the influence (DUI, DWI)?	H5CJ4AC
Q4AG.	How many times have you been convicted or plead guilty to driving under the influence (DUI, DWI)?	H5CJ4AG
Q4B.	Have you ever been charged with any other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)?	H5CJ4B
Q4BC.	How many times have you been charged with any other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)?	H5CJ4BC
Q4BG.	How many times have you been convicted or plead guilty of any other alcohol-related offenses (underage purchase or consumption; open container; public intoxication; disorderly conduct; other liquor law violations)?	H5CJ4BG
Q4C.	Have you ever been charged with marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)?	H5CJ4C
Q4CC.	How many times have you been charged with marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)?	H5CJ4CC
Q4CG.	How many times have you been convicted or plead guilty of marijuana offenses (possession, sale, use, growing, or manufacturing of marijuana/hashish)?	H5CJ4CG
Q4D.	Have you ever been charged with other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)?	H5CJ4D
Q4DC.	How many times have you been charged with other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)?	H5CJ4DC
Q4DG.	How many times have you been convicted or plead guilty of other drug offenses (unlawful possession, sale, use, or manufacturing of other narcotic drugs)?	H5CJ4DG

	QUESTIONS	*VARIABLE NAMES*
Q4E.	Have you ever been charged with robbery (taking or attempting to take something using a weapon or physical force)?	H5CJ4E
Q4EC.	How many times have you been charged with robbery (taking or attempting to take something using a weapon or physical force)?	H5CJ4EC
Q4EG.	How many times have you been convicted or plead guilty to robbery (taking or attempting to take something using a weapon or physical force)?	H5CJ4EG
Q4F.	Have you ever been charged with theft (taking something without using force, such as larceny, burglary, or shoplifting)?	H5CJ4F
Q4FC.	How many times have you been charged with theft (taking something without using force, such as larceny, burglary, or shoplifting)?	H5CJ4FC
Q4FG.	How many times have you been convicted or plead guilty to theft (taking something without using force, such as larceny, burglary, or shoplifting)?	H5CJ4FG
Q4G.	Have you ever been charged with forcible rape (does not include statutory rape)?	H5CJ4G
Q4GC.	How many times have you been charged with forcible rape (does not include statutory rape)?	H5CJ4GC
Q4GG.	How many times have you been convicted or plead guilty to forcible rape (does not include statutory rape)?	H5CJ4GG
Q4H.	Have you ever been charged with aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)?	H5CJ4H
Q4HC.	How many times have you been charged with aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)?	H5CJ4HC
Q4HG.	How many times have you been convicted or plead guilty to aggravated assault/intentional manslaughter/murder (unlawful attack upon another for the purpose of causing severe injury or death, simple assaults are excluded)?	H5CJ4HG
Q4I.	Have you ever been charged with simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)?	H5CJ4I
Q4IC.	How many times have you been charged with simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)?	H5CJ4IC
Q4IG.	How many times have you been convicted or plead guilty to simple assault (assaults and attempted assaults where no weapon is used and the victim is not seriously injured)?	H5CJ4IG

	QUESTIONS	*VARIABLE NAMES*
Q4J.	Have you ever been charged with fraud, forgery, or embezzlement?	H5CJ4J
Q4JC.	How many times have you been charged with fraud, forgery, or embezzlement?	H5CJ4JC
Q4JG.	How many times have you been convicted or plead guilty to fraud, forgery, or embezzlement?	H5CJ4JG
Q4K.	Have you ever been charged with civil disobedience?	H5CJ4K
Q4KC.	How many times have you been charged with civil disobedience?	H5CJ4KC
Q4KG.	How many times have you been convicted or plead guilty to civil disobedience?	H5CJ4KG
Q4L.	Have you ever been charged with other offenses?	H5CJ4L
Q4LC.	How many times have you been charged with other offenses?	H5CJ4LC
Q4LG.	How many times have you been convicted or plead guilty to other offenses?	H5CJ4LG
Q5.	Have you ever served time in a jail, prison, juvenile detention center, or other correctional facility?	H5CJ5
Q6.	How many times have you been sent to a jail, prison, juvenile detention center, or other correctional facility?	H5CJ6
Q7.	How old were you the last time you were sent to jail, prison, juvenile detention center, or other correctional facility?	H5CJ7
Q8Y.	About how much total time have you served in jail, prison, juvenile detention center, or other correctional facility? [years]	H5CJ8Y
Q8M.	About how much total time have you served in jail, prison, juvenile detention center, or other correctional facility? [months]	H5CJ8M

Section 15: Relationships

Q1.	How many different persons have you ever married? Be sure to include your current spouse if you are married now If you have never been married, enter 0.	H5TR1
Q2.	Not counting persons you married	H5TR2
Q3.	With how many persons are you currently having a romantic or sexual relationship? Please include spouses or romantic partners you are not living with as well as those you are living with.	H5TR3
Q4.	Are you currently married?	H5TR4
Q4M.	How long [in MONTHS] have you been involved with your current spouse?	H5TR4M

	QUESTIONS	*VARIABLE NAMES*
Q4Y.	How long [in YEARS] have you been involved with your current spouse?	H5TR4Y
Q5.	Are you currently living with a romantic or sexual partner?	H5TR5
Q5M.	How long [in MONTHS] have you been involved with your current sexual or romantic partner? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest.	H5TR5M
Q5Y.	How long [in YEARS] have you been involved with your current sexual or romantic partner? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest.	H5TR5Y
Q6.	Are you currently dating or in a relationship with a romantic or sexual partner?	H5TR6
Q6M.	How long [in MONTHS] have you been in this relationship? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest.	H5TR6M
Q6Y.	How long [in YEARS] have you been in this relationship? If you are currently involved with more than one romantic or sexual partner, think of the partner you have dated the longest.	H5TR6Y
Q7.	Have you ever been in a relationship with a romantic or sexual partner?	H5TR7
Q7M.	Think about your most recent romantic or sexual partner How long [in MONTHS] were you in this relationship?	H5TR7M
Q7Y.	Think about your most recent romantic or sexual partner. How long [in YEARS] were you in this relationship?	H5TR7Y
Q8M.	Month of end of relationship	H5TR8M
Q8Y.	Year of end of relationship	H5TR8Y
Q9.	In this relationship, were you___?	H5TR9
Q10.	How did this relationship end?	H5TR10
Q11.	How would you describe this partner's gender?	H5TR11
Q12.	About how old is this partner now?	H5TR12
Q13A.	White	H5TR13A
Q13B.	Black, African American	H5TR13B
Q13C.	Hispanic	H5TR13C
Q13D.	Asian	H5TR13D
Q13E.	Pacific Islander	H5TR13E

	QUESTIONS	*VARIABLE NAMES*
Q13F.	American Indian or Alaska Native	H5TR13F
Q13G.	Some other race or origin	H5TR13G
Q13H1.	Mexican, Mexican American, Chicano	H5TR13H1
Q13H2.	Puerto Rican	H5TR13H2
Q13H3.	Cuban	H5TR13H3
Q13H4.	Other Hispanic, Latino, or Spanish origin	H5TR13H4
Q13S1.	Indian	H5TR13S1
Q13S2.	Chinese	H5TR13S2
Q13S3.	Filipino	H5TR13S3
Q13S4.	Japanese	H5TR13S4
Q13S5.	Korean	H5TR13S5
Q13S6.	Vietnamese	H5TR13S6
Q13S7.	Other Asian	H5TR13S7
Q13P1.	Native Hawaiian	H5TR13P1
Q13P2.	Samoan	H5TR13P2
Q13P3.	Guamanian or Chamorro	H5TR13P3
Q13P4.	Other Pacific Islander	H5TR13P4
Q14.	I am satisfied with our sex life.	H5TR14
Q15.	In general, how happy are you in your relationship?	H5TR15
Q16.	On average, how often do you have sexual relations with your partner? (times per month) By "sexual relations" we mean vaginal intercourse, oral sex, anal sex, or other types of sexual activity.	H5TR16
Q17.	On average, how often do you or your partner use a contraceptive method of birth control or disease prevention?	H5TR17
Q18.	How would you describe your current plans for having a child with your partner?	H5TR18
Q19.	As far as you know, during this relationship, has/did your partner ever had/have any other sexual partners?	H5TR19
Q20.	During the time you and your partner have had a sexual relationship, has/did you ever had/have any other sexual partners?	H5TR20
Q21.	In the last year of this relationship, how often did your partner push or shove you, or throw something at you that could hurt?	H5TR21

	QUESTIONS	*VARIABLE NAMES*
Q22.	In the last year of this relationship, how often did your partner slap, hit or kick you?	H5TR22
Q23.	In the last year of this relationship, how often did you have an injury, such as a sprain, bruise, or cut because of a fight with your partner?	H5TR23
Q24.	In the last year of this relationship, how often did your partner insist on or make you have sexual relations with him/her when you did not want to?	H5TR24
Q25.	In the last year of this relationship, how often did you push or shove, or throw something at your partner that could hurt?	H5TR25
Q26.	In the last year of this relationship, how often did you slap, hit or kick your partner?	H5TR26
Q27.	In the last year of this relationship, how often did your partner have an injury, such as a sprain, bruise, or cut because of a fight with you?	H5TR27
Q28.	In the last year of this relationship, how often did you insist on or make your partner have sexual relations with you when they did not want to?	H5TR28

Section 16: Pregnancy, Live Births, Children, and Parenting

	Now, think about your relationships with intimate partners.	
Q1.	During any of the romantic relationships you have ever had, have you or your partner ever had trouble getting pregnant or trouble avoiding a miscarriage?	H5PG1
Q2.	Have you or any current or past partner ever been pregnant with your biological child?	H5PG2
Q3A.	High blood pressure or hypertension	H5PG3A
Q3B.	Preeclampsia or toxemia	H5PG3B
Q3C.	Protein in the urine	H5PG3C
Q3D.	Seizures, convulsions, or eclampsia	H5PG3D
Q3E.	Diabetes	H5PG3E
Q4.	During how many pregnancies did you have any of these illnesses or complications?	H5PG4
Q5.	Are you or your partner currently pregnant?	H5PG5
Q6M.	What is the expected due date?	H5PG6M
	Month of due date	
Q6Y.	Year of due date	H5PG6Y

	QUESTIONS	*VARIABLE NAMES*
Q7.	How many biological children have you had?	H5PG7
	Child #1	
Q8.	1. For the birth of your first , was this birth a single birth, twins, or triplets or more?	H5PG81
Q9.	1. Was this baby born by Cesarean section or vaginal delivery?	H5PG91
Q10M.	On what month, day, and year was this baby born?	H5PG10M1
	1. Month of birth	
Q10Y.	On what month, day, and year was this baby born?	H5PG10Y1
	1. Year of birth	
Q11.	1. Was this baby born in the U.S.?	H5PG111
Q12.	1. Was this baby a boy or a girl?	H5PG121
Q13L.	1. Pounds at birth	H5PG13L1
Q13O.	How much did this baby weigh at birth?	H5PG13O1
	1. Ounces at birth	
Q14.	1. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?	H5PG141
Q15.	1. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?	H5PG151
Q16.	1. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?	H5PG161
Q17.	1. Did this baby eventually go home with you?	H5PG171
Q18.	1. Why did this baby not go home with you?	H5PG181
Q19.	1. Thinking back to the time just before this pregnancy, did you want to have a baby then?	H5PG191
Q20.	1. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?	H5PG201
Q21.	1. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?	H5PG211
Q22.	1. Is this pregnancy partner your current or your most recent partner?	H5PG221
Q23.	1. During this pregnancy, on average, how many cigarettes did the birth mother smoke?	H5PG231

	QUESTIONS	*VARIABLE NAMES*
Q24.	1. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?	H5PG241
Q25.	1. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?	H5PG251
Q26.	1. Is this child still living?	H5PG261
Q27M.	In what month and year did this child die?	H5PG27M1
	1. Month of death	
Q27Y.	In what month and year did this child die?	H5PG27Y1
	1. Year of death	
Q28.	1. In general, how good is this child's health?	H5PG281
Q29A.	1. Hearing problems or deafness	H5PG29A1
Q29B.	1. Delayed speech or other problems with speaking or understanding	H5PG29B1
Q29C.	1. A problem with sight even when wearing glasses	H5PG29C1
Q29D.	1. A developmental delay or slowness in learning	H5PG29D1
Q29E.	1. Allergies or hay fever, not including allergic reactions to medications	H5PG29E1
Q29F.	1. Asthma	H5PG29F1
Q29G.	1. Any other chronic respiratory, lung, or breathing condition	H5PG29G1
Q29H.	1. A chronic heart condition	H5PG29H1
Q29I.	1. Sickle cell anemia	H5PG29I1
Q29J.	1. Epilepsy, convulsions or seizures without fever	H5PG29J1
Q29K.	1. Chronic orthopedic, bone, or joint problems	H5PG29K1
Q29L.	1. Cerebral palsy	H5PG29L1
Q29M.	1. Cystic fibrosis	H5PG29M1
Q29N.	1. Cancer	H5PG29N1
Q29O.	1. Hemophilia	H5PG29O1
Q29P.	1. HIV or AIDS	H5PG29P1
Q29Q.	1. Obesity	H5PG29Q1
Q29R.	1. Diabetes	H5PG29R1
Q29S.	1. ADHD	H5PG29S1

	QUESTIONS	*VARIABLE NAMES*
Q29T.	1. Any other condition for which your has been seen by a specialist or at a special clinic, or for which gets special therapies	H5PG29T1
Q29U.	1. None of the above	H5PG29U1
	Child #2	
Q8.	2. For the birth of your 2nd child, was this birth a single birth, twins, or triplets or more?	H5PG82
Q9.	2. Was this baby born by Cesarean section or vaginal delivery?	H5PG92
Q10M.	On what month, day, and year was this baby born?	H5PG10M2
	2. Month of birth	
Q10Y.	On what month, day, and year was this baby born?	H5PG10Y2
	2. Year of birth	
Q11.	2. Was this baby born in the U.S.?	H5PG112
Q12.	2. Was this baby a boy or a girl?	H5PG122
Q13I.	How much did this baby weigh at birth?	H5PG13L2
	2. Pounds at birth	
Q13O.	How much did this baby weigh at birth?	H5PG13O2
	2. Ounces at birth	
Q14.	2. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?	H5PG142
Q15.	2. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?	H5PG152
Q16.	2. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?	H5PG162
Q17.	2. Did this baby eventually go home with you?	H5PG172
Q18.	2. Why did this baby not go home with you?	H5PG182
Q19.	2. Thinking back to the time just before this pregnancy, did you want to have a baby then?	H5PG192
Q20.	2. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?	H5PG202
Q21.	2. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?	H5PG212
Q22.	2. Is this pregnancy partner your current or your most recent partner?	H5PG222

	QUESTIONS	*VARIABLE NAMES*
Q23.	2. During this pregnancy, on average, how many cigarettes did the birth mother smoke?	H5PG232
Q24.	2. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?	H5PG242
Q25.	2. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?	H5PG252
Q26.	2. Is this child still living?	H5PG262
Q27M.	In what month and year did this child die?	H5PG27M2
	2 Month of death	
Q27Y.	In what month and year did this child die?	H5PG27Y2
	2. Year of death	
Q28.	2. In general, how good is this child's health?	H5PG282
Q29A.	2. Hearing problems or deafness	H5PG29A2
Q29B.	2. Delayed speech or other problems with speaking or understanding	H5PG29B2
Q29C.	2. A problem with sight even when wearing glasses	H5PG29C2
Q29D.	2. A developmental delay or slowness in learning	H5PG29D2
Q29E.	2. Allergies or hay fever, not including allergic reactions to medications	H5PG29E2
Q29F.	2. Asthma	H5PG29F2
Q29G.	2. Any other chronic respiratory, lung, or breathing condition	H5PG29G2
Q29H.	2. A chronic heart condition	H5PG29H2
Q29I.	2. Sickle cell anemia	H5PG29I2
Q29J.	2. Epilepsy, convulsions or seizures without fever	H5PG29J2
Q29K.	2. Chronic orthopedic, bone, or joint problems	H5PG29K2
Q29L.	2. Cerebral palsy	H5PG29L2
Q29M.	2. Cystic fibrosis	H5PG29M2
Q29N.	2. Cancer	H5PG29N2
Q29O.	2. Hemophilia	H5PG29O2
Q29P.	2. HIV or AIDS	H5PG29P2
Q29Q.	2. Obesity	H5PG29Q2
Q29R.	2. Diabetes	H5PG29R2

	QUESTIONS	*VARIABLE NAMES*
Q29S.	2. ADHD	H5PG29S2
Q29T.	2. Any other condition for which your has been seen by a specialist or at a special clinic, or for which gets special therapies	H5PG29T2
Q29U.	2. None of the above	H5PG29U2
	Child #3	
Q8.	3. For the birth of your third , was this birth a single birth, twins, or triplets or more?	H5PG83
Q9.	3. Was this baby born by Cesarean section or vaginal delivery?	H5PG93
Q10M.	On what month, day, and year was this baby born?	H5PG10M3
	3 Month of birth	
Q10Y.	On what month, day, and year was this baby born?	H5PG10Y3
	3. Year of birth	
Q11.	3. Was this baby born in the U.S.?	H5PG113
Q12.	3. Was this baby a boy or a girl?	H5PG123
Q13L.	How much did this baby weigh at birth?	H5PG13L3
	3. Pounds at birth	
Q13O.	How much did this baby weigh at birth?	H5PG13O3
	3. Ounces at birth	
Q14.	3. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?	H5PG143
Q15.	3. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?	H5PG153
Q16.	3. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?	H5PG163
Q17.	3. Did this baby eventually go home with you?	H5PG173
Q18.	3. Why did this baby not go home with you?	H5PG183
Q19.	3. Thinking back to the time just before this pregnancy, did you want to have a baby then?	H5PG193
Q20.	3. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?	H5PG203
Q21.	3. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?	H5PG213

	QUESTIONS	*VARIABLE NAMES*
Q22.	3. Is this pregnancy partner your current or your most recent partner?	H5PG223
Q23.	3. During this pregnancy, on average, how many cigarettes did the birth mother smoke?	H5PG233
Q24.	3. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?	H5PG243
Q25.	3. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?	H5PG253
Q26.	3. Is this child still living?	H5PG263
Q27M.	In what month and year did this child die?	H5PG27M3
	3 Month of death	
Q27Y.	In what month and year did this child die?	H5PG27Y3
	3. Year of death	
Q28.	3. In general, how good is this child's health?	H5PG283
Q29A.	3. Hearing problems or deafness	H5PG29A3
Q29B.	3. Delayed speech or other problems with speaking or understanding	H5PG29B3
Q29C.	3. A problem with sight even when wearing glasses	H5PG29C3
Q29D.	3. A developmental delay or slowness in learning	H5PG29D3
Q29E.	3. Allergies or hay fever, not including allergic reactions to medications	H5PG29E3
Q29F.	3. Asthma	H5PG29F3
Q29G.	3. Any other chronic respiratory, lung, or breathing condition	H5PG29G3
Q29H.	3. A chronic heart condition	H5PG29H3
Q29I.	3. Sickle cell anemia	H5PG29I3
Q29J.	3. Epilepsy, convulsions or seizures without fever	H5PG29J3
Q29K.	3. Chronic orthopedic, bone, or joint problems	H5PG29K3
Q29L.	3. Cerebral palsy	H5PG29L3
Q29M.	3. Cystic fibrosis	H5PG29M3
Q29N.	3. Cancer	H5PG29N3
Q29O.	3. Hemophilia	H5PG29O3
Q29P.	3. HIV or AIDS	H5PG29P3
Q29Q.	3. Obesity	H5PG29Q3

	QUESTIONS	*VARIABLE NAMES*
Q29R.	3. Diabetes	H5PG29R3
Q29S.	3. ADHD	H5PG29S3
Q29T.	3. Any other condition for which your has been seen by a specialist or at a special clinic, or for which gets special therapies	H5PG29T3
Q29U.	3. None of the above	H5PG29U3
	Child #4	
Q8.	Q8.4. For the birth of your fourth , was this birth a single birth, twins, or triplets or more?	H5PG84
Q9.	4. Was this baby born by Cesarean section or vaginal delivery?	H5PG94
Q10M.	On what month, day, and year was this baby born?	H5PG10M4
	4 Month of birth	
Q10Y.	On what month, day, and year was this baby born?	H5PG10Y4
	4. Year of birth	
Q11.	4. Was this baby born in the U.S.?	H5PG114
Q12.	4. Was this baby a boy or a girl?	H5PG124
Q13L.	How much did this baby weigh at birth?	H5PG13L4
	4. Pounds at birth	
Q13O.	How much did this baby weigh at birth?	H5PG13O4
	4. Ounces at birth	
Q14.	4. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?	H5PG144
Q15.	4. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?	H5PG154
Q16.	4. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?	H5PG164
Q17.	4. Did this baby eventually go home with you?	H5PG174
Q18.	4. Why did this baby not go home with you?	H5PG184
Q19.	4. Thinking back to the time just before this pregnancy, did you want to have a baby then?	H5PG194
Q20.	4. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?	H5PG204

	QUESTIONS	*VARIABLE NAMES*
Q21.	4. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?	H5PG214
Q22.	4. Is this pregnancy partner your current or your most recent partner?	H5PG224
Q23.	4. During this pregnancy, on average, how many cigarettes did the birth mother smoke?	H5PG234
Q24.	4. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?	H5PG244
Q25.	4. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?	H5PG254
Q26.	4. Is this child still living?	H5PG264
Q27M.	In what month and year did this child die?	H5PG27M4
	4. Month of death	
Q27Y.	In what month and year did this child die?	H5PG27Y4
	4. Year of death	
Q28.	4. In general, how good is this child's health?	H5PG284
Q29A.	4. Hearing problems or deafness	H5PG29A4
Q29B.	4. Delayed speech or other problems with speaking or understanding	H5PG29B4
Q29C.	4. A problem with sight even when wearing glasses	H5PG29C4
Q29D.	4. A developmental delay or slowness in learning	H5PG29D4
Q29E.	4. Allergies or hay fever, not including allergic reactions to medications	H5PG29E4
Q29F.	4. Asthma	H5PG29F4
Q29G.	4. Any other chronic respiratory, lung, or breathing condition	H5PG29G4
Q29H.	4. A chronic heart condition	H5PG29H4
Q29I.	4. Sickle cell anemia	H5PG29I4
Q29J.	4. Epilepsy, convulsions or seizures without fever	H5PG29J4
Q29K.	4. Chronic orthopedic, bone, or joint problems	H5PG29K4
Q29L.	4. Cerebral palsy	H5PG29L4
Q29M.	4. Cystic fibrosis	H5PG29M4
Q29N.	4. Cancer	H5PG29N4
Q29O.	4. Hemophilia	H5PG29O4

	QUESTIONS	*VARIABLE NAMES*
Q29P.	4. HIV or AIDS	H5PG29P4
Q29Q.	4. Obesity	H5PG29Q4
Q29R.	4. Diabetes	H5PG29R4
Q29S.	4. ADHD	H5PG29S4
Q29T.	4. Any other condition for which your has been seen by a specialist or at a special clinic, or for which gets special therapies	H5PG29T4
Q29U.	4. None of the above	H5PG29U4
	Child #5	
Q8.	Q8.5. For the birth of your fifth , was this birth a single birth, twins, or triplets or more?	H5PG85
Q9.	5. Was this baby born by Cesarean section or vaginal delivery?	H5PG95
Q10M.	On what month and year was this baby born?	H5PG10M5
	5. Month of birth	
Q10Y.	On what month and year was this baby born?	H5PG10Y5
	5. Year of birth	
Q11.	5. Was this baby born in the U.S.?	H5PG115
Q12.	5. Was this baby a boy or a girl?	H5PG125
Q13l.	How much did this baby weigh at birth?	H5PG13L5
	5. Pounds at birth	
Q13O.	How much did this baby weigh at birth?	H5PG13O5
	5. Ounces at birth	
Q14.	5. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?	H5PG145
Q15.	5. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?	H5PG155
Q16.	5. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?	H5PG165
Q17.	5. Did this baby eventually go home with you?	H5PG175
Q18.	5. Why did this baby not go home with you?	H5PG185

	QUESTIONS	*VARIABLE NAMES*
Q19.	5. Thinking back to the time just before this pregnancy, did you want to have a baby then?	H5PG195
Q20.	5. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?	H5PG205
Q21.	5. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?	H5PG215
Q22.	5. Is this pregnancy partner your current or your most recent partner?	H5PG225
Q23.	5. During this pregnancy, on average, how many cigarettes did the birth mother smoke?	H5PG235
Q24.	5. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?	H5PG245
Q25.	5. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?	H5PG255
Q26.	5. Is this child still living?	H5PG265
Q27M.	In what month and year did this child die	H5PG27M5
	5. Month of death	
Q27Y.	In what month and year did this child die?	H5PG27Y5
	5. Year of death	
Q28.	5. In general, how good is this child's health?	H5PG285
Q29A.	5. Hearing problems or deafness	H5PG29A5
Q29B.	5. Delayed speech or other problems with speaking or understanding	H5PG29B5
Q29C.	5. A problem with sight even when wearing glasses	H5PG29C5
Q29D.	5. A developmental delay or slowness in learning	H5PG29D5
Q29E.	5. Allergies or hay fever, not including allergic reactions to medications	H5PG29E5
Q29F.	5. Asthma	H5PG29F5
Q29G.	5. Any other chronic respiratory, lung, or breathing condition	H5PG29G5
Q29H.	5. A chronic heart condition	H5PG29H5
Q29I.	5. Sickle cell anemia	H5PG29I5
Q29J.	5. Epilepsy, convulsions or seizures without fever	H5PG29J5
Q29K.	5. Chronic orthopedic, bone, or joint problems	H5PG29K5
Q29L.	5. Cerebral palsy	H5PG29L5

	QUESTIONS	*VARIABLE NAMES*
Q29M.	5. Cystic fibrosis	H5PG29M5
Q29N.	5. Cancer	H5PG29N5
Q29O.	5. Hemophilia	H5PG29O5
Q29P.	5. HIV or AIDS	H5PG29P5
Q29Q.	5. Obesity	H5PG29Q5
Q29R.	5. Diabetes	H5PG29R5
Q29S.	5. ADHD	H5PG29S5
Q29t.	5. Any other condition for which your has been seen by a specialist or at a special clinic, or for which gets special therapies	H5PG29T5
Q29U.	5. None of the above	H5PG29U5
	Child #6	
Q8.	6. For the birth of your sixth , was this birth a single birth, twins, or triplets or more?	H5PG86
Q9.	6. Was this baby born by Cesarean section or vaginal delivery?	H5PG96
Q10M.	On what month, day, and year was this baby born?	H5PG10M6
	6. Month of birth	
Q10Y.	On what month, day, and year was this baby born?	H5PG10Y6
	6. Year of birth	
Q11.	6. Was this baby born in the U.S.?	H5PG116
Q12.	6. Was this baby a boy or a girl?	H5PG126
Q13L.	How much did this baby weigh at birth?	H5PG13L6
	6. Pounds at birth	
Q13O.	How much did this baby weigh at birth?	H5PG13O6
	6. Ounces at birth	
Q14.	6. Did this baby weigh less than 5 1/2 pounds, that is, less than 5 pounds, 8 ounces?	H5PG146
Q15.	6. A preterm delivery is one that occurs before 37 weeks in pregnancy (more than 3 weeks early). Was this baby born preterm?	H5PG156
Q16.	6. Did this baby stay in the hospital beyond the birth mother's stay, for example, stay in neonatal intensive care unit (NICU) or need a machine to breathe?	H5PG166

	QUESTIONS	*VARIABLE NAMES*
Q17.	6. Did this baby eventually go home with you?	H5PG176
Q18.	6. Why did this baby not go home with you?	H5PG186
Q19.	6. Thinking back to the time just before this pregnancy, did you want to have a baby then?	H5PG196
Q20.	6. In the month before you or your partner became pregnant, were you or your partner using any kind of birth control, including condoms?	H5PG206
Q21.	6. Which of the following statements best describes your relationship with your pregnancy partner at the time of this child's birth?	H5PG216
Q22.	6. Is this pregnancy partner your current or your most recent partner?	H5PG226
Q23.	6. During this pregnancy, on average, how many cigarettes did the birth mother smoke?	H5PG236
Q24.	6. During this pregnancy did you or your pregnancy partner ever visit a doctor, nurse-midwife or other health care provider for prenatal care, that is, for one or more pregnancy check-ups?	H5PG246
Q25.	6. How many weeks pregnant were you or your pregnancy partner at the time of the first prenatal care visit?	H5PG256
Q26.	6. Is this child still living?	H5PG266
Q27M.	In what month and year did this child die?	H5PG27M6
	6. Month of death	
Q27Y.	In what month and year did this child die?	H5PG27Y6
	6. Year of death	
Q28.	6. In general, how good is this child's health?	H5PG286
Q29A.	6. Hearing problems or deafness	H5PG29A6
Q29B.	6. Delayed speech or other problems with speaking or understanding	H5PG29B6
Q29C.	6. A problem with sight even when wearing glasses	H5PG29C6
Q29D.	6. A developmental delay or slowness in learning	H5PG29D6
Q29E.	6. Allergies or hay fever, not including allergic reactions to medications	H5PG29E6
Q29F.	6. Asthma	H5PG29F6
Q29G.	6. Any other chronic respiratory, lung, or breathing condition	H5PG29G6
Q29H.	6. A chronic heart condition	H5PG29H6
Q29I.	6. Sickle cell anemia	H5PG29I6
Q29J.	6. Epilepsy, convulsions or seizures without fever	H5PG29J6

	QUESTIONS	*VARIABLE NAMES*
Q29K.	6. Chronic orthopedic, bone, or joint problems	H5PG29K6
Q29L.	6. Cerebral palsy	H5PG29L6
Q29M.	6. Cystic fibrosis	H5PG29M6
Q29N.	6. Cancer	H5PG29N6
Q29O.	6. Hemophilia	H5PG29O6
Q29P.	6. HIV or AIDS	H5PG29P6
Q29Q.	6. Obesity	H5PG29Q6
Q29R.	6. Diabetes	H5PG29R6
Q29S.	6. ADHD	H5PG29S6
Q29T.	6. Any other condition for which your has been seen by a specialist or at a special clinic, or for which gets special therapies	H5PG29T6
Q29U.	6. None of the above	H5PG29U6
Q30.	How many miscarriages, stillbirths, ectopic (tubal) pregnancies, molar pregnancies, or other pregnancy losses have you or your partner had?	H5PG30
Q31.	How many induced abortions have you or your partner had?	H5PG31
Q32.	Do you have any step, foster or adopted children?	H5PG32
Q33.	What language do you mainly speak to your child(ren) when you are together at home?	H5PG33
Q34A.	I am happy in my role as parent.	H5PG34A
Q34B.	I feel close to my child(ren).	H5PG34B
Q34C.	The major source of stress in my life is my child(ren).	H5PG34C
Q34D.	I feel overwhelmed by the responsibility of being a parent.	H5PG34D

Section 17: Illness and Physical Limitations

Q1.	The next questions are about your general physical condition, including activity and illness.In the past 12 months, how many times have you fallen? By fallen, we mean unexpectedly or unintentionally dropping to a lower surface - the floor or ground - from a standing, walking or bending position.	H5DA1
Q2.	In the past 12 months, have you suffered any serious injuries - for example, broken bones, cuts or lacerations, burns, torn muscles, tendons or ligaments, or other injuries that interfered with your ability to perform daily tasks?	H5DA2

	QUESTIONS	*VARIABLE NAMES*
Q3A.	Head or neck injury that left you unconscious.	H5DA3A
Q3B.	Head or neck injury without losing consciousness.	H5DA3B
Q3C.	A broken nose.	H5DA3C
Q3D.	Other serious injury to the face or jaw.	H5DA3D
Q3E.	Other serious bodily injury, for example, to arms or legs.	H5DA3E
Q3F.	A seizure or history of seizures.	H5DA3F
Q3G.	A stroke.	H5DA3G
Q3H.	A problem with visual disturbances, for example, double vision, inability to focus while reading, flashes of light, tunnel vision, kaleidoscopic vision or extreme sensitivity to light.	H5DA3H
Q4.	In the past 12 months, have you had a problem with dizziness, lightheadedness, feeling as if you are going to pass out or faint, unsteadiness or imbalance? (Do not include times when drinking alcohol or using other drugs or medications)	H5DA4
Q5A.	A spinning sensation, vertigo, or other movement sensation when you are not really moving	H5DA5A
Q5B.	A floating, spacey, or tilting sensation	H5DA5B
Q5C.	Feeling lightheaded, without a sense of motion	H5DA5C
Q5D.	Feeling as if you are going to pass out or faint	H5DA5D
Q5E.	Blurring of your vision when you move your head	H5DA5E
Q5F.	Feeling off-balance or unsteady	H5DA5F
Q5G.	Some other more general dizziness/balance feeling (don't include nausea or vomiting)	H5DA5G
Q6.	During the past 12 months, which one of the symptoms or feelings of dizziness or balance problems listed below has bothered you the most?	H5DA6
Q7.	During the past 12 months, how often did you have this most bothersome or only symptom? Mark only the one that is most typical.	H5DA7
Q8.	For this most bothersome or only symptom, how long from beginning to end did each occurrence (episode, bout or attack) usually last?	H5DA8
Q9.	Which statement best describes your hearing without a hearing aid or other assistive devices?	H5DA9
Q10.	In the past 12 months, have you been bothered by ringing, roaring, or buzzing in your ears or head (tinnitus) that lasts for 5 minutes or more?	H5DA10

	QUESTIONS	*VARIABLE NAMES*
Q13.	How much of a problem is this ringing, roaring, or buzzing in your ears or head?	H5DA11
Q14.	Do you use eyeglasses, contact lenses, both, or neither for vision correction?	H5DA12
Q15.	With eyeglasses or contact lenses, how is your eyesight?	H5DA13

Section 18: Fitness Tracking

Q1.	Some cellphones are called "smartphones" because of certain features they have. Do you have a smartphone?	H5FT1
Q2.	Which of the following best describes the type of smartphone you have? Is it an iPhone, an Android phone, a Windows phone, or something else?	H5FT2
Q3.	Do you use any smartphone apps to track or manage your health?	H5FT3
Q4A.	Physical activity or exercise routines, including specific types of exercise such as walking, running, workouts, or yoga?	H5FT4A
Q4B.	Diet, food, or calories?	H5FT4B
Q4C.	Weight?	H5FT4C
Q4D.	Blood pressure?	H5FT4D
Q4E.	Heart rate?	H5FT4E
Q4F.	Period or menstrual cycle?	H5FT4F
Q4G.	Pregnancy?	H5FT4G
Q4H.	Blood sugar or diabetes?	H5FT4H
Q4I.	Medications?	H5FT4I
Q4J.	Mood?	H5FT4J
Q4K.	Sleep?	H5FT4K
Q4L.	Something else?	H5FT4L
Q5A.	Some people wear a small device that monitors and tracks aspects of their fitness, such as step counts, physical activities, calories burned, heart rate, or sleep quality. These devices are known as fitness or activity trackers. Have you ever used a fitness or activity tracker?	H5FT5A
Q5B.	Approximately when did you first start wearing a fitness or activity tracker? Would you say you first started...	H5FT5B
Q5C.	Have you worn a fitness or activity tracker in the past month-that is, since [FILL DATE 30 DAYS BEFORE INTERVIEW]?	H5FT5C

	QUESTIONS	*VARIABLE NAMES*
Q5D.	Approximately when did you last wear a fitness or activity tracker? Would you say it was...	H5FT5D
Q5E.	How often do you wear a fitness or activity tracker?/Thinking about when you used to wear a fitness or activity tracker, how often did you wear one? Would you say...	H5FT5E
Q6.	In the past month, what device did you use/What device did you previously use... to monitor or track your fitness? If you used multiple devices, please provide the device you used most often for monitoring or tracking your fitness.	H5FT6
Q7.	Are you willing to give our research team temporary access to your [DEVICE] activity data from the past?	H5FT7
Q8.	Our research team is interested in learning the reasons why some people choose not to give access to their fitness or activity tracker data. Why did you choose not to allow our research team to access your [DEVICE] data?	H5FT8

Section 19: Mental/Cognitive Health

Q1.	Did the following happen: interruption during memory task?	H5MH1
	How many words on the Word List did the respondent remember during the 90-second recall period?	C5WD90_1
	How many words not on the Word List did the respondent name during the 90-second recall period?	C5WD90_2
	How many words on the Word List did the respondent repeat during the 90-second recall period?	C5WD90_3
Q2.	Did the following happen: interruption during memory task?	H5MH2
	How many words on the Word List did the respondent remember during the 60-second recall period?	C5WD60_1
	How many words not on the Word List did the respondent name during the 60-second recall period?	C5WD60_2
	How many words on the Word List did the respondent repeat during the 60-second recall period?	C5WD60_3
Q11A.	2-4 (4-2) Did respondent accurately repeat the set backwards?	H5MH3A
Q11B.	5-7 (7-5) Did respondent accurately repeat the set backwards?	H5MH3B
Q12A.	6-2-9 (9-2-6) Did respondent accurately repeat the set backwards?	H5MH4A
Q12B.	4-1-5 (5-1-4) Did respondent accurately repeat the set backwards?	H5MH4B
Q13A.	3-2-7-9 (9-7-2-3) Did respondent accurately repeat the set backwards?	H5MH5A

	QUESTIONS	*VARIABLE NAMES*
Q13B.	4-9-6-8 (8-6-9-4) Did respondent accurately repeat the set backwards?	H5MH5B
Q14A.	1-5-2-8-6 (6-8-2-5-1) Did respondent accurately repeat the set backwards?	H5MH6A
Q14B.	6-1-8-4-3 (3-4-8-1-6) Did respondent accurately repeat the set backwards?	H5MH6B
Q15A.	5-3-9-4-1-8 (8-1-4-9-3-5) Did respondent accurately repeat the set backwards?	H5MH7A
Q15B.	7-2-4-8-5-6 (6-5-8-4-2-7) Did respondent accurately repeat the set backwards?	H5MH7B
Q16A.	8-1-2-9-3-6-5 (5-6-3-9-2-1-8) Did respondent accurately repeat the set backwards?	H5MH8A
Q16B.	4-7-3-9-1-2-8 (8-2-1-9-3-7-4) Did respondent accurately repeat the set backwards?	H5MH8B
Q17A.	9-4-3-7-6-2-5-8 (8-5-2-6-7-3-4-9) Did respondent accurately repeat the set backwards?	H5MH9A
Q17B.	7-2-8-1-9-6-5-3 (3-5-6-9-1-8-2-7) Did respondent accurately repeat the set backwards?	H5MH9B
	Total score on number recall task	C5NUMSCR

Section 20: Home Visit & Biomarker Consent

	Wave V home visit, blood collection, and archive consent	H5BC1
	Wave V home visit and blood collection conversion effort	H5BC2
	Wave V home visit, blood collection, and archive consent, after conversion	H5BC3

Section 21: Survey Experience

Q1A.	How did you feel about the length of this survey?	H5PS1A
Q1B.	How did you feel about the length of this survey?	H5PS1B
Q2A.	Would you have been willing to complete the survey if it was a little longer?	H5PS2A
Q2B.	Would you have been willing to complete the survey if it was a little longer?	H5PS2B
Q3A.	If you took the survey on your phone, why did you do so?	H5PS3A
Q3B.	If you took the survey on your phone, why did you do so?	H5PS3B
Q4B.	Would you have preferred to take two shorter surveys instead of taking one long survey?	H5PS4B