



All Coded Causes of Death, Including Record-Axis Codes, 2021 Codebook



Waves I-V of Add Health were funded by grant P01 HD31921 (Harris) from the *Eunice Kennedy Shriver* National Institute of Child Health and Human Development (NICHD), with cooperative funding from 23 other federal agencies and foundations. Add Health is currently directed by Robert A. Hummer and funded by the National Institute on Aging cooperative agreements U01 AG071448 (Hummer) and U01AG071450 (Aiello and Hummer) at the University of North Carolina at Chapel Hill. Add Health was designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris at the University of North Carolina at Chapel Hill.

All Coded Causes of Death File, Including Record-Axis Codes, 2021

Title	All Coded Causes of Death File, Including Record-Axis Codes, 2021
File Name	ndi21p2.xpt
Case Quantity	647
Variable Count	97

AID - RESPONDENT IDENTIFIER

Type	Text
Constraints	Maximum Length: 8
AID	Respondent identifier

Valid	Invalid	Minimum	Maximum
647	0	22578316	99886994

NDIVS21 - SAMPLE MEMBERS VITAL STATUS, 2021

Type	Numeric (Double)
------	------------------

Valid	Invalid	Minimum	Maximum	Mean	StdDev
647	0	1	1	1	0

NDI00121 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00121	A00-A28/A50-B19/B25-B99

			Frequency	% of total	% of valid
Valid	0	Alive	633	97.84%	97.84%
	1	Deceased	13	2.01%	2.01%
Total			647	100%	100%

Valid	Invalid	Minimum	Maximum
647	0	0	92

NDI00221 - A30-A49

Type	Code
------	------

Measurement Unit	numeric
NDI00221	A30-A49

			Frequency	% of total	% of valid
Valid	0	Absent	617	95.36%	95.51%
	1	Present	29	4.48%	4.49%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI00321 - B20-B24

Type	Code
Measurement Unit	numeric
NDI00321	B20-B24

			Frequency	% of total	% of valid
Valid	0	Absent	630	97.37%	97.52%
	1	Present	16	2.47%	2.48%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI00421 - C00-C14/C30-C75

Type	Code
Measurement Unit	numeric
NDI00421	C00-C14/C30-C75

			Frequency	% of total	% of valid
Valid	0	Absent	614	94.9%	95.05%
	1	Present	32	4.95%	4.95%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI00521 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00521	C15-C26

			Frequency	% of total	% of valid
Valid	0	Absent	628	97.06%	97.21%
	1	Present	18	2.78%	2.79%
	Total		646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI00621 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00621	C76-C80

			Frequency	% of total	% of valid
Valid	0	Absent	638	98.61%	98.76%
	1	Present	8	1.24%	1.24%
	Total		646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI00721 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00721	C81-C96

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	633	97.84%	97.99%
	1	Present	13	2.01%	2.01%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI00821 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00821	D50-D89

			Frequency	% of total	% of valid
Valid	0	Absent	632	97.68%	97.83%
	1	Present	14	2.16%	2.17%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI00921 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI00921	E00-E07/E15-E65/E67-E90

			Frequency	% of total	% of valid
Valid	0	Absent	630	97.37%	97.52%
	1	Present	16	2.47%	2.48%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01021 - E10-E13

Type	Code
Measurement Unit	numeric
NDI01021	E10-E13

			Frequency	% of total	% of valid
Valid	0	Absent	635	98.15%	98.3%
	1	Present	11	1.7%	1.7%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01121 - E14

Type	Code
Measurement Unit	numeric
NDI01121	E14

			Frequency	% of total	% of valid
Valid	0	Absent	619	95.67%	95.82%
	1	Present	27	4.17%	4.18%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1


 NDI01221 - E66.0-E66.8

Type	Code
Measurement Unit	numeric
NDI01221	E66.0-E66.8

			Frequency	% of total	% of valid
Valid	0	Absent	628	97.06%	97.21%
	1	Present	18	2.78%	2.79%

		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01321 - E66.9

Type	Code
Measurement Unit	numeric
NDI01321	E66.9

			Frequency	% of total	% of valid
Valid	0	Absent	627	96.91%	97.06%
	1	Present	19	2.94%	2.94%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01421 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01421	F00-F09/F20-F99

			Frequency	% of total	% of valid
Valid	0	Absent	634	97.99%	98.14%
	1	Present	12	1.85%	1.86%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01521 - F10

Type	Code
------	------

Measurement Unit	numeric
NDI01521	F10

			Frequency	% of total	% of valid
Valid	0	Absent	633	97.84%	97.99%
	1	Present	13	2.01%	2.01%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01621 - F11-F17.8/F18

Type	Code
Measurement Unit	numeric
NDI01621	F11-F17.8/F18

			Frequency	% of total	% of valid
Valid	0	Absent	635	98.15%	98.3%
	1	Present	11	1.7%	1.7%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01721 - F17.9

Type	Code
Measurement Unit	numeric
NDI01721	F17.9

			Frequency	% of total	% of valid
Valid	0	Absent	624	96.45%	96.59%
	1	Present	22	3.4%	3.41%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01821 - F19.0/F19.2-F19.9

Type	Code
Measurement Unit	numeric
NDI01821	F19.0/F19.2-F19.9

			Frequency	% of total	% of valid
Valid	0	Absent	633	97.84%	97.99%
	1	Present	13	2.01%	2.01%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI01921 - F19.1

Type	Code
Measurement Unit	numeric
NDI01921	F19.1

			Frequency	% of total	% of valid
Valid	0	Absent	623	96.29%	96.44%
	1	Present	23	3.55%	3.56%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02021 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI02021	G00-G92/G94-G99

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	627	96.91%	97.06%
	1	Present	19	2.94%	2.94%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02121 - G93

Type	Code
Measurement Unit	numeric
NDI02121	G93

			Frequency	% of total	% of valid
Valid	0	Absent	627	96.91%	97.06%
	1	Present	19	2.94%	2.94%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02221 - I00-I09/I20/I22-I24/I25.2-I25.9/I70-I99

Type	Code
Measurement Unit	numeric
NDI02221	I00-I09/I20/I22-I24/I25.2-I25.9/I70-I99

			Frequency	% of total	% of valid
Valid	0	Absent	629	97.22%	97.37%
	1	Present	17	2.63%	2.63%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02321 - I10

Type	Code
Measurement Unit	numeric
NDI02321	I10

			Frequency	% of total	% of valid
Valid	0	Absent	619	95.67%	95.82%
	1	Present	27	4.17%	4.18%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02421 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02421	I11-I15

			Frequency	% of total	% of valid
Valid	0	Absent	631	97.53%	97.68%
	1	Present	15	2.32%	2.32%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02521 - I21

Type	Code
Measurement Unit	numeric
NDI02521	I21

			Frequency	% of total	% of valid
Valid	0	Absent	632	97.68%	97.83%
	1	Present	14	2.16%	2.17%

		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02621 - I25.0

Type	Code
Measurement Unit	numeric
NDI02621	I25.0

			Frequency	% of total	% of valid
Valid	0	Absent	631	97.53%	97.68%
	1	Present	15	2.32%	2.32%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02721 - I25.1

Type	Code
Measurement Unit	numeric
NDI02721	I25.1

			Frequency	% of total	% of valid
Valid	0	Absent	636	98.3%	98.45%
	1	Present	10	1.55%	1.55%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1


 NDI02821 - I26-I28

Type	Code
------	------

Measurement Unit	numeric
NDI02821	I26-I28

			Frequency	% of total	% of valid
Valid	0	Absent	636	98.3%	98.45%
	1	Present	10	1.55%	1.55%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI02921 - I30-I41/I43-I46.1/I47-I49/I52

Type	Code
Measurement Unit	numeric
NDI02921	I30-I41/I43-I46.1/I47-I49/I52

			Frequency	% of total	% of valid
Valid	0	Absent	623	96.29%	96.44%
	1	Present	23	3.55%	3.56%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI03021 - I42

Type	Code
Measurement Unit	numeric
NDI03021	I42

			Frequency	% of total	% of valid
Valid	0	Absent	630	97.37%	97.52%
	1	Present	16	2.47%	2.48%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI03121 - I46.9

Type	Code
Measurement Unit	numeric
NDI03121	I46.9

			Frequency	% of total	% of valid
Valid	0	Absent	588	90.88%	91.02%
	1	Present	58	8.96%	8.98%
Total			646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI03221 - I50

Type	Code
Measurement Unit	numeric
NDI03221	I50

			Frequency	% of total	% of valid
Valid	0	Absent	629	97.22%	97.37%
	1	Present	17	2.63%	2.63%
Total			646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI03321 - I51

Type	Code
Measurement Unit	numeric
NDI03321	I51

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	636	98.3%	98.45%
	1	Present	10	1.55%	1.55%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI03421 - I60-I69

Type	Code
Measurement Unit	numeric
NDI03421	I60-I69

			Frequency	% of total	% of valid
Valid	0	Absent	624	96.45%	96.59%
	1	Present	22	3.4%	3.41%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI03521 - J00-J06/J20-J70/J85-J95/J98-J99

Type	Code
Measurement Unit	numeric
NDI03521	J00-J06/J20-J70/J85-J95/J98-J99

			Frequency	% of total	% of valid
Valid	0	Absent	629	97.22%	97.37%
	1	Present	17	2.63%	2.63%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI03621 - J09-J18

Type	Code
Measurement Unit	numeric
NDI03621	J09-J18

			Frequency	% of total	% of valid
Valid	0	Absent	618	95.52%	95.67%
	1	Present	28	4.33%	4.33%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI03721 - J80-J84

Type	Code
Measurement Unit	numeric
NDI03721	J80-J84

			Frequency	% of total	% of valid
Valid	0	Absent	634	97.99%	98.14%
	1	Present	12	1.85%	1.86%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI03821 - J96

Type	Code
Measurement Unit	numeric
NDI03821	J96

			Frequency	% of total	% of valid
Valid	0	Absent	619	95.67%	95.82%
	1	Present	27	4.17%	4.18%

		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI03921 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03921	K00-K67/K80-K93

			Frequency	% of total	% of valid
Valid	0	Absent	631	97.53%	97.68%
	1	Present	15	2.32%	2.32%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI04021 - K70

Type	Code
Measurement Unit	numeric
NDI04021	K70

			Frequency	% of total	% of valid
Valid	0	Absent	638	98.61%	98.76%
	1	Present	8	1.24%	1.24%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI04121 - K71-K77

Type	Code
------	------

Measurement Unit	numeric
NDI04121	K71-K77

			Frequency	% of total	% of valid
Valid	0	Absent	632	97.68%	97.83%
	1	Present	14	2.16%	2.17%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI04221 - M00-M99

Type	Code
Measurement Unit	numeric
NDI04221	M00-M99

			Frequency	% of total	% of valid
Valid	0	Absent	636	98.3%	98.45%
	1	Present	10	1.55%	1.55%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI04321 - N00-N16/N20-N99

Type	Code
Measurement Unit	numeric
NDI04321	N00-N16/N20-N99

			Frequency	% of total	% of valid
Valid	0	Absent	625	96.6%	96.75%
	1	Present	21	3.25%	3.25%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI04421 - N17-N19

Type	Code
Measurement Unit	numeric
NDI04421	N17-N19

			Frequency	% of total	% of valid
Valid	0	Absent	636	98.3%	98.45%
	1	Present	10	1.55%	1.55%
	Total		646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI04521 - R00-R07/R10-R49/R70-R99

Type	Code
Measurement Unit	numeric
NDI04521	R00-R07/R10-R49/R70-R99

			Frequency	% of total	% of valid
Valid	0	Absent	616	95.21%	95.36%
	1	Present	30	4.64%	4.64%
	Total		646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI04621 - R09

Type	Code
Measurement Unit	numeric
NDI04621	R09

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	634	97.99%	98.14%
	1	Present	12	1.85%	1.86%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI04721 - R50-R69

Type	Code
Measurement Unit	numeric
NDI04721	R50-R69

			Frequency	% of total	% of valid
Valid	0	Absent	616	95.21%	95.36%
	1	Present	30	4.64%	4.64%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI04821 - S00/S02-S05/S07-S09.8/S30-S35/S37-T06/T08/T10-T14.0/T14.2-T14.8/T15-T35/T79/T90-T98

Type	Code
Measurement Unit	numeric
NDI04821	S00/S02-S05/S07-S09.8/S30-S35/S37-T06/T08/T10-T14.0/T14.2-T14.8/T15-T35/T79/T90-T98

			Frequency	% of total	% of valid
Valid	0	Absent	612	94.59%	94.74%
	1	Present	34	5.26%	5.26%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
-------	---------	---------	---------

646	1	0	1
-----	---	---	---

NDI04921 - S01.0-S01.8

Type	Code
Measurement Unit	numeric
NDI04921	S01.0-S01.8

			Frequency	% of total	% of valid
Valid	0	Absent	634	97.99%	98.14%
	1	Present	12	1.85%	1.86%
	Total		646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI05021 - S01.9

Type	Code
Measurement Unit	numeric
NDI05021	S01.9

			Frequency	% of total	% of valid
Valid	0	Absent	610	94.28%	94.43%
	1	Present	36	5.56%	5.57%
	Total		646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI05121 - S06.0-S06.7/S06.9

Type	Code
Measurement Unit	numeric
NDI05121	S06.0-S06.7/S06.9

			Frequency	% of total	% of valid
Valid	0	Absent	630	97.37%	97.52%
	1	Present	16	2.47%	2.48%

		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI05221 - S06.8

Type	Code
Measurement Unit	numeric
NDI05221	S06.8

			Frequency	% of total	% of valid
Valid	0	Absent	630	97.37%	97.52%
	1	Present	16	2.47%	2.48%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI05321 - S09.9

Type	Code
Measurement Unit	numeric
NDI05321	S09.9

			Frequency	% of total	% of valid
Valid	0	Absent	607	93.82%	93.96%
	1	Present	39	6.03%	6.04%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI05421 - S10-S19

Type	Code
------	------

Measurement Unit	numeric
NDI05421	S10-S19

			Frequency	% of total	% of valid
Valid	0	Absent	631	97.53%	97.68%
	1	Present	15	2.32%	2.32%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI05521 - S20/S22-S29.8

Type	Code
Measurement Unit	numeric
NDI05521	S20/S22-S29.8

			Frequency	% of total	% of valid
Valid	0	Absent	636	98.3%	98.45%
	1	Present	10	1.55%	1.55%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI05621 - S21

Type	Code
Measurement Unit	numeric
NDI05621	S21

			Frequency	% of total	% of valid
Valid	0	Absent	628	97.06%	97.21%
	1	Present	18	2.78%	2.79%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI05721 - S29.9

Type	Code
Measurement Unit	numeric
NDI05721	S29.9

			Frequency	% of total	% of valid
Valid	0	Absent	634	97.99%	98.14%
	1	Present	12	1.85%	1.86%
Total			646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI05821 - S36

Type	Code
Measurement Unit	numeric
NDI05821	S36

			Frequency	% of total	% of valid
Valid	0	Absent	635	98.15%	98.3%
	1	Present	11	1.7%	1.7%
Total			646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI05921 - T07

Type	Code
Measurement Unit	numeric
NDI05921	T07

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	609	94.13%	94.27%
	1	Present	37	5.72%	5.73%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI06021 - T09

Type	Code
Measurement Unit	numeric
NDI06021	T09

			Frequency	% of total	% of valid
Valid	0	Absent	635	98.15%	98.3%
	1	Present	11	1.7%	1.7%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI06121 - T14.1

Type	Code
Measurement Unit	numeric
NDI06121	T14.1

			Frequency	% of total	% of valid
Valid	0	Absent	607	93.82%	93.96%
	1	Present	39	6.03%	6.04%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI06221 - T14.9

Type	Code
Measurement Unit	numeric
NDI06221	T14.9

			Frequency	% of total	% of valid
Valid	0	Absent	619	95.67%	95.82%
	1	Present	27	4.17%	4.18%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI06321 - T36-T39/T41-T42/T44-T50.8

Type	Code
Measurement Unit	numeric
NDI06321	T36-T39/T41-T42/T44-T50.8

			Frequency	% of total	% of valid
Valid	0	Absent	624	96.45%	96.59%
	1	Present	22	3.4%	3.41%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI06421 - T40.0/T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI06421	T40.0/T40.3/T40.6-T40.9

			Frequency	% of total	% of valid
Valid	0	Absent	633	97.84%	97.99%
	1	Present	13	2.01%	2.01%

		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI06521 - T40.1

Type	Code
Measurement Unit	numeric
NDI06521	T40.1

			Frequency	% of total	% of valid
Valid	0	Absent	632	97.68%	97.83%
	1	Present	14	2.16%	2.17%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI06621 - T40.2

Type	Code
Measurement Unit	numeric
NDI06621	T40.2

			Frequency	% of total	% of valid
Valid	0	Absent	623	96.29%	96.44%
	1	Present	23	3.55%	3.56%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI06721 - T40.4

Type	Code
------	------

Measurement Unit	numeric
NDI06721	T40.4

			Frequency	% of total	% of valid
Valid	0	Absent	618	95.52%	95.67%
	1	Present	28	4.33%	4.33%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI06821 - T40.5

Type	Code
Measurement Unit	numeric
NDI06821	T40.5

			Frequency	% of total	% of valid
Valid	0	Absent	627	96.91%	97.06%
	1	Present	19	2.94%	2.94%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI06921 - T43

Type	Code
Measurement Unit	numeric
NDI06921	T43

			Frequency	% of total	% of valid
Valid	0	Absent	626	96.75%	96.9%
	1	Present	20	3.09%	3.1%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI07021 - T50.9

Type	Code
Measurement Unit	numeric
NDI07021	T50.9

			Frequency	% of total	% of valid
Valid	0	Absent	597	92.27%	92.41%
	1	Present	49	7.57%	7.59%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI07121 - T51-T65

Type	Code
Measurement Unit	numeric
NDI07121	T51-T65

			Frequency	% of total	% of valid
Valid	0	Absent	620	95.83%	95.98%
	1	Present	26	4.02%	4.02%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI07221 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI07221	T66-T70/T73-T78

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	634	97.99%	98.14%
	1	Present	12	1.85%	1.86%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI07321 - T71

Type	Code
Measurement Unit	numeric
NDI07321	T71

			Frequency	% of total	% of valid
Valid	0	Absent	617	95.36%	95.51%
	1	Present	29	4.48%	4.49%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI07421 - T80-T88

Type	Code
Measurement Unit	numeric
NDI07421	T80-T88

			Frequency	% of total	% of valid
Valid	0	Absent	636	98.3%	98.45%
	1	Present	10	1.55%	1.55%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI07521 - U07.1

Type	Code
Measurement Unit	numeric
NDI07521	U07.1

			Frequency	% of total	% of valid
Valid	0	Absent	630	97.37%	97.52%
	1	Present	16	2.47%	2.48%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI07621 - V01-V09

Type	Code
Measurement Unit	numeric
NDI07621	V01-V09

			Frequency	% of total	% of valid
Valid	0	Absent	634	97.99%	98.14%
	1	Present	12	1.85%	1.86%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI07721 - V10-V39/V50-V86/V88-V89.1/V89.3-V99

Type	Code
Measurement Unit	numeric
NDI07721	V10-V39/V50-V86/V88-V89.1/V89.3-V99

			Frequency	% of total	% of valid
Valid	0	Absent	624	96.45%	96.59%
	1	Present	22	3.4%	3.41%

		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI07821 - V40-V48

Type	Code
Measurement Unit	numeric
NDI07821	V40-V48

			Frequency	% of total	% of valid
Valid	0	Absent	628	97.06%	97.21%
	1	Present	18	2.78%	2.79%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI07921 - V49

Type	Code
Measurement Unit	numeric
NDI07921	V49

			Frequency	% of total	% of valid
Valid	0	Absent	630	97.37%	97.52%
	1	Present	16	2.47%	2.48%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI08021 - V87

Type	Code
------	------

Measurement Unit	numeric
NDI08021	V87

			Frequency	% of total	% of valid
Valid	0	Absent	634	97.99%	98.14%
	1	Present	12	1.85%	1.86%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI08121 - V89.2

Type	Code
Measurement Unit	numeric
NDI08121	V89.2

			Frequency	% of total	% of valid
Valid	0	Absent	619	95.67%	95.82%
	1	Present	27	4.17%	4.18%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI08221 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI08221	W00-X39/X50-X59

			Frequency	% of total	% of valid
Valid	0	Absent	618	95.52%	95.67%
	1	Present	28	4.33%	4.33%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI08321 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI08321	X40-X41/X43/X46-X49

			Frequency	% of total	% of valid
Valid	0	Absent	632	97.68%	97.83%
	1	Present	14	2.16%	2.17%
	Total		646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI08421 - X42

Type	Code
Measurement Unit	numeric
NDI08421	X42

			Frequency	% of total	% of valid
Valid	0	Absent	603	93.2%	93.34%
	1	Present	43	6.65%	6.66%
	Total		646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1


NDI08521 - X44

Type	Code
Measurement Unit	numeric
NDI08521	X44

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	604	93.35%	93.5%
	1	Present	42	6.49%	6.5%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	


Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI08621 - X45

Type	Code
Measurement Unit	numeric
NDI08621	X45

			Frequency	% of total	% of valid
Valid	0	Absent	628	97.06%	97.21%
	1	Present	18	2.78%	2.79%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI08721 - X60-X69/X71/X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI08721	X60-X69/X71/X73/X75-X84

			Frequency	% of total	% of valid
Valid	0	Absent	624	96.45%	96.59%
	1	Present	22	3.4%	3.41%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI08821 - X70

Type	Code
Measurement Unit	numeric
NDI08821	X70

			Frequency	% of total	% of valid
Valid	0	Absent	625	96.6%	96.75%
	1	Present	21	3.25%	3.25%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI08921 - X72

Type	Code
Measurement Unit	numeric
NDI08921	X72

			Frequency	% of total	% of valid
Valid	0	Absent	636	98.3%	98.45%
	1	Present	10	1.55%	1.55%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
			Total	1	0.15%

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI09021 - X74

Type	Code
Measurement Unit	numeric
NDI09021	X74

			Frequency	% of total	% of valid
Valid	0	Absent	626	96.75%	96.9%
	1	Present	20	3.09%	3.1%

		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI09121 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI09121	X85-X94/X96-Y09

			Frequency	% of total	% of valid
Valid	0	Absent	635	98.15%	98.3%
	1	Present	11	1.7%	1.7%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

NDI09221 - X95

Type	Code
Measurement Unit	numeric
NDI09221	X95

			Frequency	% of total	% of valid
Valid	0	Absent	610	94.28%	94.43%
	1	Present	36	5.56%	5.57%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
		Total	1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1


NDI09321 - Y10-Y36/Y85-Y98

Type	Code
------	------

Measurement Unit	numeric
NDI09321	Y10-Y36/Y85-Y98

			Frequency	% of total	% of valid
Valid	0	Absent	632	97.68%	97.83%
	1	Present	14	2.16%	2.17%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI09421 - Y40-Y84

Type	Code
Measurement Unit	numeric
NDI09421	Y40-Y84

			Frequency	% of total	% of valid
Valid	0	Absent	633	97.84%	97.99%
	1	Present	13	2.01%	2.01%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1

 NDI09521 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI09521	996: SUPPRESSED

			Frequency	% of total	% of valid
Valid	0	Absent	623	96.29%	96.44%
	1	Present	23	3.55%	3.56%
		Total	646	99.85%	100%
Missing	92	Missing in source	1	0.15%	
	Total		1	0.15%	

Valid	Invalid	Minimum	Maximum
646	1	0	1