

# Developing and Submitting an Ancillary Study Proposal

Kara Joyner

Bowling Green State University

BGSU



Center for Family and  
Demographic Research

# Overview of Process

- Identification of variables needed to answer a research question
- Discussion of ancillary data with Add Health Director(s)
- Exploration of possible funding sources
- Estimation of budget for adding variables
- Submission of ancillary study proposal
- Appending variables and beyond

# Add Health Contextual Data Added by CFDR Investigators

- Wave 3 Contextual Data (released October 2008)
- Sexual Minority Policy Contextual Database (coming soon)

BGSU



Center for Family and  
Demographic Research

# Wave III Contextual Data

- Investigator: Ray Swisher
- “Constructing and Add Health Wave III Contextual Database” (5R03HD048597)
- 594 community contextual variables based on state, county, tract, and block group levels derived from the Wave III addresses.
- Funding for analysis: 1R15HD070098



# Project Information?

1R03HD048597-01

[Back to Query Form](#) [Back to Search Results](#) [Print Version](#)

[PREVIOUS](#) Project 2 of 3 [NEXT](#)

- DESCRIPTION
- DETAILS
- RESULTS
- HISTORY
- SUBPROJECTS
- NEARBY PROJECTS BETA
- LINKS
- NEWS AND MORE

<b>Project Number:</b> 1R03HD048597-01	<b>Contact PI / Project Leader:</b> <a href="#">SWISHER, RAYMOND RUSSELL</a>
<b>Title:</b> CONSTRUCTING AN ADD HEALTH WAVE III CONTEXTUAL DATABASE	<b>Awardee Organization:</b> CORNELL UNIVERSITY ITHACA

### Abstract Text:

DESCRIPTION (provided by applicant): This project will construct a contextual database to be merged with Wave III of the National Longitudinal Study of Adolescent Health (Add Health). Working in close collaboration with the Add Health project, it replicates selected contextual variables from waves I and II most likely to be of use to researchers of neighborhood and social policy effects on health and well being during the transition to adulthood. Contexts assessed are: 1) Neighborhoods - Census tract data related to concentrated poverty, racial/ethnic heterogeneity, household types, residential stability, etc. 2) Counties - Census and other data sources related to labor market and marriage market opportunities, religious adherents, and vital statistics; and, 3) States - a variety of data sources on state variation in social policies, such as TANF, Medicaid, EITC, divorce, and child support. Longitudinal contextual data will make possible a wide range of new life course analyses with Add Health, including: 1) Duration and timing of neighborhood experiences; 2) Movement of individuals through neighborhoods of varying characteristics; 3) Effects of changes in neighborhoods themselves; 4) Hierarchical panel and instrumental variable models to minimize selection effect biases; and, 5) More accurate measurements and lagged specifications, through interpolation and extrapolation of contextual characteristics for varying years.

# Sexual Minority Policy Contextual Database

- Investigators: Kara Joyner and Wendy Manning
- Funding: Internal
- 10 contextual variables measured at the state and county level for two different time points (Waves III and IV)

BGSU



Center for Family and  
Demographic Research

# Collaborators at BGSU

**Wendy Manning**  
**Distinguished Professor**



**Barbara Prince**  
**Ph.D. student in Sociology**



**BGSU**



**Center for Family and Demographic Research**

# Browse Codebooks for Restricted-Use Data

DESCRIPTION	VARIABLES	OBSERVATIONS
<b>Wave I Contextual Data</b> Community contextual variables based on state, county, tract, and block group levels derived from the Wave I addresses.	2,682	20,745
<b>Wave II Contextual Data</b> Community contextual variables based on state, county, tract, and block group levels derived from the Wave II addresses.	2,682	14,738
<b>Wave III Contextual Data</b> Community contextual variables based on state, county, tract, and block group levels derived from the Wave III addresses.	594	15,197
<b>Wave I Spatial Analysis Data</b> X, Y coordinates that can be used to calculate distances between friends in a	4	20,301


BGSU



# Research Question and Restricted-Use Variables

- Does the stability of same-sex relationships differ according to context?
- Wave 3 Contextual Data
  - Proportion households headed by same sex unmarried partners (tract)
- Wave 3 Political Context Data
  - Proportion of votes cast for the Republican presidential candidate in 2000 (county)

Relative Odds of Dissolution by Votes Cast for Republican Presidential Candidate and Couple Type: Most Recent Romantic / Sexual Relationships Reported at Wave IV of Respondents w/ Waves III & IV Interviews



# 10 Variables Proposed for Ancillary Study Data

- Measured for the time periods corresponding to Waves III & IV:
  - Employment Discrimination (state)
  - Hate Crimes (state)
  - Relationship Recognition (state)
  - Adoption (state)
  - Same-Sex Marriage Prohibition (county)

# Development and Submission of Ancillary Study Proposal

- Read the document “INTRODUCTION TO ANCILLARY STUDIES IN ADD HEALTH.”
- Contact the Director(s) of Add Health to determine whether proposal is feasible.
- “Applicants are strongly encouraged to submit proposals at least six months in advance of any anticipated grant application deadline.”

BGSU

# Proposal Review Criterial

- Significance
  - Approach
  - Innovation
  - Investigators
  - Environment
- 
- Be explicit about the demand for the ancillary data in the scientific community

# Estimation of Budget

- **Option I: Add Health links the variables.**
- **Option II: Researcher/Secure Data Facility.** The researcher must complete linking work at CPC's Secure Data Facility (SDF) at UNC-CH. After the researcher links the variables, Add Health performs the following work: cleaning, checking variable construction, and evaluating deductive disclosure risks.

# Next Steps

- Creation of a codebook (see examples online)
- Dissemination of variables to Add Health Users
- Use appended data as pilot data or preliminary studies for a grant proposing additional ancillary variables.

# Acknowledgements

- This research was supported in part by the Center for Family and Demographic Research, Bowling Green State University, which has core funding from the Eunice Kennedy Shriver National Institute of Child Health and Human Development (R24HD050959). This research uses data from Add Health, a program project directed by Kathleen Mullan Harris and designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris at the University of North Carolina at Chapel Hill, and funded by grant P01-HD31921 from the Eunice Kennedy Shriver National Institute of Child Health and Human Development, with cooperative funding from 23 other federal agencies and foundations. Special acknowledgment is due Ronald R. Rindfuss and Barbara Entwisle for assistance in the original design. Information on how to obtain the Add Health data files is available on the Add Health website (<http://www.cpc.unc.edu/addhealth>). No direct support was received from grant P01-HD31921 for this analysis.

BGSU