



# All Coded Causes of Death File, Including Entity-Axis Codes, 2019 Codebook



Add Health is directed by Robert A. Hummer and funded by the National Institute on Aging cooperative agreements U01 AG071448 (Hummer) and U01AG071450 (Aiello and Hummer) at the University of North Carolina at Chapel Hill. Waves I-V data are from the Add Health Program Project, grant P01 HD31921 (Harris) from Eunice Kennedy Shriver National Institute of Child Health and Human Development (NICHD), with cooperative funding from 23 other federal agencies and foundations. Add Health was designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris at the University of North Carolina at Chapel Hill (<http://www.cpc.unc.edu/addhealth>).

## All Coded Causes of Death File, Including Entity-Axis Codes, 2019

|                |   |
|----------------|---|
| Title          | All Coded Causes of Death File, Including Entity-Axis Codes, 2019 |
| File Name      | ndi19p1.xpt   |
| Case Quantity  | 540   |
| Variable Count | 88  |

### AID - RESPONDENT IDENTIFIER

|             |                       |
|-------------|-----------------------|
| Type        | Text                  |
| Constraints | Maximum Length: 8     |
| AID         | Respondent identifier |

| Valid | Invalid | Minimum  | Maximum  |
|-------|---------|----------|----------|
| 540   | 0       | 22578316 | 99886994 |

### NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

|                  |                                   |
|------------------|-----------------------------------|
| Type             | Code                              |
| Measurement Unit | numeric                           |
| NDIVS19          | Sample members vital status, 2019 |

|       |   |          | Frequency | % of total | % of valid |
|-------|---|----------|-----------|------------|------------|
| Valid | 0 | Alive    | 0         | 0%         | 0%         |
|       | 1 | Deceased | 540       | 100%       | 100%       |
| Total |   |          | 540       | 100%       | 100%       |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 540   | 0       | 1       | 1       |


### NDI00119 - A00-A28/A50-B19/B25-B99

|                  |                         |
|------------------|-------------------------|
| Type             | Code                    |
| Measurement Unit | numeric                 |
| NDI00119         | A00-A28/A50-B19/B25-B99 |

|       |   |         | Frequency | % of total | % of valid |
|-------|---|---------|-----------|------------|------------|
| Valid | 0 | Absent  | 526       | 97.41%     | 97.59%     |
|       | 1 | Present | 13        | 2.41%      | 2.41%      |

|         |    |                   |     |        |      |
|---------|----|-------------------|-----|--------|------|
|         |    | Total             | 539 | 99.81% | 100% |
| Missing | 92 | Missing in source | 1   | 0.19%  |      |
|         |    | Total             | 1   | 0.19%  |      |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI00219 - A30-A49

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI00219         | A30-A49 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 512       | 94.81%     | 94.99%     |
|         | 1  | Present           | 27        | 5%         | 5.01%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI00319 - B20-B23

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI00319         | B20-B23 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 530       | 98.15%     | 98.33%     |
|         | 1  | Present           | 9         | 1.67%      | 1.67%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI00419 - B24

|      |      |
|------|------|
| Type | Code |
|------|------|

|                  |         |
|------------------|---------|
| Measurement Unit | numeric |
| NDI00419         | B24     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 526       | 97.41%     | 97.59%     |
|         | 1     | Present           | 13        | 2.41%      | 2.41%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI00519 - C00-C14/C30-C75

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI00519         | C00-C14/C30-C75 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 515       | 95.37%     | 95.55%     |
|         | 1     | Present           | 24        | 4.44%      | 4.45%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI00619 - C15-C26

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI00619         | C15-C26 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 527       | 97.59%     | 97.77%     |
|         | 1     | Present           | 12        | 2.22%      | 2.23%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI00719 - C76-C80

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI00719         | C76-C80 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 531       | 98.33%     | 98.52%     |
|         | 1     | Present           | 8         | 1.48%      | 1.48%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         |       | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI00819 - C81-C96

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI00819         | C81-C96 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 526       | 97.41%     | 97.59%     |
|         | 1     | Present           | 13        | 2.41%      | 2.41%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         |       | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI00919 - D50-D89

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI00919         | D50-D89 |

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |    |                   |     |        |        |
|---------|----|-------------------|-----|--------|--------|
| Valid   | 0  | Absent            | 526 | 97.41% | 97.59% |
|         | 1  | Present           | 13  | 2.41%  | 2.41%  |
|         |    | Total             | 539 | 99.81% | 100%   |
| Missing | 92 | Missing in source | 1   | 0.19%  |        |
|         |    | Total             | 1   | 0.19%  |        |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI01019 - E00-E07/E15-E65/E67-E90

|                  |                         |
|------------------|-------------------------|
| Type             | Code                    |
| Measurement Unit | numeric                 |
| NDI01019         | E00-E07/E15-E65/E67-E90 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1  | Present           | 11        | 2.04%      | 2.04%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI01119 - E10-E14

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI01119         | E10-E14 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 520       | 96.3%      | 96.47%     |
|         | 1  | Present           | 19        | 3.52%      | 3.53%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI01219 - E66

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI01219         | E66     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 515       | 95.37%     | 95.55%     |
|         | 1  | Present           | 24        | 4.44%      | 4.45%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    |                   | Total     | 1          | 0.19%      |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI01319 - F00-F09/F20-F99

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI01319         | F00-F09/F20-F99 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 529       | 97.96%     | 98.14%     |
|         | 1  | Present           | 10        | 1.85%      | 1.86%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    |                   | Total     | 1          | 0.19%      |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI01419 - F10


|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI01419         | F10     |

|       |   |         | Frequency | % of total | % of valid |
|-------|---|---------|-----------|------------|------------|
| Valid | 0 | Absent  | 525       | 97.22%     | 97.4%      |
|       | 1 | Present | 14        | 2.59%      | 2.6%       |



|         |    |                   |     |        |      |
|---------|----|-------------------|-----|--------|------|
|         |    | Total             | 539 | 99.81% | 100% |
| Missing | 92 | Missing in source | 1   | 0.19%  |      |
|         |    | Total             | 1   | 0.19%  |      |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI01519 - F11-F17/F18-F19

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI01519         | F11-F17/F18-F19 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 505       | 93.52%     | 93.69%     |
|         | 1  | Present           | 34        | 6.3%       | 6.31%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI01619 - F17.9

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI01619         | F17.9   |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 527       | 97.59%     | 97.77%     |
|         | 1  | Present           | 12        | 2.22%      | 2.23%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI01719 - G00-G92/G94-G99

|      |      |
|------|------|
| Type | Code |
|------|------|

|                  |                 |
|------------------|-----------------|
| Measurement Unit | numeric         |
| NDI01719         | G00-G92/G94-G99 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 524       | 97.04%     | 97.22%     |
|         | 1     | Present           | 15        | 2.78%      | 2.78%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI01819 - G93

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI01819         | G93     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 525       | 97.22%     | 97.4%      |
|         | 1     | Present           | 14        | 2.59%      | 2.6%       |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI01919 - I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99

|                  |   |
|------------------|---|
| Type             | Code  |
| Measurement Unit | numeric   |
| NDI01919         | I00-I09/I20/I22-I24/I25.2-I25.6/I25.8/I25.9/I26-I28/I70-I99 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 522       | 96.67%     | 96.85%     |
|         | 1     | Present           | 17        | 3.15%      | 3.15%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI02019 - I10

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02019         | I10     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 522       | 96.67%     | 96.85%     |
|         | 1     | Present           | 17        | 3.15%      | 3.15%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         |       | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI02119 - I11-I15

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02119         | I11-I15 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1     | Present           | 11        | 2.04%      | 2.04%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         |       | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI02219 - I21

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02219         | I21     |

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |    |                   |     |        |        |
|---------|----|-------------------|-----|--------|--------|
| Valid   | 0  | Absent            | 529 | 97.96% | 98.14% |
|         | 1  | Present           | 10  | 1.85%  | 1.86%  |
|         |    | Total             | 539 | 99.81% | 100%   |
| Missing | 92 | Missing in source | 1   | 0.19%  |        |
|         |    | Total             | 1   | 0.19%  |        |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI02319 - I25.0

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02319         | I25.0   |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 529       | 97.96%     | 98.14%     |
|         | 1  | Present           | 10        | 1.85%      | 1.86%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI02419 - I25.1

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02419         | I25.1   |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 529       | 97.96%     | 98.14%     |
|         | 1  | Present           | 10        | 1.85%      | 1.86%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI02519 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

|                  |   |
|------------------|---|
| Type             | Code                                    |
| Measurement Unit | numeric                                 |
| NDI02519         | I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 521       | 96.48%     | 96.66%     |
|         | 1  | Present           | 18        | 3.33%      | 3.34%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    |                   | Total     | 1          | 0.19%      |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI02619 - I42

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02619         | I42     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 523       | 96.85%     | 97.03%     |
|         | 1  | Present           | 16        | 2.96%      | 2.97%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    |                   | Total     | 1          | 0.19%      |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI02719 - I46.9

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02719         | I46.9   |

|       |   |         | Frequency | % of total | % of valid |
|-------|---|---------|-----------|------------|------------|
| Valid | 0 | Absent  | 490       | 90.74%     | 90.91%     |
|       | 1 | Present | 49        | 9.07%      | 9.09%      |

|         |    |                   |     |        |      |
|---------|----|-------------------|-----|--------|------|
|         |    | Total             | 539 | 99.81% | 100% |
| Missing | 92 | Missing in source | 1   | 0.19%  |      |
|         |    | Total             | 1   | 0.19%  |      |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI02819 - I50

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02819         | I50     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 525       | 97.22%     | 97.4%      |
|         | 1  | Present           | 14        | 2.59%      | 2.6%       |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI02919 - I51

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI02919         | I51     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1  | Present           | 11        | 2.04%      | 2.04%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |


 NDI03019 - I60-I69

|      |      |
|------|------|
| Type | Code |
|------|------|

|                  |         |
|------------------|---------|
| Measurement Unit | numeric |
| NDI03019         | I60-I69 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 524       | 97.04%     | 97.22%     |
|         | 1  | Present           | 15        | 2.78%      | 2.78%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03119 - J00-J06/J20-J94

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI03119         | J00-J06/J20-J94 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 522       | 96.67%     | 96.85%     |
|         | 1  | Present           | 17        | 3.15%      | 3.15%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03219 - J09-J18

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI03219         | J09-J18 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 520       | 96.3%      | 96.47%     |
|         | 1  | Present           | 19        | 3.52%      | 3.53%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03319 - J95-J99

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI03319         | J95-J99 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 519       | 96.11%     | 96.29%     |
|         | 1  | Present           | 20        | 3.7%       | 3.71%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03419 - K00-K67/K80-K93

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI03419         | K00-K67/K80-K93 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 527       | 97.59%     | 97.77%     |
|         | 1  | Present           | 12        | 2.22%      | 2.23%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03519 - K70-K77

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI03519         | K70-K77 |

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|



|         |    |                   |     |        |        |
|---------|----|-------------------|-----|--------|--------|
| Valid   | 0  | Absent            | 524 | 97.04% | 97.22% |
|         | 1  | Present           | 15  | 2.78%  | 2.78%  |
|         |    | Total             | 539 | 99.81% | 100%   |
| Missing | 92 | Missing in source | 1   | 0.19%  |        |
|         |    | Total             | 1   | 0.19%  |        |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03619 - M30-M36

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI03619         | M30-M36 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 530       | 98.15%     | 98.33%     |
|         | 1  | Present           | 9         | 1.67%      | 1.67%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03719 - N17/N19

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI03719         | N17/N19 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 527       | 97.59%     | 97.77%     |
|         | 1  | Present           | 12        | 2.22%      | 2.23%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03819 - N18

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI03819         | N18     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1     | Present           | 11        | 2.04%      | 2.04%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI03919 - R00-R07/R10-R49/R70-R98

|                  |                         |
|------------------|-------------------------|
| Type             | Code                    |
| Measurement Unit | numeric                 |
| NDI03919         | R00-R07/R10-R49/R70-R98 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1     | Present           | 11        | 2.04%      | 2.04%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI04019 - R09

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI04019         | R09     |

|       |   |         | Frequency | % of total | % of valid |
|-------|---|---------|-----------|------------|------------|
| Valid | 0 | Absent  | 527       | 97.59%     | 97.77%     |
|       | 1 | Present | 12        | 2.22%      | 2.23%      |

|         |    |                   |     |        |      |
|---------|----|-------------------|-----|--------|------|
|         |    | Total             | 539 | 99.81% | 100% |
| Missing | 92 | Missing in source | 1   | 0.19%  |      |
|         |    | Total             | 1   | 0.19%  |      |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI04119 - R50-R69

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI04119         | R50-R69 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 513       | 95%        | 95.18%     |
|         | 1  | Present           | 26        | 4.81%      | 4.82%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI04219 - R99

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI04219         | R99     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1  | Present           | 11        | 2.04%      | 2.04%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |


 NDI04319 - S00-S08/S09.0-S09.2/S09.7/S09.8

|      |      |
|------|------|
| Type | Code |
|------|------|

|                  |                                 |
|------------------|---------------------------------|
| Measurement Unit | numeric                         |
| NDI04319         | S00-S08/S09.0-S09.2/S09.7/S09.8 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 508       | 94.07%     | 94.25%     |
|         | 1  | Present           | 31        | 5.74%      | 5.75%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI04419 - S01.0-S01.5/S01.7/S01.8

|                  |                         |
|------------------|-------------------------|
| Type             | Code                    |
| Measurement Unit | numeric                 |
| NDI04419         | S01.0-S01.5/S01.7/S01.8 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1  | Present           | 11        | 2.04%      | 2.04%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI04519 - S01.9

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI04519         | S01.9   |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 505       | 93.52%     | 93.69%     |
|         | 1  | Present           | 34        | 6.3%       | 6.31%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI04619 - S09.9

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI04619         | S09.9   |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 502       | 92.96%     | 93.14%     |
|         | 1  | Present           | 37        | 6.85%      | 6.86%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI04719 - S10-S19

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI04719         | S10-S19 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 525       | 97.22%     | 97.4%      |
|         | 1  | Present           | 14        | 2.59%      | 2.6%       |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |


 NDI04819 - S20/S22-S28/S29.0/S29.7/S29.8

|                  |                               |
|------------------|-------------------------------|
| Type             | Code                          |
| Measurement Unit | numeric                       |
| NDI04819         | S20/S22-S28/S29.0/S29.7/S29.8 |

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |    |                   |     |        |        |
|---------|----|-------------------|-----|--------|--------|
| Valid   | 0  | Absent            | 529 | 97.96% | 98.14% |
|         | 1  | Present           | 10  | 1.85%  | 1.86%  |
|         |    | Total             | 539 | 99.81% | 100%   |
| Missing | 92 | Missing in source | 1   | 0.19%  |        |
|         |    | Total             | 1   | 0.19%  |        |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI04919 - S21

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI04919         | S21     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 522       | 96.67%     | 96.85%     |
|         | 1  | Present           | 17        | 3.15%      | 3.15%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI05019 - S29.9

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI05019         | S29.9   |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 529       | 97.96%     | 98.14%     |
|         | 1  | Present           | 10        | 1.85%      | 1.86%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI05119 - S30-S35/S37-S39

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI05119         | S30-S35/S37-S39 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 530       | 98.15%     | 98.33%     |
|         | 1     | Present           | 9         | 1.67%      | 1.67%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI05219 - S36

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI05219         | S36     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1     | Present           | 11        | 2.04%      | 2.04%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |


 NDI05319 - S40-S99/T08/T10-T13/T15-T35/T79/T90-T98

|                  |   |
|------------------|---|
| Type             | Code                                    |
| Measurement Unit | numeric                                 |
| NDI05319         | S40-S99/T08/T10-T13/T15-T35/T79/T90-T98 |

|       |   |         | Frequency | % of total | % of valid |
|-------|---|---------|-----------|------------|------------|
| Valid | 0 | Absent  | 527       | 97.59%     | 97.77%     |
|       | 1 | Present | 12        | 2.22%      | 2.23%      |

|         |    |                   |     |        |      |
|---------|----|-------------------|-----|--------|------|
|         |    | Total             | 539 | 99.81% | 100% |
| Missing | 92 | Missing in source | 1   | 0.19%  |      |
|         |    | Total             | 1   | 0.19%  |      |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI05419 - T07

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI05419         | T07     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 504       | 93.33%     | 93.51%     |
|         | 1  | Present           | 35        | 6.48%      | 6.49%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI05519 - T09

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI05519         | T09     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1  | Present           | 11        | 2.04%      | 2.04%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI05619 - T14


|      |      |
|------|------|
| Type | Code |
|------|------|



|                  |         |
|------------------|---------|
| Measurement Unit | numeric |
| NDI05619         | T14     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 481       | 89.07%     | 89.24%     |
|         | 1     | Present           | 58        | 10.74%     | 10.76%     |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI05719 - T36-T39/T41-T49/T50.0-T50.8

|                  |                             |
|------------------|-----------------------------|
| Type             | Code                        |
| Measurement Unit | numeric                     |
| NDI05719         | T36-T39/T41-T49/T50.0-T50.8 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 507       | 93.89%     | 94.06%     |
|         | 1     | Present           | 32        | 5.93%      | 5.94%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI05819 - T40.1

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI05819         | T40.1   |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 526       | 97.41%     | 97.59%     |
|         | 1     | Present           | 13        | 2.41%      | 2.41%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI05919 - T40.2

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI05919         | T40.2   |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 518       | 95.93%     | 96.1%      |
|         | 1     | Present           | 21        | 3.89%      | 3.9%       |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         |       | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI06019 - T40.3/T40.6-T40.9

|                  |                   |
|------------------|-------------------|
| Type             | Code              |
| Measurement Unit | numeric           |
| NDI06019         | T40.3/T40.6-T40.9 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 526       | 97.41%     | 97.59%     |
|         | 1     | Present           | 13        | 2.41%      | 2.41%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         |       | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI06119 - T40.4

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI06119         | T40.4   |

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |    |                   |     |        |        |
|---------|----|-------------------|-----|--------|--------|
| Valid   | 0  | Absent            | 523 | 96.85% | 97.03% |
|         | 1  | Present           | 16  | 2.96%  | 2.97%  |
|         |    | Total             | 539 | 99.81% | 100%   |
| Missing | 92 | Missing in source | 1   | 0.19%  |        |
|         |    | Total             | 1   | 0.19%  |        |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI06219 - T40.5

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI06219         | T40.5   |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 523       | 96.85%     | 97.03%     |
|         | 1  | Present           | 16        | 2.96%      | 2.97%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI06319 - T50.9

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI06319         | T50.9   |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 497       | 92.04%     | 92.21%     |
|         | 1  | Present           | 42        | 7.78%      | 7.79%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI06419 - T51-T65

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI06419         | T51-T65 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 517       | 95.74%     | 95.92%     |
|         | 1     | Present           | 22        | 4.07%      | 4.08%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI06519 - T66-T70/T73-T78

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI06519         | T66-T70/T73-T78 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 527       | 97.59%     | 97.77%     |
|         | 1     | Present           | 12        | 2.22%      | 2.23%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |


 NDI06619 - T71

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI06619         | T71     |

|       |   |         | Frequency | % of total | % of valid |
|-------|---|---------|-----------|------------|------------|
| Valid | 0 | Absent  | 513       | 95%        | 95.18%     |
|       | 1 | Present | 26        | 4.81%      | 4.82%      |

|         |    |                   |     |        |      |
|---------|----|-------------------|-----|--------|------|
|         |    | Total             | 539 | 99.81% | 100% |
| Missing | 92 | Missing in source | 1   | 0.19%  |      |
|         |    | Total             | 1   | 0.19%  |      |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI06719 - T80-T88

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI06719         | T80-T88 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 530       | 98.15%     | 98.33%     |
|         | 1  | Present           | 9         | 1.67%      | 1.67%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |


|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI06819 - V01-V09

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI06819         | V01-V09 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 528       | 97.78%     | 97.96%     |
|         | 1  | Present           | 11        | 2.04%      | 2.04%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI06919 - V10-V39/V50-V79/V90-V99

|      |      |
|------|------|
| Type | Code |
|------|------|

|                  |                         |
|------------------|-------------------------|
| Measurement Unit | numeric                 |
| NDI06919         | V10-V39/V50-V79/V90-V99 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 524       | 97.04%     | 97.22%     |
|         | 1     | Present           | 15        | 2.78%      | 2.78%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI07019 - V40-V48

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI07019         | V40-V48 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 521       | 96.48%     | 96.66%     |
|         | 1     | Present           | 18        | 3.33%      | 3.34%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI07119 - V49

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI07119         | V49     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 524       | 97.04%     | 97.22%     |
|         | 1     | Present           | 15        | 2.78%      | 2.78%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI07219 - V87

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI07219         | V87     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 527       | 97.59%     | 97.77%     |
|         | 1     | Present           | 12        | 2.22%      | 2.23%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI07319 - V89.2

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI07319         | V89.2   |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 514       | 95.19%     | 95.36%     |
|         | 1     | Present           | 25        | 4.63%      | 4.64%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI07419 - W00-X39/X50-X59

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI07419         | W00-X39/X50-X59 |

|  |  |  | Frequency | % of total | % of valid |
|--|--|--|-----------|------------|------------|
|--|--|--|-----------|------------|------------|

|         |    |                   |     |        |        |
|---------|----|-------------------|-----|--------|--------|
| Valid   | 0  | Absent            | 517 | 95.74% | 95.92% |
|         | 1  | Present           | 22  | 4.07%  | 4.08%  |
|         |    | Total             | 539 | 99.81% | 100%   |
| Missing | 92 | Missing in source | 1   | 0.19%  |        |
|         |    | Total             | 1   | 0.19%  |        |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI07519 - X40-X41/X43/X46-X49

|                  |                     |
|------------------|---------------------|
| Type             | Code                |
| Measurement Unit | numeric             |
| NDI07519         | X40-X41/X43/X46-X49 |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 529       | 97.96%     | 98.14%     |
|         | 1  | Present           | 10        | 1.85%      | 1.86%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |


 NDI07619 - X42

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI07619         | X42     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 505       | 93.52%     | 93.69%     |
|         | 1  | Present           | 34        | 6.3%       | 6.31%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |




 NDI07719 - X44

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI07719         | X44     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 501       | 92.78%     | 92.95%     |
|         | 1     | Present           | 38        | 7.04%      | 7.05%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI07819 - X45

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI07819         | X45     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 525       | 97.22%     | 97.4%      |
|         | 1     | Present           | 14        | 2.59%      | 2.6%       |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |


 NDI07919 - X60-X69/X71-X73/X75-X84

|                  |                         |
|------------------|-------------------------|
| Type             | Code                    |
| Measurement Unit | numeric                 |
| NDI07919         | X60-X69/X71-X73/X75-X84 |

|       |   |         | Frequency | % of total | % of valid |
|-------|---|---------|-----------|------------|------------|
| Valid | 0 | Absent  | 516       | 95.56%     | 95.73%     |
|       | 1 | Present | 23        | 4.26%      | 4.27%      |

|         |    |                   |     |        |      |
|---------|----|-------------------|-----|--------|------|
|         |    | Total             | 539 | 99.81% | 100% |
| Missing | 92 | Missing in source | 1   | 0.19%  |      |
|         |    | Total             | 1   | 0.19%  |      |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI08019 - X70

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI08019         | X70     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 521       | 96.48%     | 96.66%     |
|         | 1  | Present           | 18        | 3.33%      | 3.34%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI08119 - X74

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI08119         | X74     |

|         |    |                   | Frequency | % of total | % of valid |
|---------|----|-------------------|-----------|------------|------------|
| Valid   | 0  | Absent            | 521       | 96.48%     | 96.66%     |
|         | 1  | Present           | 18        | 3.33%      | 3.34%      |
|         |    | Total             | 539       | 99.81%     | 100%       |
| Missing | 92 | Missing in source | 1         | 0.19%      |            |
|         |    | Total             | 1         | 0.19%      |            |

|       |         |         |         |
|-------|---------|---------|---------|
| Valid | Invalid | Minimum | Maximum |
| 539   | 1       | 0       | 1       |

 NDI08219 - X85-X94/X96-Y09

|      |      |
|------|------|
| Type | Code |
|------|------|

|                  |                 |
|------------------|-----------------|
| Measurement Unit | numeric         |
| NDI08219         | X85-X94/X96-Y09 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 529       | 97.96%     | 98.14%     |
|         | 1     | Present           | 10        | 1.85%      | 1.86%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI08319 - X95

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI08319         | X95     |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 510       | 94.44%     | 94.62%     |
|         | 1     | Present           | 29        | 5.37%      | 5.38%      |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |


| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI08419 - Y10-Y36/Y85-Y98

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI08419         | Y10-Y36/Y85-Y98 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 525       | 97.22%     | 97.4%      |
|         | 1     | Present           | 14        | 2.59%      | 2.6%       |
|         |       | Total             | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         | Total |                   | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI08519 - Y40-Y84

|                  |         |
|------------------|---------|
| Type             | Code    |
| Measurement Unit | numeric |
| NDI08519         | Y40-Y84 |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 529       | 97.96%     | 98.14%     |
|         | 1     | Present           | 10        | 1.85%      | 1.86%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         |       | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |

 NDI08619 - 996: SUPPRESSED

|                  |                 |
|------------------|-----------------|
| Type             | Code            |
| Measurement Unit | numeric         |
| NDI08619         | 996: SUPPRESSED |

|         |       |                   | Frequency | % of total | % of valid |
|---------|-------|-------------------|-----------|------------|------------|
| Valid   | 0     | Absent            | 496       | 91.85%     | 92.02%     |
|         | 1     | Present           | 43        | 7.96%      | 7.98%      |
|         | Total |                   | 539       | 99.81%     | 100%       |
| Missing | 92    | Missing in source | 1         | 0.19%      |            |
|         |       | Total             | 1         | 0.19%      |            |

| Valid | Invalid | Minimum | Maximum |
|-------|---------|---------|---------|
| 539   | 1       | 0       | 1       |