



All Coded Causes of Death File, Including Record-Axis Codes, 2019 Codebook



Add Health is directed by Robert A. Hummer and funded by the National Institute on Aging cooperative agreements U01 AG071448 (Hummer) and U01AG071450 (Aiello and Hummer) at the University of North Carolina at Chapel Hill. Waves I-V data are from the Add Health Program Project, grant P01 HD31921 (Harris) from Eunice Kennedy Shriver National Institute of Child Health and Human Development (NICHD), with cooperative funding from 23 other federal agencies and foundations. Add Health was designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris at the University of North Carolina at Chapel Hill (<http://www.cpc.unc.edu/addhealth>).

All Coded Causes of Death File, Including Record-Axis Codes, 2019

Title	All Coded Causes of Death File, Including Record-Axis Codes, 2019
File Name	ndi19p2.xpt
Case Quantity	540
Variable Count	83

AID - RESPONDENT IDENTIFIER

Type	Text
Constraints	Maximum Length: 8
AID	Respondent identifier

Valid	Invalid	Minimum	Maximum
540	0	22578316	99886994

NDIVS19 - SAMPLE MEMBERS VITAL STATUS, 2019

Type	Code
Measurement Unit	numeric
NDIVS19	Sample members vital status, 2019

			Frequency	% of total	% of valid
Valid	0	Alive	0	0%	0%
	1	Deceased	540	100%	100%
Total			540	100%	100%

Valid	Invalid	Minimum	Maximum
540	0	1	1

NDI00119 - A00-A28/A50-B19/B25-B99

Type	Code
Measurement Unit	numeric
NDI00119	A00-A28/A50-B19/B25-B99

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00219 - A30-A49

Type	Code
Measurement Unit	numeric
NDI00219	A30-A49

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00319 - B20-B24

Type	Code
Measurement Unit	numeric
NDI00319	B20-B24

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI00419 - C00-C14/C30-C75

Type	Code
------	------

Measurement Unit	numeric
NDI00419	C00-C14/C30-C75

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00519 - C15-C26

Type	Code
Measurement Unit	numeric
NDI00519	C15-C26

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00619 - C76-C80

Type	Code
Measurement Unit	numeric
NDI00619	C76-C80

			Frequency	% of total	% of valid
Valid	0	Absent	531	98.33%	98.52%
	1	Present	8	1.48%	1.48%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00719 - C81-C96

Type	Code
Measurement Unit	numeric
NDI00719	C81-C96

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00819 - D50-D89

Type	Code
Measurement Unit	numeric
NDI00819	D50-D89

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI00919 - E00-E07/E15-E65/E67-E90

Type	Code
Measurement Unit	numeric
NDI00919	E00-E07/E15-E65/E67-E90

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01019 - E14

Type	Code
Measurement Unit	numeric
NDI01019	E14

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01119 - E66

Type	Code
Measurement Unit	numeric
NDI01119	E66

			Frequency	% of total	% of valid
Valid	0	Absent	515	95.37%	95.55%
	1	Present	24	4.44%	4.45%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01219 - F00-F09/F20-F99

Type	Code
Measurement Unit	numeric
NDI01219	F00-F09/F20-F99

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01319 - F10

Type	Code
Measurement Unit	numeric
NDI01319	F10

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01419 - F11-F17/F18-F19

Type	Code
Measurement Unit	numeric
NDI01419	F11-F17/F18-F19

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01519 - F17.9

Type	Code
Measurement Unit	numeric
NDI01519	F17.9

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01619 - G00-G92/G94-G99

Type	Code
Measurement Unit	numeric
NDI01619	G00-G92/G94-G99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01719 - G93

Type	Code
------	------

Measurement Unit	numeric
NDI01719	G93

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01819 - I00-I09/I26-I28/I70-I99

Type	Code
Measurement Unit	numeric
NDI01819	I00-I09/I26-I28/I70-I99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI01919 - I10

Type	Code
Measurement Unit	numeric
NDI01919	I10

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02019 - I11-I15

Type	Code
Measurement Unit	numeric
NDI02019	I11-I15

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02119 - I20-I24/I25.2-I25.6/I25.8/I25.9

Type	Code
Measurement Unit	numeric
NDI02119	I20-I24/I25.2-I25.6/I25.8/I25.9

			Frequency	% of total	% of valid
Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02219 - I25.0

Type	Code
Measurement Unit	numeric
NDI02219	I25.0

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02319 - I25.1

Type	Code
Measurement Unit	numeric
NDI02319	I25.1

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02419 - I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

Type	Code
Measurement Unit	numeric
NDI02419	I30-I41/I43-I45/I46.0/I46.1/I47-I49/I52

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02519 - I42

Type	Code
Measurement Unit	numeric
NDI02519	I42

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02619 - I46.9

Type	Code
Measurement Unit	numeric
NDI02619	I46.9

			Frequency	% of total	% of valid
Valid	0	Absent	490	90.74%	90.91%
	1	Present	49	9.07%	9.09%
Total			539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02719 - I50

Type	Code
Measurement Unit	numeric
NDI02719	I50

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02819 - I51

Type	Code
Measurement Unit	numeric
NDI02819	I51

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI02919 - I60-I69

Type	Code
Measurement Unit	numeric
NDI02919	I60-I69

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03019 - J00-J06/J20-J94

Type	Code
------	------

Measurement Unit	numeric
NDI03019	J00-J06/J20-J94

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03119 - J18

Type	Code
Measurement Unit	numeric
NDI03119	J18

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03219 - J95-J99

Type	Code
Measurement Unit	numeric
NDI03219	J95-J99

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03319 - K00-K67/K80-K93

Type	Code
Measurement Unit	numeric
NDI03319	K00-K67/K80-K93

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03419 - K70-K77

Type	Code
Measurement Unit	numeric
NDI03419	K70-K77

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03519 - N17-N19

Type	Code
Measurement Unit	numeric
NDI03519	N17-N19

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03619 - R00-R07/R10-R49/R70-R98

Type	Code
Measurement Unit	numeric
NDI03619	R00-R07/R10-R49/R70-R98

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03719 - R09

Type	Code
Measurement Unit	numeric
NDI03719	R09

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03819 - R50-R69

Type	Code
Measurement Unit	numeric
NDI03819	R50-R69

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI03919 - R99

Type	Code
Measurement Unit	numeric
NDI03919	R99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04019 - S00-S08/S09.0-S09.2/S09.7/S09.8

Type	Code
Measurement Unit	numeric
NDI04019	S00-S08/S09.0-S09.2/S09.7/S09.8

			Frequency	% of total	% of valid
Valid	0	Absent	508	94.07%	94.25%
	1	Present	31	5.74%	5.75%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04119 - S01.0-S01.5/S01.7/S01.8

Type	Code
Measurement Unit	numeric
NDI04119	S01.0-S01.5/S01.7/S01.8

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04219 - S01.9

Type	Code
Measurement Unit	numeric
NDI04219	S01.9

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04319 - S09.9

Type	Code
------	------

Measurement Unit	numeric
NDI04319	S09.9

			Frequency	% of total	% of valid
Valid	0	Absent	502	92.96%	93.14%
	1	Present	37	6.85%	6.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04419 - S10-S19

Type	Code
Measurement Unit	numeric
NDI04419	S10-S19

			Frequency	% of total	% of valid
Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04519 - S20/S22-S28/S29.0/S29.7/S29.8

Type	Code
Measurement Unit	numeric
NDI04519	S20/S22-S28/S29.0/S29.7/S29.8

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04619 - S21

Type	Code
Measurement Unit	numeric
NDI04619	S21

			Frequency	% of total	% of valid
Valid	0	Absent	522	96.67%	96.85%
	1	Present	17	3.15%	3.15%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04719 - S29.9

Type	Code
Measurement Unit	numeric
NDI04719	S29.9

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04819 - S30-S35/S37-S39

Type	Code
Measurement Unit	numeric
NDI04819	S30-S35/S37-S39

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	530	98.15%	98.33%
	1	Present	9	1.67%	1.67%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI04919 - S36

Type	Code
Measurement Unit	numeric
NDI04919	S36

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05019 - S40-S99/T08/T10-T13/T15-T35/T79-T98

Type	Code
Measurement Unit	numeric
NDI05019	S40-S99/T08/T10-T13/T15-T35/T79-T98

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05119 - T07

Type	Code
Measurement Unit	numeric
NDI05119	T07

			Frequency	% of total	% of valid
Valid	0	Absent	504	93.33%	93.51%
	1	Present	35	6.48%	6.49%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05219 - T09

Type	Code
Measurement Unit	numeric
NDI05219	T09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05319 - T14

Type	Code
Measurement Unit	numeric
NDI05319	T14

			Frequency	% of total	% of valid
Valid	0	Absent	481	89.07%	89.24%
	1	Present	58	10.74%	10.76%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05419 - T36-T39/T41-T49/T50.0-T50.8

Type	Code
Measurement Unit	numeric
NDI05419	T36-T39/T41-T49/T50.0-T50.8

			Frequency	% of total	% of valid
Valid	0	Absent	509	94.26%	94.43%
	1	Present	30	5.56%	5.57%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05519 - T40.1

Type	Code
Measurement Unit	numeric
NDI05519	T40.1

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05619 - T40.2

Type	Code
------	------

Measurement Unit	numeric
NDI05619	T40.2

			Frequency	% of total	% of valid
Valid	0	Absent	520	96.3%	96.47%
	1	Present	19	3.52%	3.53%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05719 - T40.3/T40.6-T40.9

Type	Code
Measurement Unit	numeric
NDI05719	T40.3/T40.6-T40.9

			Frequency	% of total	% of valid
Valid	0	Absent	526	97.41%	97.59%
	1	Present	13	2.41%	2.41%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05819 - T40.4

Type	Code
Measurement Unit	numeric
NDI05819	T40.4

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI05919 - T40.5

Type	Code
Measurement Unit	numeric
NDI05919	T40.5

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06019 - T50.9

Type	Code
Measurement Unit	numeric
NDI06019	T50.9

			Frequency	% of total	% of valid
Valid	0	Absent	499	92.41%	92.58%
	1	Present	40	7.41%	7.42%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06119 - T51-T65

Type	Code
Measurement Unit	numeric
NDI06119	T51-T65

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	518	95.93%	96.1%
	1	Present	21	3.89%	3.9%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06219 - T66-T70/T73-T78

Type	Code
Measurement Unit	numeric
NDI06219	T66-T70/T73-T78

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI06319 - T71

Type	Code
Measurement Unit	numeric
NDI06319	T71

			Frequency	% of total	% of valid
Valid	0	Absent	513	95%	95.18%
	1	Present	26	4.81%	4.82%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06419 - V01-V09

Type	Code
Measurement Unit	numeric
NDI06419	V01-V09

			Frequency	% of total	% of valid
Valid	0	Absent	528	97.78%	97.96%
	1	Present	11	2.04%	2.04%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06519 - V10-V39/V50-V79/V90-V99

Type	Code
Measurement Unit	numeric
NDI06519	V10-V39/V50-V79/V90-V99

			Frequency	% of total	% of valid
Valid	0	Absent	524	97.04%	97.22%
	1	Present	15	2.78%	2.78%
	Total		539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06619 - V40-V48

Type	Code
Measurement Unit	numeric
NDI06619	V40-V48

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06719 - V49

Type	Code
Measurement Unit	numeric
NDI06719	V49

			Frequency	% of total	% of valid
Valid	0	Absent	523	96.85%	97.03%
	1	Present	16	2.96%	2.97%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06819 - V87

Type	Code
Measurement Unit	numeric
NDI06819	V87

			Frequency	% of total	% of valid
Valid	0	Absent	527	97.59%	97.77%
	1	Present	12	2.22%	2.23%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI06919 - V89.2

Type	Code
------	------

Measurement Unit	numeric
NDI06919	V89.2

			Frequency	% of total	% of valid
Valid	0	Absent	514	95.19%	95.36%
	1	Present	25	4.63%	4.64%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07019 - W00-X39/X50-X59

Type	Code
Measurement Unit	numeric
NDI07019	W00-X39/X50-X59

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07119 - X40-X41/X43/X46-X49

Type	Code
Measurement Unit	numeric
NDI07119	X40-X41/X43/X46-X49

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07219 - X42

Type	Code
Measurement Unit	numeric
NDI07219	X42

			Frequency	% of total	% of valid
Valid	0	Absent	505	93.52%	93.69%
	1	Present	34	6.3%	6.31%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07319 - X44

Type	Code
Measurement Unit	numeric
NDI07319	X44

			Frequency	% of total	% of valid
Valid	0	Absent	501	92.78%	92.95%
	1	Present	38	7.04%	7.05%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

NDI07419 - X45

Type	Code
Measurement Unit	numeric
NDI07419	X45

			Frequency	% of total	% of valid
--	--	--	-----------	------------	------------

Valid	0	Absent	525	97.22%	97.4%
	1	Present	14	2.59%	2.6%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07519 - X60-X69/X71-X73/X75-X84

Type	Code
Measurement Unit	numeric
NDI07519	X60-X69/X71-X73/X75-X84

			Frequency	% of total	% of valid
Valid	0	Absent	516	95.56%	95.73%
	1	Present	23	4.26%	4.27%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07619 - X70

Type	Code
Measurement Unit	numeric
NDI07619	X70

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07719 - X74

Type	Code
Measurement Unit	numeric
NDI07719	X74

			Frequency	% of total	% of valid
Valid	0	Absent	521	96.48%	96.66%
	1	Present	18	3.33%	3.34%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07819 - X85-X94/X96-Y09

Type	Code
Measurement Unit	numeric
NDI07819	X85-X94/X96-Y09

			Frequency	% of total	% of valid
Valid	0	Absent	529	97.96%	98.14%
	1	Present	10	1.85%	1.86%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
	Total		1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI07919 - X95

Type	Code
Measurement Unit	numeric
NDI07919	X95

			Frequency	% of total	% of valid
Valid	0	Absent	510	94.44%	94.62%
	1	Present	29	5.37%	5.38%

		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08019 - Y10-Y98

Type	Code
Measurement Unit	numeric
NDI08019	Y10-Y98

			Frequency	% of total	% of valid
Valid	0	Absent	517	95.74%	95.92%
	1	Present	22	4.07%	4.08%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1

 NDI08119 - 996: SUPPRESSED

Type	Code
Measurement Unit	numeric
NDI08119	996: SUPPRESSED

			Frequency	% of total	% of valid
Valid	0	Absent	482	89.26%	89.42%
	1	Present	57	10.56%	10.58%
		Total	539	99.81%	100%
Missing	92	Missing in source	1	0.19%	
		Total	1	0.19%	

Valid	Invalid	Minimum	Maximum
539	1	0	1